

**HPPCB ID: 10034**

**Ambuja Cements Limited (Suli Plant)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
23-07-2009	12.0 mg/l	1.2 mg/l	16.0 mg/l	7.29
25-09-2009	22.0 mg/l	3.0 mg/l	20.0 mg/l	7.29
26-11-2009		1.6 mg/l	40.0 mg/l	
02-12-2009	21.25 mg/l			7.73
27-01-2010		8.6 mg/l	104.0 mg/l	
01-02-2010	42.0 mg/l			6.94
26-04-2010	79.0 mg/l		124.0 mg/l	6.88
28-04-2010		10.5 mg/l		
28-07-2010		1.0 mg/l		
28-07-2010		6.0 mg/l		
28-07-2010		1.8 mg/l		
29-07-2010			40.0 mg/l	8.52
29-07-2010	9.0 mg/l		28.0 mg/l	8.18
29-07-2010			24.0 mg/l	8.11
31-07-2010	343.0 mg/l			
31-07-2010	47.0 mg/l			
09-09-2010	20.0 mg/l	12.5 mg/l	100.0 mg/l	6.65
17-01-2011		3.0 mg/l	24.0 mg/l	
17-01-2011		1.0 mg/l	4.0 mg/l	
18-01-2011	5.0 mg/l			7.59
18-01-2011	6.0 mg/l			8.14
11-02-2011		2.6 mg/l		7.29
14-02-2011	12.0 mg/l			
15-02-2011			39.0 mg/l	
19-03-2011				7
31-03-2011	1.0 mg/l	0.4 mg/l	4.0 mg/l	
08-04-2011				7.32
21-04-2011	71.0 mg/l	17.0 mg/l	92.0 mg/l	
27-04-2011				7.46
05-05-2011	2.0 mg/l	1.6 mg/l	20.0 mg/l	
16-05-2011				7.58
31-05-2011		2.0mg/l		
04-06-2011	1.0mg/l		20.0mg/l	
23-06-2011				7.02
16-07-2011		0.6 mg/l		
19-07-2011	1.0mg/l		8.0mg/l	
09-12-2011				7.48
15-12-2011	3.0 mg/l		4.0 mg/l	
16-12-2011		0.5 mg/l		
06-03-2012	5.0 mg/l	3.0 mg/l	28.0 mg/l	7.37
26-07-2012		1.5 mg/l		
27-07-2012	8.0mg/l		8.0 mg/l	7.09
15-09-2012	24.0 mg/l		16.0 mg/l	7.1
17-09-2012		0.4mg/l		
06-10-2012				7.62
08-10-2012	2.0 mg/l		4.0 mg/l	
17-10-2012		0.8mg/l		
31-12-2012	2.0 mg/l	2.0 mg/l	12.0 mg/l	7.96
18-05-2013	1.0 mg/l			
01-06-2013		2.0 mg/l	8.0 mg/l	8.53
01-02-2014	3.0 mg/l	0.1 mg/l	4.0 mg/l	7.34
20-02-2014	10.0 mg/l	0.1 mg/l	4.0 mg/l	7.48
16-05-2014	12.0 mg/l	3.6 mg/l	20.0 mg/l	7.62
01-08-2014	8.0 mg/l	1.4 mg/l	32.0 mg/l	6.97

**HPPCB ID: 12845****Ambuja Cements Limited - Unit Rauri**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
18-05-2013	1.0 mg/l			
18-05-2013	11.0 mg/l			
01-06-2013		8.0 mg/l	24.0 mg/l	8.12
01-06-2013		2.0 mg/l	8.0 mg/l	8.2
16-10-2013		1.2 mg/l		
25-10-2013	9.0 mg/l		8.0 mg/l	7.64

**HPPCB ID: 14049****Ambuja Cements Limited (Unit: Nalagarh)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
10-01-2011	125.0 mg/l	26.0 mg/l	168.0 mg/l	7.92
01-02-2011	14.0 mg/l	5.0 mg/l	60.0 mg/l	8.15
05-06-2012	23.0 mg/l		20.0 mg/l	7.43
07-06-2012		2.0 mg/l		
04-08-2012		1.0 mg/l		
06-08-2012	13.0 mg/l		8.0 mg/l	8.13
07-03-2013	26.0 mg/l			
08-03-2013		3.0 mg/l		
29-03-2013			32.0 mg/l	7.65
30-09-2013	4.0 mg/l		16.0 mg/l	7.49
01-10-2013		3.0 mg/l		

**HPPCB ID: 10920****Kashlog Limestone Mines Of Ambuja Cements Limited (Unit - Suli)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
26-04-2010	7.0 mg/l			8.24
27-04-2010			20.0 mg/l	
28-04-2010		1.4 mg/l		
28-07-2010		1.4 mg/l		
29-07-2010	23.0 mg/l		24.0 mg/l	8.12
17-01-2011		1.6 mg/l	4.0 mg/l	
18-01-2011	15.0 mg/l			7.98
11-02-2011		0.6 mg/l		8
11-02-2011		0.8 mg/l		7.95
14-02-2011	13.0 mg/l		2.4 mg/l	
14-02-2011	1.0 mg/l		3.20 mg/l	
08-04-2011				7.43
08-04-2011				7.7
21-04-2011	1.0 mg/l	0.8mg/l	4.0 mg/l	
21-04-2011	5.0 mg/l	1.2 mg/l	20.0 mg/l	
27-04-2011				7.73
27-04-2011				8.11
05-05-2011	27.0 mg/l	3.0 mg/l	40.0 mg/l	
05-05-2011	2.0 mg/l	1.0 mg/l	4.0mg/l	
23-06-2011				7.8
16-07-2011		0.8 mg/l		
19-07-2011	17.0mg/l		4.0mg/l	
05-06-2012	3.0 mg/l		16.0 mg/l	
06-06-2012		3.0 mg/l		8.33
18-05-2013	10.0 mg/l			
01-06-2013		5.0 mg/l	12.0 mg/l	8.32

## HPPCB ID: 10229

## Jaypee Himachal Cement Plant - Baga

DATE	Suspended Solids (Permissible Value= 100)	BOD (Permissible Value= 30)	COD (Permissible Value= 250)	pH (Permissible Value= 5.5 to 9.0)
23-07-2009	194.2 mg/l		268.0 mg/l	6.9
23-07-2009	28.0 mg/l	6.4 mg/l	96.0 mg/l	7.39
23-07-2009	90.0 mg/l	19.0 mg/l	136.0 mg/l	7.64
31-07-2009		100.0 mg/l		
26-11-2009		17.0 mg/l	128.0 mg/l	
26-11-2009		11.5 mg/l	104.0 mg/l	
02-12-2009	40.0 mg/l			7.26
02-12-2009	20.0 mg/l			7.77
26-04-2010	400.0 mg/l			7.43
26-04-2010	222.0 mg/l		232.0 mg/l	7.28
26-04-2010	376.0 mg/l		492.0 mg/l	7.69
27-04-2010			492.0 mg/l	
28-04-2010		125.0 mg/l		
28-04-2010		80.0 mg/l		
28-04-2010		115.0 mg/l		
28-07-2010		0.2 mg/l		
28-07-2010		1.2 mg/l		
28-07-2010		204.0 mg/l		
28-07-2010		3.2 mg/l		
28-07-2010		2.6 mg/l		
28-07-2010		1.4 mg/l		
28-07-2010		0.2 mg/l		
28-07-2010		0.2 mg/l		
29-07-2010	12.0 mg/l		8.0 mg/l	8.08
29-07-2010	40.0 mg/l		12.0 mg/l	7.9
29-07-2010	833.0 mg/l		652.0 mg/l	7.4
29-07-2010	43.0 mg/l		44.0 mg/l	7.42
29-07-2010	6.0 mg/l		24.0 mg/l	7.98
29-07-2010	98.0 mg/l		28.0 mg/l	8.84
29-07-2010	4.0 mg/l		4.0 mg/l	7.76
29-07-2010	8.0 mg/l		4.0 mg/l	7.69
29-07-2010	182355.0 mg/l			7.9
06-08-2010		140.0 mg/l	1008.0 mg/l	
01-11-2010	83.0 mg/l		100.0 mg/l	7.25
01-11-2010	65.0 mg/l		56.0 mg/l	7.34
01-11-2010	4.0 mg/l		12.0 mg/l	7.56
02-11-2010		32.0 mg/l		
02-11-2010		9.5 mg/l		
02-11-2010		1.2 mg/l		
11-02-2011		0.8 mg/l		8.2
11-02-2011		1.0 mg/l		7.61
11-02-2011		0.6 mg/l		8.01
14-02-2011	11.0 mg/l		4.8 mg/l	
14-02-2011	14.0 mg/l		16.0 mg/l	
14-02-2011	8.0 mg/l		2.0 mg/l	
08-04-2011				7.71
08-04-2011				8.14
08-04-2011				7.18
21-04-2011	14.0 mg/l	12.0 mg/l	64.0 mg/l	
21-04-2011	1.0 mg/l	1.0 mg/l	8.0 mg/l	
21-04-2011	18.0 mg/l	4.0 mg/l	36.0 mg/l	
16-05-2011				7.45
16-05-2011				7.88
16-05-2011				7.94
31-05-2011		1.0mg/l		
31-05-2011		1.0mg/l		
31-05-2011		1.0mg/l		
04-06-2011	10.0mg/l		12.0mg/l	
04-06-2011	6.0mg/l		12.0mg/l	
04-06-2011	13.0mg/l		16.0mg/l	
23-06-2011				8.29
23-06-2011				8.25

23-06-2011				7.66
16-07-2011		0.8 mg/l		
16-07-2011		0.2 mg/l		
16-07-2011		0.4 mg/l		
19-07-2011	10.0mg/l		4.0mg/l	
19-07-2011	7.0mg/l		4.0mg/l	
19-07-2011	1.0mg/l		5.0mg/l	
03-11-2011	3.0 mg/l		40.0 mg/l	7.95
03-11-2011	3.0 mg/l		4.0 mg/l	7.96
03-11-2011	11.0 mg/l		16.0 mg/l	7.78
04-11-2011		6.0mg/l		
04-11-2011		1.0mg/l		
04-11-2011		4.0mg/l		
09-12-2011				7.65
09-12-2011				7.35
09-12-2011				7.21
15-12-2011	33.0 mg/l		16.0 mg/l	
15-12-2011	52.0 mg/l		52.0 mg/l	
15-12-2011	47.0 mg/l		16.0 mg/l	
16-12-2011		2.0 mg/l		
16-12-2011		7.0 mg/l		
16-12-2011		2.0 mg/l		
31-12-2011				7.99
31-12-2011				7.95
31-12-2011				7.45
11-01-2012	22.0 mg/l		20.0 mg/l	
11-01-2012	38.0 mg/l		48.0 mg/l	
11-01-2012	13.0 mg/l		12.0 mg/l	
12-01-2012		3.0 mg/l		
12-01-2012		7.0 mg/l		
12-01-2012		2.0 mg/l		
06-03-2012	8.0 mg/l	3.0 mg/l	16.0 mg/l	7.3
06-03-2012	26.0 mg/l	2.0 mg/l	12.0 mg/l	7.71
06-03-2012	2.0 mg/l	8.0 mg/l	100.0 mg/l	8.02
06-03-2012	54.0 mg/l	6.0 mg/l	52.0 mg/l	7.24
31-05-2012	76.0mg/l		80.0mg/l	
01-06-2012		11.0 mg/l		8.42
07-06-2012	20.0mg/l		20.0mg/l	7.14
13-06-2012		2.0 mg/l		
30-08-2012				7.7
30-08-2012				7.76
30-08-2012				7.71
13-09-2012	16.0 mg/l			
13-09-2012	37.0 mg/l			
13-09-2012	43.0 mg/l			
17-09-2012		0.4mg/l		
17-09-2012		0.2mg/l		
17-09-2012		0.4mg/l		
06-10-2012				7.1
06-10-2012				7.36
06-10-2012				8
06-10-2012				7.9
06-10-2012				8.19
08-10-2012	8.0 mg/l			
08-10-2012	3.0 mg/l	4.0 mg/l		
08-10-2012	2.0 mg/l			
16-10-2012	286.0 mg/l			
17-10-2012	8.0 mg/l	10.0 mg/l		
17-10-2012		24.0 mg/l		
17-10-2012		1.0 mg/l		
17-10-2012		0.2mg/l		
17-10-2012		2.0 mg/l		
27-12-2012		35.0 mg/l		
27-12-2012		25.0 mg/l		
27-12-2012		10.0 mg/l		
29-12-2012		4.0mg/l	32.0mg/l	8.2

29-12-2012		3.0mg/l	16.0mg/l	7.72
29-12-2012		2.0mg/l	12.0mg/l	8.48
31-12-2012	38.0 mg/l			
31-12-2012	58.0 mg/l			
31-12-2012	7.0 mg/l			
31-12-2012	2.0 mg/l			
31-12-2012	28.0 mg/l			
31-12-2012	2.0 mg/l			
31-12-2012	9.0 mg/l			
02-01-2013			28.0 mg/l	8.24
02-01-2013			84.0 mg/l	7.42
02-01-2013			16.0 mg/l	8.33
02-01-2013			8.0 mg/l	8.42
02-01-2013				8.46
02-01-2013			4.0 mg/l	7.92
02-01-2013			24.0 mg/l	7.99
03-01-2013		4.0mg/l		
03-01-2013		2.0mg/l		
03-01-2013		2.5mg/l		
03-01-2013		4.0mg/l		
03-01-2013		3.5mg/l		
05-01-2013		4.0 mg/l		
05-01-2013		38.0 mg/l		
18-05-2013	2.0 mg/l			
18-05-2013	1.0 mg/l			
18-05-2013	1.0 mg/l			
18-05-2013	1.0 mg/l			
01-06-2013		35.0 mg/l	244.0 mg/l	7.32
01-06-2013		4.0 mg/l	20.0 mg/l	7.86
01-06-2013		8.0 mg/l	12.0 mg/l	7.46
01-06-2013		1.0 mg/l	4.0 mg/l	7.1
04-01-2014	32.0 mg/l	4.0 mg/l	28.0 mg/l	7.35
04-01-2014	51.0 mg/l		120.0 mg/l	6.96
04-01-2014			200.0 mg/l	7.05
14-01-2014		17.5 mg/l		
14-01-2014		25.0 mg/l		
15-01-2014	200.0 mg/l			
09-05-2014	14.0 mg/l	0.3 mg/l	12.0 mg/l	7.76
09-05-2014	18.0 mg/l	1.0 mg/l	28.0 mg/l	6.93
09-05-2014	10.0 mg/l	0.2 mg/l	4.0 mg/l	7.49

**HPPCB ID: 11756****Jaypee Himachal Cement Grinding & Blending Plant**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
18-05-2010		3.2 mg/l		
21-05-2010	24.0 mg/l		40.0 mg/l	7.47
25-05-2010	34.0 mg/l		64.0 mg/l	7.48
28-05-2010		10.5 mg/l		
08-11-2011				8.15
09-11-2011	36.0 mg/l			
14-11-2011		27.0 mg/l	96.0 mg/l	
31-05-2012	69.0mg/l		84.0mg/l	
31-05-2012	10.0mg/l		36.0mg/l	7.38
31-05-2012	117.0mg/l		152.0mg/l	7.5
01-06-2012		12.0mg/l		8.27
01-06-2012		5.0mg/l		
01-06-2012		42.0mg/l		
07-06-2012	9.0mg/l		68.0mg/l	7.8
07-06-2012	10.0mg/l	5.5mg/l	40.0mg/l	7.39
13-06-2012		15.0mg/l		
17-10-2012	28.0mg/l	25.0mg/l	120.0mg/l	7.68
18-05-2013	19.0 mg/l			
01-06-2013		12.0 mg/l	40.0 mg/l	8.23
30-09-2013	2.0 mg/l		4.0 mg/l	7.32
01-10-2013		1.2 mg/l		
30-05-2014	12.0 mg/l	1.8 mg/l	16.0 mg/l	7.29

**HPPCB ID: 10188**

**Acc Ltd. (Unit-1)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
02-07-2009				7.9
14-07-2009	2.0 mg/l	1.6 mg/l	12.0 mg/l	
14-07-2009	30.0 mg/l	16.0 mg/l	104.0 mg/l	8.1
19-11-2009	24.0 mg/l	6.0 mg/l	32.0 mg/l	8
16-02-2010	10.0 mg/l	4.4 mg/l		
18-02-2010			40.0 mg/l	7.53
19-05-2010	92.0 mg/l	Interference	140.0 mg/l	8.5
03-05-2011	7.0 mg/l	0.3 mg/l	4.0 mg/l	7.63
03-05-2011	89.0 mg/l	160.0 mg/l	624.0 mg/l	7.06
03-05-2011	21.0 mg/l	4.0 mg/l	68.0 mg/l	7.49
29-11-2011	9.0 mg/l	0.4 mg/l	8.0 mg/l	8.3
29-11-2011	35.0 mg/l	10.0 mg/l	68.0 mg/l	7.23
29-11-2011	54.0 mg/l	4.0 mg/l	64.0 mg/l	7.25
13-04-2012	16.0 mg/l	0.8 mg/l	8.0 mg/l	7.52
13-04-2012	52.0 mg/l	20.0 mg/l	148.0 mg/l	7
13-04-2012	58.0 mg/l	4.4 mg/l	60.0 mg/l	7.06
13-04-2012	116.0 mg/l	22.0 mg/l	120.0 mg/l	6.8
01-10-2012				7.65
01-10-2012				8.24
10-10-2012	12.0 mg/l	6.0 mg/l	44.0 mg/l	
10-10-2012	19.0 mg/l	1.2 mg/l	24.0 mg/l	
22-12-2012				8.25
24-12-2012	12.0 mg/l	0.8 mg/l	20.0 mg/l	
19-03-2013	12.0 mg/l			7.86
23-03-2013		10.0 mg/l	60.0 mg/l	
24-06-2013				7.46
24-06-2013				7.25
06-07-2013	50.0 mg/l	4.7 mg/l	20.0 mg/l	
06-07-2013	46.0 mg/l	7.7 mg/l	28.0 mg/l	
08-11-2013	44.0mg/l			
13-11-2013			32.0 mg/l	8
14-11-2013		2.2mg/l		
22-03-2014	3.0mg/l	4.0 mg/l	56.0 mg/l	
25-03-2014				8.9
11-04-2014	1.0mg/l		12.0mg/l	
11-04-2014	14.0mg/l		36.0mg/l	
21-04-2014		1.0mg/l		
21-04-2014		3.0 mg/l		
23-04-2014				7.96
23-04-2014				7.97
22-05-2014	45.0mg/l		40.0mg/l	
24-05-2014		3.0 mg/l		
27-05-2014				8.31

**HPPCB ID: 10240****Acc Ltd. (Unit-2)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
17-07-2010			4.0 mg/l	7.59
17-07-2010		0.3 mg/l	12.0 mg/l	7.23
24-07-2010		0.4 mg/l		
27-07-2010	6.0 mg/l			
29-07-2010	3.0 mg/l			
31-12-2010	4.0 mg/l	1.2 mg/l	16.0 mg/l	7.27
01-04-2011				8.12
01-04-2011				7.96
02-04-2011	5.0 mg/l		8.0 mg/l	
02-04-2011	33.0 mg/l		52.0 mg/l	
06-04-2011		0.4 mg/l		
06-04-2011		3.0 mg/l		
15-09-2011	8.0 mg/l	0.6 mg/l		8.27
15-09-2011	47.0 mg/l	2.8 mg/l		7.84
16-09-2011			4.0 mg/l	
16-09-2011			36.0 mg/l	

**HPPCB ID: 11102**

**Cement Corporation Of India Ltd**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
31-05-2010	2.0 mg/l	2.6 mg/l	40.0 mg/l	7.6
09-11-2010	1.0 mg/l	1.2 mg/l	32.0 mg/l	7.53
19-05-2011			56.0 mg/l	
20-05-2011	33.0 mg/l	2.6 mg/l		7.45
13-10-2011	2.0 mg/l	1.0 mg/l	8.0 mg/l	7.29
19-11-2011	1.0 mg/l	2.0mg/l	24.0 mg/l	7.2
07-06-2012	29.0 mg/l	2.4 mg/l	48.0 mg/l	7.31
20-09-2013	33.0 mg/l	3.0 mg/l	40.0 mg/l	7.01
07-03-2014		4.8 mg/l	40.0 mg/l	
11-03-2014	2.0 mg/l			6.82

HPPCB ID: 11964

Asian Concretes & Cements (P) Ltd., (Unit-Ii)

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
09-12-2010				6.76
10-12-2010	4370.0 mg/l	1600.0 mg/l	3300.0 mg/l	
05-04-2011				7.85
18-04-2011	77.0 mg/l	12.0 mg/l	64.0 mg/l	

**HPPCB ID: 11807**

**Asian Cement Company**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
28-06-2014	24.0 mg/l	2.0 mg/l		7.66