

HPPCB ID: 21964

Advantage Organic Naturals Technologies Pvt. Ltd.

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value=</b>	<b>pH (Permissible Value= 5.5 to</b>
27-07-2016	44.0 mg/l	42.0 mg/l	212.0 mg/l	8.41

**HPPCB ID: 18768****Amico Textiles**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
18-09-2014	10.0 mg/l	12.0 mg/l	60.0 mg/l	7.11
07-08-2014	230.0 mg/l		106080.0 mg/l	
06-08-2014	6070.0 mg/l	3000.0 mg/l		6.96
05-08-2014	54.0 mg/l		640.0 mg/l	7.73
16-04-2013		2.5 mg/l		
06-04-2013	1.0 mg/l		8.0 mg/l	7.74
03-10-2012	6.0 mg/l		84.0 mg/l	7.42
03-10-2012	40.0 mg/l		772.0 mg/l	
03-10-2012	332.0 mg/l			
29-09-2012		23.0mg/l		6.88
29-09-2012		220.0mg/l		
29-09-2012		560.0mg/l		
29-09-2012		300.0 mg/l		
29-09-2012		620.0mg/l		
29-09-2012		620.0mg/l		
29-09-2012		660.0mg/l		
29-09-2012		980.0mg/l		
29-09-2012		300.0 mg/l		
28-09-2012		740.0mg/l		
19-09-2012	920.0 mg/l		1480.0 mg/l	
19-09-2012			1808.0 mg/l	
19-09-2012			1728.0 mg/l	
19-09-2012			1432.0 mg/l	
19-09-2012			908.0 mg/l	
15-09-2012	164.0 mg/l			6.92
15-09-2012	436.0 mg/l			9.61
15-09-2012	344.0 mg/l			9.93
15-09-2012	680.0 mg/l			9.95
15-09-2012	728.0 mg/l			9.11
15-09-2012	502.0 mg/l			12.01
15-09-2012				9.85

**HPPCB ID: 10817**

**Auro Dyeing (A Unit Of Vardhman Textiles Ltd.)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
18-08-2015		3.8 mg/l ± 0.44 mg/l		
		2.6 mg/l ± 0.15 mg/l*		
		18.5 mg/l ± 0.44 mg/l*		
		15.5 mg/l ± 0.44 mg/l*		
		23 mg/l ± 0.44 mg/l*		
13-08-2015			68 mg/l ± 2.03 mg/l*	
			52 mg/l ± 2.03 mg/l*	
			112 mg/l ± 2.03 mg/l*	
			108 mg/l ± 2.03 mg/l*	
			156 mg/l ± 5.96 mg/l*	
24-07-2015	31.0 mg/l			
	17.0 mg/l			
	11.0 mg/l			
	38.0 mg/l			
	16.0 mg/l			
23-07-2015				6.9
				6.98
				7.43
				7.54
				7.44
16-07-2015	62.0 mg/l	18.0 mg/l	96.0 mg/l	6.87
16-07-2015	54.0 mg/l	120.0 mg/l	800.0 mg/l	7.64
24-12-2014	38.0 mg/l	12.0 mg/l	96.0 mg/l	7.44
24-12-2014	90.0 mg/l	290.0 mg/l	444.0 mg/l	7.54
08-08-2014	78.0 mg/l	9.5 mg/l	84.0 mg/l	6.96
08-08-2014	118.0 mg/l	5.0 mg/l	84.0 mg/l	7
08-08-2014	10.0 mg/l	1.2 mg/l	28.0 mg/l	6.21
08-08-2014	48.0 mg/l	14.0 mg/l	152.0 mg/l	7.05
08-08-2014	74.0 mg/l	13.5 mg/l	96.0 mg/l	7.07
08-08-2014	68.0 mg/l	11.0 mg/l	104.0 mg/l	7.09
08-08-2014	28.0 mg/l	6.0 mg/l	84.0 mg/l	7.28
04-03-2014	17.0 mg/l	0.4 mg/l	28.0 mg/l	7.04
04-03-2014	580.0 mg/l	20.0 mg/l	44.0 mg/l	7.39
04-03-2014	18.0 mg/l	7.6 mg/l	52.0 mg/l	7.24
04-03-2014	33.0 mg/l	260.0 mg/l	564.0 mg/l	9.53
04-03-2014	80.0 mg/l	145.0 mg/l	264.0 mg/l	6.05
17-04-2013	15.0 mg/l		80.0 mg/l	7.85
17-04-2013	28.0 mg/l		44.0 mg/l	7.78
17-04-2013	22.0 mg/l		76.0 mg/l	7.61
16-04-2013		16.0 mg/l		
16-04-2013		6.5 mg/l		
16-04-2013		15.0 mg/l		
29-01-2013		22.0 mg/l		
28-01-2013	35.0 mg/l			
23-01-2013			144.0 mg/l	7.55
28-01-2010	68.0 mg/l	8.0 mg/l		6.95

HPPCB ID: 23954

**Auro Textiles Unit-Ii (A Unit Of Vardhman Textiles Ltd)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
16-07-2015	25.0 mg/l	8.0 mg/l	108.0 mg/l	6.63
16-07-2015	69.0 mg/l	1050.0 mg/l	6120.0 mg/l	10.15
26-12-2014	76.0 mg/l	13.5 mg/l	112.0 mg/l	8.28
26-12-2014	32.0 mg/l	4.0 mg/l	80.0 mg/l	8.36

**HPPCB ID: 10158****Auro Textiles ( A Unit Of Vardhman Textiles Ltd.)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
04-03-2014	35.0 mg/l	5.0 mg/l	132.0 mg/l	7.66
04-03-2014	46.0 mg/l	5.0 mg/l	92.0 mg/l	7.41
04-03-2014	4540.0 mg/l	1400.0 mg/l	5376.0 mg/l	6.7
04-03-2014	98.0 mg/l	630.0 mg/l	1408.0 mg/l	4.95
04-03-2014	90.0 mg/l	620.0 mg/l	1233.0 mg/l	11.66
17-04-2013	116.0 mg/l		176.0 mg/l	8.05
16-04-2013		25.0 mg/l		
29-01-2013		34.0 mg/l		
28-01-2013	58.0 mg/l		176.0 mg/l	7.63
27-09-2011	19.0mg/l	2.0mg/l		
23-12-2010	22.0 mg/l	9.0 mg/l		7.76
04-09-2010	97.0 mg/l			
28-01-2010	46.0 mg/l	4.0 mg/l		7.33

**HPPCB ID: 13024**

**Baddi Print Pack Privated Limited, Unit I**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
15-01-2014		9.1 mg/l	96.0 mg/l	
14-01-2014	45.0 mg/l			7.03
24-03-2012		48.0 mg/l	208.0 mg/l	
22-03-2012	125.0 mg/l			7.55

**HPPCB ID: 10679**

**Birla Textile Mills**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
29-09-2015	42.0 mg/l			
29-09-2015	32.0 mg/l			
29-09-2015	82.0 mg/l			
29-09-2015	214.0 mg/l			
29-09-2015	246.0 mg/l			
29-09-2015	62.0 mg/l			
26-09-2015		45.8 mg/l	152 mg/l	
26-09-2015		50.3 mg/l	200 mg/l	
26-09-2015		44.8 mg/l	180 mg/l	
26-09-2015		39.5 mg/l	164 mg/l	
26-09-2015		42.3 mg/l	148 mg/l	
26-09-2015		350 mg/l	708 mg/l	
25-09-2015				7.51
25-09-2015				7.18
25-09-2015				7.38
25-09-2015				8.07
25-09-2015				8.43
25-09-2015				7.55
18-08-2015		23.25 mg/l ± 0.44 mg/l*		
18-08-2015		3.25 mg/l ± 0.44 mg/l*		
13-08-2015			116 mg/l ± 2.03 mg/l*	
13-08-2015			56 mg/l ± 2.03 mg/l*	
24-07-2015	28.0 mg/l			6.97
24-07-2015	14.0 mg/l			7.76
24-12-2014	11.0 mg/l	0.8 mg/l	8.0 mg/l	7.62
08-08-2014	28.0 mg/l	2.60 mg/l	64.0 mg/l	6.73
08-08-2014	12.0 mg/l	3.2 mg/l	36.0 mg/l	7.17
14-01-2014	38.0 mg/l			6.98
	19.0 mg/l			7.27
04-01-2014		1.0 mg/l	32.0 mg/l	
04-01-2014		2.0 mg/l	36.0 mg/l	
19-09-2013	115.0mg/l	28.0 mg/l	168.0 mg/l	6.87
19-09-2013	3.0 mg/l	4.0 mg/l	52.0 mg/l	7.57
15-06-2013	27.0 mg/l	36.0 mg/l	124.0 mg/l	7.09
15-06-2013	31.0 mg/l	40.0 mg/l	112.0 mg/l	7.04
16-05-2013	34.0 mg/l	38.0 mg/l	180.0 mg/l	
02-05-2013		20.0 mg/l		
25-04-2013			76.0 mg/l	7.81
24-04-2013	18.0 mg/l			7.85
29-01-2013		5.0 mg/l		
29-01-2013		3.0 mg/l		
24-01-2013	7.0 mg/l			
	13.0 mg/l			
23-01-2013			68.0 mg/l	7.38
23-01-2013			72.0 mg/l	7.7
20-12-2009	26.0 mg/l	3.2 mg/l		7.64
20-12-2009	12.0 mg/l	0.8 mg/l		7.65
05-12-2009			32.0 mg/l	

**HPPCB ID: 11149****Deepak Spinners Ltd**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
12-05-2015	80.0 mg/l	12.0 mg/l	180.0 mg/l	6.83
10-10-2014	7.0 mg/l	4.0 mg/l	40.0 mg/l	7.15
10-10-2014	15.0 mg/l	16.0 mg/l	148.0 mg/l	6.92
10-10-2014	2.0 mg/l		68.0 mg/l	7.39
30-09-2013		10.0 mg/l		
06-04-2012		40.0mg/l		
31-03-2012	18.0mg/l			
30-03-2012				7.6
23-12-2010	10.0 mg/l	25.0 mg/l		7.26
23-12-2010	48.0 mg/l	14.0 mg/l	52.0 mg/l	6.99
21-05-2010	24.0 mg/l			7.72
18-05-2010		14.5 mg/l		
14-07-2009	38.0mg/l	35.0 mg/l		7.44
14-07-2009	28.0mg/l	12.0 mg/l	196.0 mg/l	7.36



**HPPCB ID:15896**

**Jindal Medicot Ltd.**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
08-01-2012	194.0mg/l	240.0mg/l		
21-12-2011			572.0 mg/l	6.89

**HPPCB ID: 11786**

**Himchem Limited**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>DO (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
04-11-2011		0.5mg/l		
		0.5 mg/l		
03-11-2011	16.0 mg/l		4.0 mg/l	9.01
03-11-2011	28.0 mg/l			8.23

**HPPCB ID: 14384**

**Himachal Fibre Limited**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
15-02-2014	4.0 mg/l	0.8 mg/l	16.0 mg/l	7.89
29-03-2013			456.0 mg/l	
13-03-2013				7.36
08-03-2013	22.0 mg/l	70.0 mg/l		
18-04-2011	18.0 mg/l	9.0 mg/l		7.13

## HPPCB ID: 10139

## Malwa Cotton Spinning Mills Ltd

DATE	Suspended Solids (Permissible Value= 100)	BOD (Permissible Value= 30)	(Permissible Value= 250)	(Permissible Value= 5.5 to 9.0)
30-08-2014		17.0 mg/l		
28-08-2014	52.0 mg/l			7.38
04-08-2014	30.0 mg/l	3.4 mg/l		8.42
02-07-2014		4.8 mg/l		
01-07-2014	21.0 mg/l			8.38
11-06-2014		8.0 mg/l		
09-06-2014	5.0 mg/l			7.85
11-04-2014	6.0 mg/l	10.0 mg/l		7.54
31-03-2014	13.0 mg/l	17.0 mg/l		7.39
11-03-2014	4.0 mg/l			7.02
07-03-2014		3.0 mg/l		
06-01-2014		20.0 mg/l		
27-12-2013	96.0 mg/l			7.62
20-12-2013	17.0 mg/l	4.0 mg/l		7.3
29-08-2013	45.0 mg/l	13.0 mg/l		7.27
07-08-2013	77.9 mg/l	13.0 mg/l		7.54
13-06-2013	8.0 mg/l	4.8 mg/l		7.82
20-04-2013	38.0 mg/l	11.0 mg/l		8
28-03-2013	5.0 mg/l	15.0 mg/l		7.52
19-02-2013	21.0 mg/l	18.0 mg/l		7.24
29-01-2013	16.0 mg/l	5.0 mg/l		7.24
22-09-2012		4.6 mg/l		
19-09-2012	23.0 mg/l		72.0 mg/l	7.38
19-09-2012	41.0 mg/l	3.2 mg/l		7.5
13-09-2012	76.0 mg/l	3.2 mg/l		7.31
09-08-2012	4.0 mg/l	1.0 mg/l		6.51
08-06-2012	4.0 mg/l	11.0 mg/l		7.81
16-05-2012	30.0 mg/l	10.0 mg/l		7.36
06-04-2012	49.0 mg/l	9.0 mg/l		7.8
25-02-2012	24.0 mg/l	10.0 mg/l	Cr=1.85 mg/l,Sulphide & O	8.12
17-01-2012			32.0 mg/l	
16-01-2012	60.0 mg/l	5.0 mg/l		7.8
16-11-2011	1.0 mg/l	0.80 mg/l	8.0mg/l	7.5
13-10-2011	19.0 mg/l	6.0 mg/l	96.0 mg/l	7.86
26-09-2011	4.0 mg/l	3.0 mg/l	80.0 mg/l	8.11
11-07-2011	19.0 mg/l	5.0 mg/l		7.98
08-07-2011			104.0 mg/l	
20-05-2011	7.0 mg/l	1.6 mg/l		7.49
19-05-2011			56.0 mg/l	
27-04-2011	20.0 mg/l	2.2 mg/l	88.0 mg/l	7.25
15-02-2011	26.0 mg/l	1.4 mg/l	88.0 mg/l	8.75
01-02-2011	21.0 mg/l	2.6 mg/l	88.0 mg/l	8.69
31-05-2010	11.0 mg/l	3.0 mg/l	80.0 mg/l	8.19
07-05-2010	1.0 mg/l			
22-02-2010		3.8 mg/l	96.0 mg/l	8.08
15-01-2010	12.0 mg/l	1.8 mg/l	56.0 mg/l	8.36
29-07-2009	9.0 mg/l	4.2 mg/l	72.0 mg/l	7.89

**HPPCB ID: 10051****M B D Printographic Pvt. Ltd ( Printing & Binding)**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>(Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
10-08-2016	5.0 mg/l		8.0 mg/l	7.69
01-08-2016				
14-03-2016			8.0 mg/l	7.91
05-03-2016	19.0 mg/l			
14-07-2015	5.0 mg/l		16.0 mg/l	7.82
23-09-2014	1.2 mg/l		8.0mg/l	8.45
12-05-2014	3.4 mg/l	1.8 mg/l		
09-05-2014			8.0mg/l	8.08
02-08-2012	20.0mg/l		76.0 mg/l	11.02
14-06-2012	66.0mg/l	44.0mg/l	164.0 mg/l	7.71
16-05-2012		250.0mg/l		
08-05-2012	97.0mg/l		648.0 mg/l	6.62
30-01-2012			92.0 mg/l	9.35
28-01-2012	54.0mg/l	24.0mg/l		

HPPCB ID: 12042

Nirmal Spinning Mills (P) Ltd

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
02-04-2015	22.0 mg/l	6.0 mg/l	44.0 mg/l	6.85
25-07-2012		49.0 mg/l		
25-07-2012		4.5 mg/l		
25-07-2012		44.0 mg/l		
25-07-2012		52.0 mg/l		
25-07-2012	19.0mg/l	2.0 mg/l		
18-07-2012	22.0mg/l		140.0 mg/l	7.18
18-07-2012	16.0 mg/l		32.0 mg/l	7.01
18-07-2012	70.0 mg/l		188.0 mg/l	7.23
18-07-2012	39.0 mg/l		220.0 mg/l	7.33
18-07-2012			12.0 mg/l	8.4
21-05-2010	1110.0 mg/l			7.12
18-05-2010		1162.5 mg/l		

**HPPCB ID:10146**

**Pasupati Spinning And Weaving Mills Ltd**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
15-07-2016	81.0 mg/l	6.0 mg/l	92.0 mg/l	7.04
15-07-2016	19.0 mg/l	16.0 mg/l	112.0 mg/l	7.32
31-05-2016	20.0 mg/L	8.0 mg/L	112.0 mg/L	7.41
12-05-2016	21.0 mg/l	10.0 mg/l	80.0 mg/l	7.44
30-03-2016	25.0 mg/l	4.0 mg/l	56.0 mg/l	7.53
15-03-2016	23.0 mg/l	4.0 mg/l	40.0 mg/l	7.67
08-01-2016	24.0 mg/l	12.0 mg/l	72.0 mg/l	6.68
01-09-2015		30	144	
29-08-2015	140			7.1
10-08-2015	94	30		
06-07-2015	68	26		7.8
08-06-2015	77	30		
18-05-2015				7.11
18-05-2015	50.0 mg/l	48.0 mg/l		7.58
10-04-2015	8.0 mg/l			7.39
04-04-2015		5.8 mg/l		
06-12-2014	25.0 mg/l	15.0 mg/l		7.29
28-10-2014	5.0 mg/l	2.8 mg/l		7.82
09-10-2014	122.0 mg/l	235.0 mg/l		7.32
30-08-2014		3.8 mg/l		
28-08-2014	19.0 mg/l			7.32
04-08-2014		23.0 mg/l		
02-08-2014	22.0 mg/l			7.46
02-07-2014		4.4 mg/l		
01-07-2014	17.0 mg/l			7.34
11-06-2014		3.0 mg/l		
09-06-2014	18.0 mg/l			6.25
03-05-2014		4.4 mg/l		
26-04-2014	14.0 mg/l			7.26
31-03-2014	106.0 mg/l	46.0 mg/l		6.73
11-03-2014	35.0 mg/l			6.78
07-03-2014		11.0 mg/l		
06-02-2014		2.8 mg/l		
04-02-2014	48.0 mg/l			6.73
03-02-2014	5.0 mg/l	24.0 mg/l		7.15
19-08-2013	2.0 mg/l	4.0 mg/l		7.09
27-07-2013	52.0 mg/l	12.0 mg/l		8.45
16-07-2013	82.0 mg/l	52.0 mg/l		7.6
13-06-2013	23.0 mg/l	6.6 mg/l		7.35
20-04-2013	98.0 mg/l	28.0 mg/l		6.97
05-04-2013	15.0 mg/l	38.0 mg/l		6.25
14-03-2013	14.0 mg/l	3.4 mg/l		6.93
06-02-2013		24.0 mg/l		
29-01-2013	18.0 mg/l			6.62
07-01-2013	19.0 mg/l	2.8 mg/l		6.83
09-10-2012	57.0 mg/l	11.0 mg/l		6.9
13-09-2012	138.0 mg/l			
01-08-2012	12.0 mg/l			7.07
01-08-2012	62.0 mg/l			7.61
01-08-2012	232.0 mg/l			
01-08-2012	23.0 mg/l			6.54
31-07-2012		NR		8.11
12-07-2012	72.0 mg/l	22.0 mg/l		6.1
07-06-2012	9.0 mg/l	40.0 mg/l		7.55
16-05-2012	5.0 mg/l	20.0 mg/l		7.37
04-04-2012	34.0 mg/l	24.0 mg/l		7.21

17-03-2012	5.0 mg/l	13.0 mg/l		7.54
27-02-2012		60.0 mg/l		
25-02-2012	65.0 mg/l			7.39
16-01-2012	66.0 mg/l	28.0 mg/l	NR	7.5
16-12-2011	11.0 mg/l	1.2 mg/l	8.0 mg/l	8
16-11-2011	9.0 mg/l	18.0 mg/l	232.0 mg/l	7.25
26-09-2011	6.0 mg/l	6.0 mg/l	104.0 mg/l	7.82
30-05-2011	42.0 mg/l	50.0 mg/l	464.0 mg/l	7.02
15-02-2011	92.0 mg/l	90.0 mg/l	424.0 mg/l	8.84
31-05-2010	31.0 mg/l	14.0 mg/l	152.0 mg/l	8.01
22-02-2010	6.0 mg/l	9.0 mg/l	168.0 mg/l	7.52
03-08-2009	98.0 mg/l	45.0 mg/l	264.0 mg/l	8.09



**HPPCB ID:12055****Sara Textiles Limited**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>pH (Permissible Value= 5.5 to 9.0)</b>
01-02-2016	48.0 mg/l	28.0 mg/l	240.0 mg/l	
27-01-2016				7.68
27-05-2015	16.0 mg/l	4.0 mg/l	48.0 mg/l	7.4
17-12-2014	42.0 mg/l	12.0 mg/l	80.0 mg/l	7.09
18-09-2014	8.0 mg/l	1.8 mg/l	24.0 mg/l	7.13
07-08-2014	408.0 mg/l	115.0 mg/l	400.0 mg/l	7.7
05-08-2014	87.0 mg/l	22.0 mg/l	144.0 mg/l	7.93
05-08-2014	254.0 mg/l	120.0 mg/l	380.0 mg/l	7.36
03-06-2014	28.0 mg/l	4.0 mg/l	52.0 mg/l	7.8
10-10-2013	3.0 mg/l		12.0 mg/l	6.98
09-10-2013		3.0 mg/l		
29-05-2013		40.0 mg/l		
27-05-2013			144.0 mg/l	7.53
08-05-2013	28.0 mg/l			
29-03-2013			112.0 mg/l	8.19
08-03-2013		27.0 mg/l		
07-03-2013	23.0 mg/l	2.0 mg/l		
23-01-2013	17.0 mg/l		48.0 mg/l	7.76
20-09-2012		13.0mg/l		
19-09-2012			72.0 mg/l	
15-09-2012	8.0 mg/l			7.98
25-07-2012	4.0 mg/l	2.0 mg/l	12.0 mg/l	
25-07-2012	29.0 mg/l	8.0 mg/l	56.0 mg/l	
25-07-2012	442.0 mg/l	230.0 mg/l	552.0 mg/l	
25-07-2012	100.0 mg/l	350.0 mg/l	452.0 mg/l	
23-07-2012				7.28
23-07-2012				7.78
23-07-2012				7.6
23-07-2012				7.6
07-06-2012		1.5mg/l		
05-06-2012	10.0 mg/l			8.03
31-05-2012		14.0mg/l		
31-05-2012		15.0mg/l		
30-05-2012	83.0mg/l		76.0mg/l	8.12
30-05-2012	143.0mg/l		92.0mg/l	8.04
29-03-2012	784.0 mg/l	80.0 mg/l	316.0 mg/l	7.57
29-03-2012	2010.0 mg/l	240.0 mg/l	644.0 mg/l	8.01
29-03-2012	2265.0 mg/l	700.0 mg/l	1248.0 mg/l	7.82
29-03-2012	2.0 mg/l	6.5 mg/l	44.0 mg/l	8.28
30-09-2011	13.0 mg/l	2.0 mg/l		
24-09-2011				8.25
24-09-2011		1.0 mg/l		
24-09-2011		0.5 mg/l		
23-09-2011	38.0 mg/l			
23-09-2011	8.0 mg/l			
29-08-2011				8.02
29-08-2011				8.34
21-07-2011	7.0 mg/l	1.8 mg/l		
20-07-2011	204.0mg/l	200.0mg/l		
20-07-2011	278.0mg/l	200.0mg/l		
20-07-2011	45.0mg/l	6.0mg/l		
19-07-2011	8.0mg/l			
19-07-2011	14.0mg/l			
19-07-2011			16.0mg/l	
19-07-2011			1812.0mg/l	
16-07-2011		0.8 mg/l		
16-07-2011		1.0 mg/l		

16-07-2011		200.0 mg/l		
06-07-2011				7.89
23-06-2011				8.56
23-06-2011				8.82
23-06-2011				7.78
16-06-2011				8.13
16-06-2011				7.37
26-05-2011	3.0 mg/l	3.0 mg/l		
18-05-2011				7.58
22-02-2011	16.0 mg/l	19.0 mg/l		7.33
29-01-2011		1.0 mg/l		
28-01-2011	6.0 mg/l			8.01
17-01-2011	5.0 mg/l	1.0 mg/l		8.25
31-03-2010	44.0 mg/l	145.0 mg/l		7.34
20-12-2009	16.0 mg/l	1.2 mg/l		8.02

**HPPCB ID: 19293**

**Sainath Texport Limited**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
25-07-2012	14.0 mg/l	9.0 mg/l	92.0 mg/l	
23-07-2012				8.09
22-05-2012	29.0 mg/l	6.0 mg/l		7.73

**HPPCB ID: 10260****Winsome Textile Industries Limited**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>COD (Permissible Value=</b>	<b>pH (Permissible Value= 5.5 to</b>
15-07-2014	19.0 mg/l	1.6 mg/l	28.0 mg/l	7.5
05-07-2013	9.0 mg/l	12.0 mg/l	84.0 mg/l	7.4
16-05-2013	38.0 mg/l			
30-04-2013		60.0 mg/l		
24-04-2013				8.14
13-06-2012		2.5mg/l		
07-06-2012	5.0mg/l			7.64
24-03-2012		104.0 mg/l		
22-03-2012	36.0 mg/l			8.18
29-01-2011		10.0 mg/l		
28-01-2011	23.0 mg/l			6.96
23-12-2010	10.0 mg/l	2.8 mg/l		7.5
20-12-2009	48.0 mg/l	3.2 mg/l		7.47
20-12-2009	27.5 mg/l	15.0 mg/l		7.4
20-12-2009	30.0 mg/l	18.0 mg/l		

**HPPCB ID: 14425**  
**Webtech Labels Private Limited**

<b>DATE</b>	<b>Suspended Solids (Permissible Value= 100)</b>	<b>BOD (Permissible Value= 30)</b>	<b>(Permissible Value= 250)</b>	<b>(Permissible Value= 5.5 to 9.0)</b>
27-06-2015	44.0 mg/l	8.0 mg/l	44.0 mg/l	
24-06-2015				7.22
10-12-2014	10.0 mg/l	2.8 mg/l	36.0 mg/l	7.69
21-10-2014	316.0 mg/l	410.0 mg/l	1704.0 mg/l	6.97
10-12-2010	694.0 mg/l	290.0 mg/l		
09-12-2010				6.67