

<b>Name of Regional Office: Baddi</b>							
<b>Area/ Zone</b>				<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
<b>Limit in dB(A)</b>		<b>Day Time</b>	<b>Limit in dB(A)</b>	<b>50.0</b>	<b>55.0</b>	<b>65.0</b>	<b>75.0</b>
		<b>Night Time</b>	<b>Limit in dB(A)</b>	<b>40.0</b>	<b>45.0</b>	<b>55.0</b>	<b>70.0</b>
<b>Month and Year:</b>		<b>January-2020</b>					
<b>Date</b>	<b>Location</b>	<b>Details of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
		<b>In front of Malhotra Hospital, Village Katha, Baddi</b>		<b>Block D,E,F HIMUDA Phase-III, Baddi</b>	<b>HIMUDA COMPLEX, Phase-I Baddi</b>	<b>IA Katha</b>	
<b>03.01.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	<b>55.2</b>	50.0	58.0	72.1
		Night Time	Noise Level dB(A)	38.0	43.2	48.0	65.2
<b>09.01.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	43.6	52.0	58.9	69.5
		Night Time	Noise Level dB(A)	35.0	40.0	52.4	62.0
<b>17.01.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	48.0	53.4	62.0	60.9
		Night Time	Noise Level dB(A)	37.8	40.8	49.0	64.4
<b>23.01.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	45.5	49.2	64.0	61.5
		Night Time	Noise Level dB(A)	32.4	39.6	45.3	61.5
<b>Month and Year:</b>		<b>February -2020</b>					
<b>06.02.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	49.0	50.8	56.0	65.0
		Night Time	Noise Level dB(A)	38.0	43.0	53.0	68.0
<b>12.02.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	48.0	51.0	58.0	65.0
		Night Time	Noise Level dB(A)	35.0	41.0	52.0	61.0
<b>18.02.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	47.5	53.0	64.0	66.2

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
		Night Time	Noise Level dB(A)	35.0	41.0	52.0	64.0
24.02.2020	Baddi	Day Time	Noise Level dB(A)	48.0	54.0	63.0	71.0
		Night Time	Noise Level dB(A)	38.0	39.0	45.0	61.0
<b>Month and Year:</b>		<b>March-2020</b>					
05.03.2020	Baddi	Day Time	Noise Level dB(A)	48.0	50.0	58.0	72.1
		Night Time	Noise Level dB(A)	38.0	43.2	48.0	65.2
13.03.2020	Baddi	Day Time	Noise Level dB(A)	43.6	52.0	58.9	65.2
		Night Time	Noise Level dB(A)	35.0	40.0	52.4	62.0
18.03.2020	Baddi	Day Time	Noise Level dB(A)	48.0	53.4	62.0	60.9
		Night Time	Noise Level dB(A)	37.8	40.8	49.0	64.4
<b>Month and Year:</b>		<b>April-2020</b>					
1st week	Baddi	Day Time	Noise Level dB(A)	42.0	50.0	52.0	60.0
		Night Time	Noise Level dB(A)	33.0	40.0	41.0	59.0
2nd week	Baddi	Day Time	Noise Level dB(A)	44.0	51.0	58.0	65.0
		Night Time	Noise Level dB(A)	35.0	41.0	52.0	61.0
3rd week	Baddi	Day Time	Noise Level dB(A)	47.5	53.0	64.0	66.2
		Night Time	Noise Level dB(A)	35.0	41.0	52.0	64.0
4th week	Baddi	Day Time	Noise Level dB(A)	48.0	54.0	63.0	71.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
		Night Time	Noise Level dB(A)	38.0	39.0	45.0	61.0
<b>Month and Year:</b>		<b>May-2020</b>					
<b>02.05.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	49.0	43.3	55.4	59.1
		Night Time	Noise Level dB(A)	34.0	40.5	43.0	58.0
<b>09.05.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	44.0	53.0	60.8	57.9
		Night Time	Noise Level dB(A)	39.0	44.0	53.0	63.0
<b>16.05.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	44.2	51.0	63.0	69.0
		Night Time	Noise Level dB(A)	36.0	40.0	53.8	54.9
<b>25.05.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	47.4	52.0	55.0	64.0
		Night Time	Noise Level dB(A)	35.0	39.0	49.0	69.0
<b>Month and Year:</b>		<b>June-2020</b>					
<b>05.06.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	42.0	52.0	54.0	62.0
		Night Time	Noise Level dB(A)	39.0	<b>48.8</b>	50.0	64.0
<b>13.06.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	49.0	51.2	58.9	62.0
		Night Time	Noise Level dB(A)	37.0	44.2	51.2	58.0
<b>20.06.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	49.6	50.0	64.0	72.0
		Night Time	Noise Level dB(A)	<b>48.0</b>	<b>52.0</b>	56.0	62.5
<b>30.06.2020</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	48.0	44.0	49.6	62.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
		Night Time	Noise Level dB(A)	49.0	44.0	49.6	62.0
<b>Month and Year:</b>		<b>July-2020</b>					
06.07.2020	Baddi	Day Time	Noise Level dB(A)	40.0	51.0	55.0	57.0
		Night Time	Noise Level dB(A)	38.0	40.0	42.5	63.0
17.07.2020	Baddi	Day Time	Noise Level dB(A)	48.0	50.0	52.0	62.8
		Night Time	Noise Level dB(A)	30.0	42.0	53.0	57.0
24.07.2020	Baddi	Day Time	Noise Level dB(A)	47.5	52.0	63.0	66.2
		Night Time	Noise Level dB(A)	35.0	41.0	52.0	64.0
29.07.2020	Baddi	Day Time	Noise Level dB(A)	48.0	52.0	63.0	67.0
		Night Time	Noise Level dB(A)	38.0	42.0	45.0	61.0
<b>Month and Year:</b>		<b>August-2020</b>					
08.08.2020	Baddi	Day Time	Noise Level dB(A)	52.0	50.0	52.0	62.0
		Night Time	Noise Level dB(A)	35.0	39.0	40.0	57.0
17.08.2020	Baddi	Day Time	Noise Level dB(A)	49.5	51.0	50.0	62.0
		Night Time	Noise Level dB(A)	35.0	37.0	53.0	59.0
22.08.2020	Baddi	Day Time	Noise Level dB(A)	49.0	49.0	56.0	68.2
		Night Time	Noise Level dB(A)	38.0	41.0	48.0	68.2
25.08.2020	Baddi	Day Time	Noise Level dB(A)	49.2	50.0	54.0	66.4

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
		Night Time	Noise Level dB(A)	33.0	41.0	43.0	60.0
<b>Month and Year:</b>		<b>September-2020</b>					
04.09.2020	Baddi	Day Time	Noise Level dB(A)	<b>51.0</b>	50.0	52.0	60.0
		Night Time	Noise Level dB(A)	37.0	40.0	44.0	60.0
09.09.2020	Baddi	Day Time	Noise Level dB(A)	49.0	50.0	55.0	66.0
		Night Time	Noise Level dB(A)	38.0	41.0	53.0	60.0
15.09.2020	Baddi	Day Time	Noise Level dB(A)	44.0	48.0	57.0	66.5
		Night Time	Noise Level dB(A)	35.0	42.0	51.0	62.0
25.09.2020	Baddi	Day Time	Noise Level dB(A)	49.0	51.0	54.0	61.0
		Night Time	Noise Level dB(A)	36.5	41.0	43.2	60.5
		<b>October-2020</b>					
03.10.2020	Baddi	Day Time	Noise Level dB(A)	48.0	51.0	58.0	62.0
		Night Time	Noise Level dB(A)	35.0	43.2	48.0	61.2
13.10.2020	Baddi	Day Time	Noise Level dB(A)	47.0	51.0	58.0	62.0
		Night Time	Noise Level dB(A)	38.0	40.0	51.0	61.0
26.10.2020	Baddi	Day Time	Noise Level dB(A)	41.0	45.0	54.0	62.5
		Night Time	Noise Level dB(A)	38.0	41.0	<b>57.0</b>	61.0
30.10.2020	Baddi	Day Time	Noise Level dB(A)	44.0	52.5	58.0	59.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
		Night Time	Noise Level dB(A)	38.2	42.0	48.0	59.5
<b>Month and Year:</b>		<b>November-2020</b>					
06.11.2020	Baddi	Day Time	Noise Level dB(A)	49.1	53.2	54.1	66.2
		Night Time	Noise Level dB(A)	38.2	44.1	52.1	61.0
10.11.2020	Baddi	Day Time	Noise Level dB(A)	46.2	53.1	55.2	69.0
		Night Time	Noise Level dB(A)	38.0	43.0	53.0	69.0
19.11.2020	Baddi	Day Time	Noise Level dB(A)	48.2	52.0	63.2	65.1
		Night Time	Noise Level dB(A)	39.0	41.0	51.0	63.0
27.11.2020	Baddi	Day Time	Noise Level dB(A)	48.2	52.0	58.0	68.1
		Night Time	Noise Level dB(A)	38.0	43.0	52.0	59.5
<b>Month and Year:</b>		<b>December-2020</b>					
01.12.2020	Baddi	Day Time	Noise Level dB(A)	49.0	55.0	57.0	66.0
		Night Time	Noise Level dB(A)	38.0	44.0	52.0	63.0
11.12.2020	Baddi	Day Time	Noise Level dB(A)	47.5	53.0	55.2	69.0
		Night Time	Noise Level dB(A)	38.0	43.0	52.0	68.0
18.12.2020	Baddi	Day Time	Noise Level dB(A)	48.2	52.0	63.0	65.0
		Night Time	Noise Level dB(A)	39.0	<b>46.0</b>	52.0	60.0
23.12.2020	Baddi	Day Time	Noise Level dB(A)	48.0	52.0	58.0	68.1

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
		Night Time	Noise Level dB(A)	38.0	43.0	52.0	59.5

<b>Name of the Regional Office : Baddi</b>							
<b>Area/ Zone</b>				<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
<b>Limit in dB(A)</b>		<b>Day Time</b>	<b>Limit in dB(A)</b>	<b>50</b>	<b>55</b>	<b>65</b>	<b>75</b>
		<b>Night Time</b>	<b>Limit in dB(A)</b>	<b>40</b>	<b>45</b>	<b>55</b>	<b>70</b>
<b>Month and Year:</b>		<b>January-2019</b>					
<b>Date</b>	<b>Location</b>	<b>Details of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
				<b>In front of Malhotra Hospital, Village Katha, Baddi</b>	<b>Block D,E,F HIMUDA Phase-III, Baddi</b>	<b>HIMUDA COMPLEX, Phase-I Baddi</b>	<b>IA Katha</b>
<b>04.01.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	<b>52.4</b>	53.9	63.8	69.2
		Night Time	Noise Level dB(A)	40.0	42.8	47.8	52.8
<b>10.01.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	44.2	55.0	52.2	58.2
		Night Time	Noise Level dB(A)	39.0	43.8	46.4	56.9
<b>16.01.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	48.4	49.2	51.4	52.9
		Night Time	Noise Level dB(A)	40.0	45.0	48.2	55.2
<b>30.01.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	44.0	52.0	59.0	64.0
		Night Time	Noise Level dB(A)	38.0	42.0	52.0	62.0
<b>Month and Year:</b>		<b>Febraury-2019</b>					
<b>06.02.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	<b>52.5</b>	48.6	52.9	54.4
		Night Time	Noise Level dB(A)	37.2	44.0	51.2	49.8
<b>15.02.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	45.2	50.6	54.2	59.4
		Night Time	Noise Level dB(A)	36.4	42.8	51.2	51.6
<b>20.02.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	44.0	49.0	58.5	64.5
		Night Time	Noise Level dB(A)	48.4	<b>49.0</b>	53.4	56.8
<b>28.02.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	49.0	<b>57.0</b>	53.5	55.2
		Night Time	Noise Level dB(A)	39.5	<b>48.0</b>	47.6	59.4
<b>Month and Year:</b>		<b>March-2019</b>					
<b>07.03.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	40.0	45.0	53.0	62.0
		Night Time	Noise Level dB(A)	38.0	35.0	37.0	46.0
<b>15.03.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	48.0	50.0	55.0	63.0
		Night Time	Noise Level dB(A)	33.0	41.0	46.0	56.0
<b>23.03.2019</b>	<b>Baddi</b>	Day Time	Noise Level dB(A)	44.0	52.0	48.0	65.0
		Night Time	Noise Level dB(A)	33.0	37.0	33.0	49.0



Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
28.03.2019	Baddi	Day Time	Noise Level dB(A)	48.0	46.0	52.0	58.0
		Night Time	Noise Level dB(A)	36.0	39.0	44.0	48.0
Month and Year:		<b>April-2019</b>					
04.04.2019	Baddi	Day Time	Noise Level dB(A)	47.4	45.9	55.4	53.0
		Night Time	Noise Level dB(A)	40.0	40.0	42.0	49.0
11.04.2019	Baddi	Day Time	Noise Level dB(A)	48.0	55.0	50.0	52.0
		Night Time	Noise Level dB(A)	40.0	45.0	42.0	48.0
18.04.2019	Baddi	Day Time	Noise Level dB(A)	49.0	51.0	51.0	51.0
		Night Time	Noise Level dB(A)	39.0	45.0	41.0	45.0
29.04.2019	Baddi	Day Time	Noise Level dB(A)	49.0	50.0	50.0	52.0
		Night Time	Noise Level dB(A)	<b>41.0</b>	44.0	47.0	53.0
Month and Year:		<b>May-2019</b>					
09.05.2019	Baddi	Day Time	Noise Level dB(A)	48.0	51.0	50.0	55.0
		Night Time	Noise Level dB(A)	39.0	45.0	39.0	48.0
15.05.2019	Baddi	Day Time	Noise Level dB(A)	47.0	51.0	49.0	55.0
		Night Time	Noise Level dB(A)	40.0	<b>46.0</b>	40.0	46.0
24.05.2019	Baddi	Day Time	Noise Level dB(A)	48.0	52.0	51.0	54.0
		Night Time	Noise Level dB(A)	38.0	<b>46.0</b>	40.0	46.0
31.05.2019	Baddi	Day Time	Noise Level dB(A)	48.0	51.0	51.0	55.0
		Night Time	Noise Level dB(A)	38.0	<b>46.0</b>	40.0	47.0
Month and Year:		<b>June-2019</b>					
06.06.2019	Baddi	Day Time	Noise Level dB(A)	48.5	51.8	62.0	67.5
		Night Time	Noise Level dB(A)	37.0	<b>48.0</b>	45.0	51.0
14.06.2019	Baddi	Day Time	Noise Level dB(A)	48.4	<b>57.5</b>	59.6	63.0
		Night Time	Noise Level dB(A)	37.0	43.5	51.0	59.5
20.06.2019	Baddi	Day Time	Noise Level dB(A)	49.0	<b>57.0</b>	53.5	55.2
		Night Time	Noise Level dB(A)	39.5	<b>48.0</b>	47.6	59.4
27.06.2019	Baddi	Day Time	Noise Level dB(A)	43.9	52.0	62.0	63.8
		Night Time	Noise Level dB(A)	39.5	44.0	54.2	54.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<b>Month and Year:</b>		<b>July-2019</b>					
05.07.2019	Baddi	Day Time	Noise Level dB(A)	48.4	53.9	58.4	68.2
		Night Time	Noise Level dB(A)	41.9	45.0	49.2	54.2
11.07.2019	Baddi	Day Time	Noise Level dB(A)	48.4	54.8	53.4	57.0
		Night Time	Noise Level dB(A)	37.2	44.5	46.2	44.5
19.07.2019	Baddi	Day Time	Noise Level dB(A)	51.2	54.5	55.8	56.2
		Night Time	Noise Level dB(A)	36.0	44.0	48.2	50.0
25.07.2019	Baddi	Day Time	Noise Level dB(A)	48.4	49.2	51.4	52.9
		Night Time	Noise Level dB(A)	40.0	45.0	48.2	55.2
<b>Month and Year:</b>		<b>August-2019</b>					
06.08.2019	Baddi	Day Time	Noise Level dB(A)	49.8	54.8	55.5	69.1
		Night Time	Noise Level dB(A)	38.5	43.2	45.8	67.5
14.08.2019	Baddi	Day Time	Noise Level dB(A)	45.6	51.8	58.9	68.2
		Night Time	Noise Level dB(A)	36.4	41.2	51.4	62.2
22.08.2019	Baddi	Day Time	Noise Level dB(A)	48.5	53.4	62.5	71.5
		Night Time	Noise Level dB(A)	39.1	44.8	49.9	69.9
29.08.2019	Baddi	Day Time	Noise Level dB(A)	45.5	49.8	63.4	72.2
		Night Time	Noise Level dB(A)	35.4	39.4	45.6	61.2
<b>Month and Year:</b>		<b>September-2019</b>					
03.09.2019	Baddi	Day Time	Noise Level dB(A)	46.8	52.5	62.4	73.8
		Night Time	Noise Level dB(A)	38.5	44.2	52.4	65.7
12.09.2019	Baddi	Day Time	Noise Level dB(A)	48.2	53.4	63.8	70.1
		Night Time	Noise Level dB(A)	36.4	42.5	51.7	66.4
19.09.2019	Baddi	Day Time	Noise Level dB(A)	49.4	50.0	60.1	68.2
		Night Time	Noise Level dB(A)	37.8	43.5	45.8	64.3
30.09.2019	Baddi	Day Time	Noise Level dB(A)	44.5	49.8	55.4	72.8
		Night Time	Noise Level dB(A)	39.4	39.8	48.2	62.2

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<b>Month and Year:</b>		<b>October-2019</b>					
05.10.2018	Baddi	Day Time	Noise Level dB(A)	48.5	54.3	52.4	72.4
		Night Time	Noise Level dB(A)	36.4	42.3	53.5	68.8
11.10.2018	Baddi	Day Time	Noise Level dB(A)	49.4	51.2	61.8	71.8
		Night Time	Noise Level dB(A)	35.8	44.8	52.8	69.5
18.10.2019	Baddi	Day Time	Noise Level dB(A)	46.3	50.4	59.8	69.3
		Night Time	Noise Level dB(A)	38.4	42.8	49.9	62.4
30.10.2019	Baddi	Day Time	Noise Level dB(A)	47.6	48.7	57.6	73.6
		Night Time	Noise Level dB(A)	34.5	43.8	46.8	63.5
<b>Month and Year:</b>		<b>November-2019</b>					
04.11.2019	Baddi	Day Time	Noise Level dB(A)	48.3	52.0	55.1	65.4
		Night Time	Noise Level dB(A)	38.1	43.1	45.0	65.2
15.11.2019	Baddi	Day Time	Noise Level dB(A)	43.0	51.2	57.0	68.0
		Night Time	Noise Level dB(A)	36.4	42.0	53.4	62.0
21.11.2019	Baddi	Day Time	Noise Level dB(A)	48.0	53.3	52.3	70.9
		Night Time	Noise Level dB(A)	39.0	45.3	46.8	57.4
28.11.2019	Baddi	Day Time	Noise Level dB(A)	45.5	49.0	61.0	61.3
		Night Time	Noise Level dB(A)	32.3	39.0	45.3	61.3
<b>Month and Year:</b>		<b>December-2019</b>					
05.12.2019	Baddi	Day Time	Noise Level dB(A)	47.0	50.8	56.0	65.4
		Night Time	Noise Level dB(A)	37.0	43.0	52.0	65.2
13.12.2019	Baddi	Day Time	Noise Level dB(A)	43.6	52.0	58.9	69.5
		Night Time	Noise Level dB(A)	35.0	40.0	52.4	62.0
21.12.2019	Baddi	Day Time	Noise Level dB(A)	48.2	53.0	62.0	69.0
		Night Time	Noise Level dB(A)	37.5	41.8	46.6	64.4
24.12.2019	Baddi	Day Time	Noise Level dB(A)	45.2	49.0	64.0	74.0
		Night Time	Noise Level dB(A)	36.0	39.6	45.0	61.0

**Name of Regional Office: Baddi**

Area/ Zone				Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)		50	55	65	75
	Night Time	Limit in dB(A)		40	45	55	70
<b>Month and Year:</b>				<b>January-2018</b>			
Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi		Block D,E,F HIMUDA Phase-III, COMPLEX, Phase-I Baddi	
05.01.2018	Baddi	Day Time	Noise Level dB(A)	54.0	52.7	58.4	65.0
		Night Time	Noise Level dB(A)	39.0	42.0	44.0	52.0
12.01.2018	Baddi	Day Time	Noise Level dB(A)	45.0	51.0	62.1	63.5
		Night Time	Noise Level dB(A)	38.0	44.0	44.6	54.2
18.01.2018	Baddi	Day Time	Noise Level dB(A)	42.0	49.0	58.5	64.5
		Night Time	Noise Level dB(A)	40.0	43.0	53.0	52.4
23.01.2018	Baddi	Day Time	Noise Level dB(A)	44.0	52.0	59.0	64.0
		Night Time	Noise Level dB(A)	38.0	42.0	52.0	62.0
30.01.2018	Baddi	Day Time	Noise Level dB(A)	46.5	51.5	56.5	63.7
		Night Time	Noise Level dB(A)	35.0	43.5	51.9	57.4
<b>Month and Year:</b>				<b>Febraury-2018</b>			
07.02.2018	Baddi	Day Time	Noise Level dB(A)	48.4	46.4	57.6	63.5
		Night Time	Noise Level dB(A)	36.0	41.8	44.0	52.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
16.02.2018	Baddi	Day Time	Noise Level dB(A)	45.0	51.0	59.0	58.4
		Night Time	Noise Level dB(A)	35.9	42.8	46.7	52.2
22.02.2018	Baddi	Day Time	Noise Level dB(A)	44.0	49.0	58.5	64.5
		Night Time	Noise Level dB(A)	40.0	43.0	53.0	52.4
27.02.2019	Baddi	Day Time	Noise Level dB(A)	44.0	52.0	59.0	64.0
		Night Time	Noise Level dB(A)	38.0	42.0	52.0	62.0
<b>Month and Year:</b>		<b>March-2018</b>					
07.03.2018	Baddi	Day Time	Noise Level dB(A)	46.5	50.4	57.0	59.0
		Night Time	Noise Level dB(A)	35.9	42.4	46.0	52.9
16.03.2018	Baddi	Day Time	Noise Level dB(A)	43.5	39.0	56.0	67.0
		Night Time	Noise Level dB(A)	38.2	36.4	42.0	52.0
23.03.2018	Baddi	Day Time	Noise Level dB(A)	42.0	47.3	<b>66.0</b>	64.0
		Night Time	Noise Level dB(A)	36.8	41.0	48.6	45.0
31.03.2018	Baddi	Day Time	Noise Level dB(A)	49.2	44.6	48.5	47.6
		Night Time	Noise Level dB(A)	38.0	36.0	39.0	46.9
<b>Month and Year:</b>		<b>April-2018</b>					

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
06.04.2018	Baddi	Day Time	Noise Level dB(A)	47.4	45.9	55.4	53.0
		Night Time	Noise Level dB(A)	40.0	40.0	42.0	49.0
12.04.2018	Baddi	Day Time	Noise Level dB(A)	48.0	55.0	50.0	52.0
		Night Time	Noise Level dB(A)	40.0	45.0	42.0	48.0
19.04.2018	Baddi	Day Time	Noise Level dB(A)	49.0	51.0	51.0	51.0
		Night Time	Noise Level dB(A)	39.0	45.0	41.0	45.0
27.04.2018	Baddi	Day Time	Noise Level dB(A)	49.0	50.0	50.0	52.0
		Night Time	Noise Level dB(A)	41.0	44.0	47.0	53.0
<b>Month and Year:</b>		<b>May-2018</b>					
04.05.2018	Baddi	Day Time	Noise Level dB(A)	<b>52.0</b>	51.5	58.2	62.4
		Night Time	Noise Level dB(A)	35.0	41.8	<b>57.2</b>	52.7
09.05.2018	Baddi	Day Time	Noise Level dB(A)	48.2	53.4	57.5	59.4
		Night Time	Noise Level dB(A)	40.0	<b>48.0</b>	44.2	52.9
18.05.2018	Baddi	Day Time	Noise Level dB(A)	48.4	49.0	53.4	56.8
		Night Time	Noise Level dB(A)	40.0	42.7	50.0	62.0
25.05.2018	Baddi	Day Time	Noise Level dB(A)	47.8	55.0	57.3	63.5

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
25.05.2018	Baddi	Night Time	Noise Level dB(A)	40.0	44.0	<b>58.0</b>	62.0
<b>Month and Year:</b>		<b>June-2018</b>					
07.06.2018	Baddi	Day Time	Noise Level dB(A)	48.5	51.8	62.0	67.5
		Night Time	Noise Level dB(A)	37.0	<b>48.0</b>	45.0	51.0
14.06.2018	Baddi	Day Time	Noise Level dB(A)	48.4	<b>57.5</b>	59.6	63.0
		Night Time	Noise Level dB(A)	37.0	43.5	51.0	59.5
22.06.2018	Baddi	Day Time	Noise Level dB(A)	49.0	<b>57.0</b>	53.5	55.2
		Night Time	Noise Level dB(A)	39.5	48.0	47.6	59.4
29.06.2018	Baddi	Day Time	Noise Level dB(A)	43.9	52.0	62.0	63.8
		Night Time	Noise Level dB(A)	39.5	44.0	54.2	54.0
<b>Month and Year:</b>		<b>July-2018</b>					
06.07.2018	Baddi	Day Time	Noise Level dB(A)	48.4	53.5	54.9	63.8
		Night Time	Noise Level dB(A)	39.0	45.0	52.8	63.5
13.07.2018	Baddi	Day Time	Noise Level dB(A)	50.0	53.9	63.8	69.2
		Night Time	Noise Level dB(A)	39.0	43.8	46.4	56.9
18.07.2018	Baddi	Day Time	Noise Level dB(A)	42.9	54.8	54.9	62.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
16.07.2018	Baddi	Night Time	Noise Level dB(A)	40.0	47.2	48.9	51.9
27.07.2018	Baddi	Day Time	Noise Level dB(A)	48.6	53.2	58.4	54.9
		Night Time	Noise Level dB(A)	40.0	43.5	48.2	52.4
<b>Month and Year:</b>		<b>Aug-2018</b>					
04.08.2018	Baddi	Day Time	Noise Level dB(A)	46.9	54.3	54.1	58.3
		Night Time	Noise Level dB(A)	<b>41.9</b>	45.0	49.2	54.2
09.08.2018	Baddi	Day Time	Noise Level dB(A)	48.4	54.8	53.4	57.0
		Night Time	Noise Level dB(A)	35.9	45.0	44.9	50.0
17.08.2018	Baddi	Day Time	Noise Level dB(A)	50.0	53.9	57.2	58.4
		Night Time	Noise Level dB(A)	36.0	44.0	48.2	50.0
28.08.2018	Baddi	Day Time	Noise Level dB(A)	48.4	49.2	51.4	52.9
		Night Time	Noise Level dB(A)	40.0	45.0	48.2	55.2
<b>Month and Year:</b>		<b>Sept-2018</b>					
06.09.2018	Baddi	Day Time	Noise Level dB(A)	44.2	55.0	52.2	58.2
		Night Time	Noise Level dB(A)	40.0	42.8	47.8	52.8
14.09.2018	Baddi	Day Time	Noise Level dB(A)	48.2	51.9	52.2	57.9



Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<del>14.09.2018</del>	<del>Baddi</del>	Night Time	Noise Level dB(A)	39.0	42.6	46.9	51.0
20.09.2018	Baddi	Day Time	Noise Level dB(A)	50.0	<b>57.2</b>	51.0	52.0
		Night Time	Noise Level dB(A)	39.0	45.0	52.9	56.9
28.09.2018	Baddi	Day Time	Noise Level dB(A)	44.5	49.6	54.2	53.2
		Night Time	Noise Level dB(A)	37.9	42.0	43.0	48.5
<b>Month and Year:</b>		<b>Oct-2018</b>					
05.10.2018	Baddi	Day Time	Noise Level dB(A)	44.9	<b>56.4</b>	54.9	54.5
		Night Time	Noise Level dB(A)	39.0	43.4	49.0	48.4
11.10.2018	Baddi	Day Time	Noise Level dB(A)	44.0	52.9	58.9	52.3
		Night Time	Noise Level dB(A)	39.0	41.0	50.0	49.2
20.10.2018	Baddi	Day Time	Noise Level dB(A)	45.0	51.0	51.0	54.9
		Night Time	Noise Level dB(A)	39.0	<b>47.0</b>	42.0	49.0
26.10.2018	Baddi	Day Time	Noise Level dB(A)	50.0	46.4	52.8	54.2
		Night Time	Noise Level dB(A)	40.0	40.0	45.0	48.0
<b>Month and Year:</b>		<b>Nov-2018</b>					
05.11.2018	Baddi	Day Time	Noise Level dB(A)	49.8	55.0	62.9	55.0

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<del>05.11.2018</del>	<del>Baddi</del>	Night Time	Noise Level dB(A)	39.0	44.0	<b>58.4</b>	54.2
16.11.2018	Baddi	Day Time	Noise Level dB(A)	46.4	53.9	52.8	58.0
		Night Time	Noise Level dB(A)	40.0	38.2	47.0	59.9
21.11.2018	Baddi	Day Time	Noise Level dB(A)	52.5	48.6	52.9	54.4
		Night Time	Noise Level dB(A)	37.2	44.0	51.2	49.8
29.11.2018	Baddi	Day Time	Noise Level dB(A)	49.8	51.9	54.9	56.8
		Night Time	Noise Level dB(A)	39.0	41.0	43.0	52.4
<b>Month and Year:</b>		<b>Dec-2018</b>					
05.12.2018	Baddi	Day Time	Noise Level dB(A)	44.0	48.0	55.9	59.3
		Night Time	Noise Level dB(A)	38.0	42.0	49.2	55.0
13.12.2018	Baddi	Day Time	Noise Level dB(A)	48.0	55.0	59.4	62.4
		Night Time	Noise Level dB(A)	40.0	42.5	54.4	51.9
22.12.2018	Baddi	Day Time	Noise Level dB(A)	45.2	50.6	54.2	59.4
		Night Time	Noise Level dB(A)	36.4	42.8	51.2	51.6
28.12.2018	Baddi	Day Time	Noise Level dB(A)	46.0	55.0	63.5	62.0
		Night Time	Noise Level dB(A)	38.5	<b>46.2</b>	49.5	54.0

**Name of Regional Office: Baddi**

Area/Zone		Area/ Zone		Silence	Residential	Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Month and Year:		January-2017					
Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
03.01.2017	Baddi	Day Time	Noise Level dB(A)	49	53	49	58
		Night Time	Noise Level dB(A)	37	43	39	50
12.01.2017	Baddi	Day Time	Noise Level dB(A)	47	52	54	64
		Night Time	Noise Level dB(A)	38	42.5	48	55
17.01.2017	Baddi	Day Time	Noise Level dB(A)	46	52	61	66
		Night Time	Noise Level dB(A)	33	42	51	55
27.01.2017	Baddi	Day Time	Noise Level dB(A)	44	52	59	64
		Night Time	Noise Level dB(A)	38	42	52	62
<b>Month &amp; Year : February 2017.</b>							
02.02.2017	Baddi	Day Time	Noise Level dB(A)	37	43	39	50
		Night Time	Noise Level dB(A)	38	41	45	56
08.02.2017	Baddi	Day Time	Noise Level dB(A)	45	49	54	66
		Night Time	Noise Level dB(A)	35	37	42	49
17.02.2017	Baddi	Day Time	Noise Level dB(A)	46	52	61	66
		Night Time	Noise Level dB(A)	34	40	39	42

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
22.02.2017	Baddi	Day Time	Noise Level dB(A)	49	53	49	58
		Night Time	Noise Level dB(A)	31	35	39	46
<b>Month &amp; Year : March, 2017.</b>							
03.03.2017	Baddi	Day Time	Noise Level dB(A)	42	36	49	51
		Night Time	Noise Level dB(A)	34	36	41	51
08.03.2017	Baddi	Day Time	Noise Level dB(A)	43	39	56	67
		Night Time	Noise Level dB(A)	30	34	41	52
17.03.2017	Baddi	Day Time	Noise Level dB(A)	39	41	53	69
		Night Time	Noise Level dB(A)	29	37	39	45
22.03.2017	Baddi	Day Time	Noise Level dB(A)	40	41	48	51
		Night Time	Noise Level dB(A)	33	36	46	44
<b>Month &amp; Year : April, 2017.</b>							
04.04.2017	Baddi	Day Time	Noise Level dB(A)	47	50	50	53
		Night Time	Noise Level dB(A)	40	40	42	49

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
11.04.2017	Baddi	Day Time	Noise Level dB(A)	48	55	50	52
		Night Time	Noise Level dB(A)	40	45	42	48
18.04.2017	Baddi	Day Time	Noise Level dB(A)	49	51	51	51
		Night Time	Noise Level dB(A)	39	45	41	45
25.04.2017	Baddi	Day Time	Noise Level dB(A)	49	50	50	52
		Night Time	Noise Level dB(A)	41	44	47	53
<b>Month &amp; Year : May, 2017.</b>							
04.05.2017	Baddi	Day Time	Noise Level dB(A)	47	53	52	55
		Night Time	Noise Level dB(A)	42	43	51	49
11.05.2017	Baddi	Day Time	Noise Level dB(A)	49	49	52	52
		Night Time	Noise Level dB(A)	38	44	48	49
18.04.2017	Baddi	Day Time	Noise Level dB(A)	50	50	50	51
		Night Time	Noise Level dB(A)	38	44	51	53
25.05.2017	Baddi	Day Time	Noise Level dB(A)	48	51	55	54
		Night Time	Noise Level dB(A)	39	47	52	54

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<b>Month &amp; Year : June, 2017.</b>							
06.06.2017	Baddi	Day Time	Noise Level dB(A)	44	52	54	54
		Night Time	Noise Level dB(A)	37	48	45	51
12.06.2017	Baddi	Day Time	Noise Level dB(A)	46	55	54	54
		Night Time	Noise Level dB(A)	40	44	48	54
20.06.2017	Baddi	Day Time	Noise Level dB(A)	51	52	54	51
		Night Time	Noise Level dB(A)	38	46	40	48
28.06.2017	Baddi	Day Time	Noise Level dB(A)	49	51	51	52
		Night Time	Noise Level dB(A)	40	42	47	51
<b>Month &amp; Year : July, 2017.</b>							
03.07.2017	Baddi	Day Time	Noise Level dB(A)	50	51	51	51
		Night Time	Noise Level dB(A)	39	45	44	48
10.07.2017	Baddi	Day Time	Noise Level dB(A)	48	50	51	52
		Night Time	Noise Level dB(A)	39	44	41	43
17.07.2017	Baddi	Day Time	Noise Level dB(A)	50	50	51	51
		Night Time	Noise Level dB(A)	38	46	41	47
22.07.2017	Baddi	Day Time	Noise Level dB(A)	50	50	52	53
		Night Time	Noise Level dB(A)	39	45	43	48

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<b>Month &amp; Year : August, 2017.</b>							
07.08.2017	Baddi	Day Time	Noise Level dB(A)	46	49	51	55
		Night Time	Noise Level dB(A)	39	45	42	48
16.08.2017	Baddi	Day Time	Noise Level dB(A)	46	52	51	52
		Night Time	Noise Level dB(A)	39	44	42	43
24.08.2017	Baddi	Day Time	Noise Level dB(A)	49	52	53	54
		Night Time	Noise Level dB(A)	38	45	42	49
31.08.2017	Baddi	Day Time	Noise Level dB(A)	48	50	50	50
		Night Time	Noise Level dB(A)	40	45	44	44
<b>Month &amp; Year : September, 2017.</b>							
02.09.2017	Baddi	Day Time	Noise Level dB(A)	49	51	51	52
		Night Time	Noise Level dB(A)	40	44	49	49
08.09.2017	Baddi	Day Time	Noise Level dB(A)	49	50	51	52
		Night Time	Noise Level dB(A)	39	42	42	49
16.09.2017	Baddi	Day Time	Noise Level dB(A)	48	50	51	52
		Night Time	Noise Level dB(A)	39	44	49	50
28.09.2017	Baddi	Day Time	Noise Level dB(A)	49	50	50	50
		Night Time	Noise Level dB(A)	38	45	43	49

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<b>Month &amp; Year : October, 2017.</b>							
03.10.2017	Baddi	Day Time	Noise Level dB(A)	47	49	49	51
		Night Time	Noise Level dB(A)	39	45	42	50
11.10.2017	Baddi	Day Time	Noise Level dB(A)	48	50	49	51
		Night Time	Noise Level dB(A)	39	42	42	43
17.10.2017	Baddi	Day Time	Noise Level dB(A)	47	50	51	51
		Night Time	Noise Level dB(A)	39	47	42	49
27.10.2017	Baddi	Day Time	Noise Level dB(A)	47	50	50	51
		Night Time	Noise Level dB(A)	39	45	45	41
<b>Month &amp; Year : November, 2017.</b>							
02.11.2017	Baddi	Day Time	Noise Level dB(A)	48	49	48	51
		Night Time	Noise Level dB(A)	39	44	43	48
08.11.2017	Baddi	Day Time	Noise Level dB(A)	48	50	48	52
		Night Time	Noise Level dB(A)	39	44	43	49
17.11.2017	Baddi	Day Time	Noise Level dB(A)	48	50	51	52
		Night Time	Noise Level dB(A)	39	43	48	47
25.11.2017	Baddi	Day Time	Noise Level dB(A)	48	50	50	51
		Night Time	Noise Level dB(A)	39	45	41	49



Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				In front of Malhotra Hospital, Village Katha, Baddi	Block D,E,F HIMUDA Phase-III, Baddi	HIMUDA COMPLEX, Phase-I Baddi	IA Katha
<b>Month &amp; Year : December, 2017.</b>							
04.12.2017	Baddi	Day Time	Noise Level dB(A)	47	49	49	51
		Night Time	Noise Level dB(A)	38	42	43	49
14.12.2017	Baddi	Day Time	Noise Level dB(A)	48	50	51	52
		Night Time	Noise Level dB(A)	39	44	43	49
19.12.2017	Baddi	Day Time	Noise Level dB(A)	48	50	49	52
		Night Time	Noise Level dB(A)	38	46	40	48
27.12.2017	Baddi	Day Time	Noise Level dB(A)	49	51	51	52
		Night Time	Noise Level dB(A)	39	43	51	50

[HOME](#)