

<b>Name of Regional Office: Chamba</b>									
Area/Zone				Silence		Residential		Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50		55		65	75
		Night Time	Limit in dB(A)	40		45		55	70
<b>Month and Year:</b>		<b>January-2020</b>							
Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
03.01.2020	Chamba	Day Time	Noise Level dB(A)	50.0	50.0	57.2	52.0	67.2	65.5
	Chamba	Night Time	Noise Level dB(A)	40.0	39.7	45.0	51.0	69.9	64.9
10.01.2020	Chamba	Day Time	Noise Level dB(A)	50.0	52.5	54.5	53.9	63.8	57.4
	Chamba	Night Time	Noise Level dB(A)	56.9	39.1	45.0	45.0	60.1	57.4
17.01.2020	Chamba	Day Time	Noise Level dB(A)	55.0	55.9	55.0	55.0	63.9	54.3
	Chamba	Night Time	Noise Level dB(A)	40.0	59.7	44.0	44.1	69.1	59.5
29.01.2020	Chamba	Day Time	Noise Level dB(A)	52.2	55.5	54.0	55.0	66.4	56.8
	Chamba	Night Time	Noise Level dB(A)	40.0	51.7	45.0	51.5	61.4	51.8
<b>Month and Year:</b>		<b>February-2020</b>							
07.02.2020	Chamba	Day Time	Noise Level dB(A)	58.0	57.2	54.5	54.0	67.3	62.5
	Chamba	Night Time	Noise Level dB(A)	39.9	39.9	40.3	42.0	54.8	55.5
13.02.2020	Chamba	Day Time	Noise Level dB(A)	49.9	50.0	50.6	53.0	65.0	43.4
	Chamba	Night Time	Noise Level dB(A)	39.4	39.0	44.5	54.0	59.0	55.2
22.02.2020	Chamba	Day Time	Noise Level dB(A)	50.0	49.0	52.5	50.0	64.9	55.7
	Chamba	Night Time	Noise Level dB(A)	40.0	40.0	44.3	40.0	54.6	40.5

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
27.02.2020	Chamba	Day Time	Noise Level dB(A)	41.4	47.0	45.1	54.2	<b>67.8</b>	46.5
	Chamba	Night Time	Noise Level dB(A)	39.1	39.0	43.0	45.0	49.3	49.8
<b>Month and Year:</b>		<b>March-2020</b>							
04.03.2020	Chamba	Day Time	Noise Level dB(A)	50.0	50.0	<b>56.2</b>	52.0	<b>68.2</b>	60.5
	Chamba	Night Time	Noise Level dB(A)	40.0	39.9	45.0	<b>51.0</b>	<b>69.9</b>	59.9
13.03.2020	Chamba	Day Time	Noise Level dB(A)	50.0	<b>52.5</b>	54.5	53.9	63.8	57.4
	Chamba	Night Time	Noise Level dB(A)	<b>56.9</b>	39.1	45.0	45.0	<b>60.1</b>	57.4
20.03.2020	Chamba	Day Time	Noise Level dB(A)	<b>52.0</b>	<b>53.9</b>	54.0	54.0	64.9	54.3
	Chamba	Night Time	Noise Level dB(A)	40.0	40.0	44.0	44.1	<b>62.1</b>	55.5
Monitoring has not been conducted due to pandemic Covid 19 curfew									
<b>Month and Year:</b>		<b>April-2020</b>							
Monitoring has not been conducted due to pandemic Covid 19 curfew									
		<b>May-20</b>							
05.05.2020	Chamba	Day Time	Noise Level dB(A)	47.1	45.2	42.5	48.0	52.3	51.5
	Chamba	Night Time	Noise Level dB(A)	39.9	39.9	40.3	42.0	49.8	46.5
12.05.2020	Chamba	Day Time	Noise Level dB(A)	49.9	50.0	42.6	53.0	51.6	43.4
	Chamba	Night Time	Noise Level dB(A)	39.4	39.0	41.5	45.0	51.0	55.2
16.05.2020	Chamba	Day Time	Noise Level dB(A)	48.7	49.0	43.5	50.0	61.9	55.7

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
	Chamba	Night Time	Noise Level dB(A)	40.0	40.0	41.3	40.0	54.6	40.5
22.05.2020	Chamba	Day Time	Noise Level dB(A)	49.0	50.0	50.1	54.2	64.0	61.5
	Chamba	Night Time	Noise Level dB(A)	39.1	39.0	42.0	43.0	52.3	47.8
<b>Month and Year:</b>		<b>June-2020</b>							
01.06.2020	Chamba	Day Time	Noise Level dB(A)	49.1	45.7	53.5	50.0	55.6	54.5
	Chamba	Night Time	Noise Level dB(A)	39.0	39.0	40.0	41.9	50.9	51.9
10.06.2020	Chamba	Day Time	Noise Level dB(A)	50.0	50.0	51.5	51.9	56.8	52.4
	Chamba	Night Time	Noise Level dB(A)	<b>52.9</b>	40.0	42.0	42.0	45.2	45.3
18.06.2020	Chamba	Day Time	Noise Level dB(A)	<b>55.0</b>	<b>52.9</b>	52.0	51.0	57.9	55.3
	Chamba	Night Time	Noise Level dB(A)	40.0	39.0	44.7	43.4	55.0	47.5
26.06.2020	Chamba	Day Time	Noise Level dB(A)	49.5	49.5	52.1	53.9	59.9	56.8
	Chamba	Night Time	Noise Level dB(A)	39.8	40.0	45.0	44.5	54.4	52.8
<b>Month and Year:</b>		<b>July-2020</b>							
03.07.2020	Chamba	Day Time	Noise Level dB(A)	49.7	50.0	54.5	54.0	58.6	56.5
	Chamba	Night Time	Noise Level dB(A)	40.0	40.0	44.0	43.9	54.9	52.9
10.07.2020	Chamba	Day Time	Noise Level dB(A)	47.0	46.0	52.5	53.8	59.9	57.4
	Chamba	Night Time	Noise Level dB(A)	40.2	40.0	42.3	44.0	47.2	59.3
18.07.2020	Chamba	Day Time	Noise Level dB(A)	49.0	50.0	54.0	54.0	59.9	58.3

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
	Chamba	Night Time	Noise Level dB(A)	40.0	39.9	44.6	44.4	54.0	46.1
25.07.2020	Chamba	Day Time	Noise Level dB(A)	49.1	47.5	53.1	54.9	60.9	66.8
	Chamba	Night Time	Noise Level dB(A)	39.8	40.0	44.0	44.5	53.4	55.8
<b>Month and Year:</b>		<b>August-2020</b>							
04.08.2020	Chamba	Day Time	Noise Level dB(A)	49.6	50.0	54.7	54.4	58.7	56.6
	Chamba	Night Time	Noise Level dB(A)	40.0	40.0	45.0	44.9	53.9	54.9
11.08.2020	Chamba	Day Time	Noise Level dB(A)	47.0	46.0	52.2	53.8	59.9	57.4
	Chamba	Night Time	Noise Level dB(A)	40.0	40.0	42.3	44.9	55.0	59.2
21.08.2020	Chamba	Day Time	Noise Level dB(A)	49.0	50.0	54.6	54.0	59.9	58.3
	Chamba	Night Time	Noise Level dB(A)	40.0	39.8	44.8	44.4	54.0	46.1
29.08.2020	Chamba	Day Time	Noise Level dB(A)	49.1	47.7	53.1	54.0	60.2	66.8
	Chamba	Night Time	Noise Level dB(A)	39.9	40.0	44.0	44.5	53.4	54.8
<b>Month and Year:</b>		<b>September-2020</b>							
03.09.2020	Chamba	Day Time	Noise Level dB(A)	50.0	<b>54.0</b>	53.7	<b>57.2</b>	59.9	55.6
	Chamba	Night Time	Noise Level dB(A)	39.9	38.8	44.4	<b>51.9</b>	<b>60.9</b>	53.9
08.09.2020	Chamba	Day Time	Noise Level dB(A)	48.0	49.0	54.2	54.8	60.1	57.2
	Chamba	Night Time	Noise Level dB(A)	<b>42.0</b>	<b>45.1</b>	<b>46.3</b>	<b>49.6</b>	<b>59.0</b>	52.2
18.09.2020	Chamba	Day Time	Noise Level dB(A)	48.7	<b>50.1</b>	55.0	52.0	64.7	54.3

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
	Chamba	Night Time	Noise Level dB(A)	39.4	39.7	44.9	<b>45.4</b>	55.0	49.1
24.09.2020	Chamba	Day Time	Noise Level dB(A)	<b>59.7</b>	<b>53.7</b>	54.1	55.0	<b>69.2</b>	64.8
	Chamba	Night Time	Noise Level dB(A)	<b>49.7</b>	<b>43.5</b>	44.8	44.9	<b>58.4</b>	57.8
<b>Month and Year:</b>		<b>October-2020</b>							
05.10.2020	Chamba	Day Time	Noise Level dB(A)	<b>56.0</b>	<b>58.0</b>	54.7	<b>58.4</b>	58.7	57.2
	Chamba	Night Time	Noise Level dB(A)	<b>43.2</b>	<b>42.1</b>	45.0	45.0	<b>58.9</b>	54.1
16.10.2020	Chamba	Day Time	Noise Level dB(A)	<b>57.8</b>	<b>59.9</b>	<b>59.0</b>	55.0	69.1	61.1
	Chamba	Night Time	Noise Level dB(A)	<b>44.0</b>	<b>43.2</b>	<b>45.3</b>	<b>50.6</b>	<b>57.2</b>	58.2
18.10.2020	Chamba	Day Time	Noise Level dB(A)	49.7	50.0	54.0	54.0	64.9	59.2
	Chamba	Night Time	Noise Level dB(A)	40.0	39.9	43.9	<b>47.4</b>	55.0	48.7
23.10.2020	Chamba	Day Time	Noise Level dB(A)	<b>61.7</b>	<b>57.7</b>	<b>59.1</b>	<b>59.0</b>	<b>69.9</b>	52.8
	Chamba	Night Time	Noise Level dB(A)	<b>48.7</b>	<b>44.5</b>	<b>51.8</b>	<b>51.9</b>	<b>59.9</b>	62.8
<b>Month and Year:</b>		<b>November-2020</b>							
03.11.2020	Chamba	Day Time	Noise Level dB(A)	<b>56.0</b>	<b>57.0</b>	44.7	48.4	58.7	59.8
	Chamba	Night Time	Noise Level dB(A)	<b>45.2</b>	<b>41.5</b>	40.0	44.5	<b>59.4</b>	57.5
09.11.2020	Chamba	Day Time	Noise Level dB(A)	48.1	47.9	54.0	54.6	<b>65.7</b>	61.1
	Chamba	Night Time	Noise Level dB(A)	<b>44.0</b>	<b>43.2</b>	<b>45.3</b>	43.6	<b>57.2</b>	58.2
14.11.2020	Chamba	Day Time	Noise Level dB(A)	49.7	50.0	54.0	54.0	64.9	59.2

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
	Chamba	Night Time	Noise Level dB(A)	40.0	39.9	<b>47.9</b>	<b>48.6</b>	<b>59.0</b>	58.7
28.11.2020	Chamba	Day Time	Noise Level dB(A)	<b>61.7</b>	<b>57.7</b>	<b>59.1</b>	<b>59.0</b>	<b>69.9</b>	62.8
	Chamba	Night Time	Noise Level dB(A)	<b>46.7</b>	<b>45.5</b>	<b>51.8</b>	<b>50.9</b>	54.9	64.8
<b>Month and Year:</b>		<b>December-2020</b>							
02.12.2020	Chamba	Day Time	Noise Level dB(A)	<b>56.0</b>	<b>57.0</b>	44.7	57.4	58.7	59.8
	Chamba	Night Time	Noise Level dB(A)	<b>44.2</b>	<b>53.5</b>	40.0	44.5	<b>57.4</b>	56.5
02.12.2020	Chamba	Day Time	Noise Level dB(A)	47.1	49.9	55.0	54.5	<b>65.7</b>	61.1
	Chamba	Night Time	Noise Level dB(A)	<b>44.0</b>	<b>53.2</b>	<b>45.3</b>	43.6	<b>57.2</b>	58.2
02.12.2020	Chamba	Day Time	Noise Level dB(A)	49.7	50.0	54.0	54.0	64.9	59.2
	Chamba	Night Time	Noise Level dB(A)	40.0	39.9	<b>47.9</b>	<b>48.6</b>	<b>59.0</b>	58.7
02.12.2020	Chamba	Day Time	Noise Level dB(A)	<b>51.7</b>	<b>57.7</b>	<b>57.1</b>	<b>59.0</b>	<b>69.9</b>	62.8
	Chamba	Night Time	Noise Level dB(A)	40.0	<b>43.5</b>	<b>51.8</b>	<b>52.2</b>	54.5	64.8

<b>Name of the Regional Office : Chamba</b>									
<b>Area/Zone</b>				<b>Silence</b>		<b>Residential</b>		<b>Commercial</b>	<b>Industrial</b>
<b>Limit in dB(A)</b>		Day Time	Noise Level in dB(A)	<b>50</b>		<b>55</b>	<b>55</b>	<b>65</b>	<b>75</b>
		Night Time	Noise Lev.el in dB(A)	<b>40</b>		<b>45</b>	<b>45</b>	<b>55</b>	<b>70</b>
<b>Date</b>	<b>Location</b>	<b>Details of Sampling</b>		<b>Silence</b>		<b>Residential</b>		<b>Commercial</b>	<b>Industrial</b>
				<b>Distt. Hospital</b>	<b>Near Distt. Court Chamba</b>	<b>VPO Rajpura</b>	<b>Mohalla Hardaspura</b>	<b>Near Market Chowgan Chamba</b>	<b>Ind. Area Sultanpur</b>
<b>Month and Year:</b>				<b>May-2019</b>					
<b>03.05.2019</b>	Chamba	Day Time	Noise Level in dB(A)	42.1	49.9	45.5	45.0	57.3	65.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.6	38.9	40.3	42.0	54.8	55.5
<b>10.05.2019</b>	Chamba	Day Time	Noise Level in dB(A)	49.4	50.0	50.6	53.0	64.8	43.4
	Chamba	Night Time	Noise Lev.el in dB(A)	39.4	39.0	44.5	<b>54.0</b>	<b>59.0</b>	55.2
<b>17.05.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>55.0</b>	49.0	52.5	50.0	64.9	55.7
	Chamba	Night Time	Noise Lev.el in dB(A)	<b>48.5</b>	40.0	44.3	40.0	54.6	40.5
<b>29.05.2019</b>	Chamba	Day Time	Noise Level in dB(A)	41.4	47.0	45.1	54.2	53.8	46.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.4	39.0	43.0	45.0	49.3	49.8
<b>Month and Year:</b>				<b>June-2019</b>					
<b>03.06.2019</b>	Chamba	Day Time	Noise Level in dB(A)	43.0	48.8	46.5	45.6	55.6	66.5
	Chamba	Night Time	Noise Lev.el in dB(A)	38.6	39.9	42.0	42.8	<b>63.3</b>	56.4
<b>13.06.2019</b>	Chamba	Day Time	Noise Level in dB(A)	48.6	49.8	48.6	52.0	64.8	42.4

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
	Chamba	Night Time	Noise Lev.el in dB(A)	39.8	36.8	43.7	41.0	<b>56.8</b>	57.3
<b>18.06.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>52.0</b>	48.3	53.8	52.0	62.8	55.7
	Chamba	Night Time	Noise Lev.el in dB(A)	39.5	37.5	43.8	40.3	<b>65.1</b>	42.5
<b>25.06.2019</b>	Chamba	Day Time	Noise Level in dB(A)	46.5	49.3	46.5	51.9	<b>70.5</b>	44.8
	Chamba	Night Time	Noise Lev.el in dB(A)	38.4	39.0	45.1	45.0	<b>59.0</b>	49.8
<b>Month and Year:</b>		<b>July-2019</b>							
<b>07.07.2019</b>	Chamba	Day Time	Noise Level in dB(A)	50.0	49.8	45.3	52.0	64.9	60.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.3	39.9	42.3	42.5	54.2	53.6
<b>12.07.2019</b>	Chamba	Day Time	Noise Level in dB(A)	49.6	49.0	51.6	50.0	<b>67.6</b>	44.4
	Chamba	Night Time	Noise Lev.el in dB(A)	40.0	39.0	44.5	44.0	<b>59.0</b>	55.2
<b>20.07.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>55.0</b>	49.0	52.5	50.0	64.9	55.7
	Chamba	Night Time	Noise Lev.el in dB(A)	<b>48.5</b>	39.0	44.3	40.0	54.6	40.5
<b>27.07.2019</b>	Chamba	Day Time	Noise Level in dB(A)	41.4	47.0	45.1	54.2	53.8	46.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.4	39.0	<b>45.2</b>	43.2	39.6	58.8
<b>Month and Year:</b>		<b>August-2019</b>							
<b>03.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>68.6</b>	<b>65.5</b>	54.5	53.3	<b>69.6</b>	55.6
	Chamba	Night Time	Noise Lev.el in dB(A)	<b>69.5</b>	<b>70.3</b>	42.3	43.5	<b>70.8</b>	50.6
<b>13.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	48.6	49.5	18.6	51.0	64.5	41.4
	Chamba	Night Time	Noise Lev.el in dB(A)	37.4	38.0	44.5	44.4	54.0	49.2



Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
<b>20.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>53.2</b>	48.3	53.6	51.2	63.9	50.7
	Chamba	Night Time	Noise Lev.el in dB(A)	39.5	40.0	44.5	40.1	55.0	45.5
<b>29.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	41.5	47.8	42.1	53.3	53.3	40.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.8	38.0	43.2	42.0	55.0	46.8
<b>Month and Year:</b>		<b>September-2019</b>							
<b>03.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	43.1	48.9	46.5	45.6	55.6	66.5
	Chamba	Night Time	Noise Lev.el in dB(A)	38.7	39.9	42.3	42.8	<b>63.3</b>	56.4
<b>13.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	48.6	49.8	48.6	52.0	64.8	42.4
	Chamba	Night Time	Noise Lev.el in dB(A)	39.7	36.8	43.6	41.0	<b>56.8</b>	50.3
<b>20.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>52.0</b>	48.3	53.8	52.0	62.8	55.7
	Chamba	Night Time	Noise Lev.el in dB(A)	39.5	37.5	43.8	40.3	<b>65.5</b>	42.5
<b>29.08.2019</b>	Chamba	Day Time	Noise Level in dB(A)	46.5	49.3	46.5	51.9	<b>70.5</b>	44.8
	Chamba	Night Time	Noise Lev.el in dB(A)	38.4	39.0	<b>45.1</b>	45.0	<b>59.0</b>	49.8
<b>Month and Year:</b>		<b>October-2019</b>							
<b>04.10.2019</b>	Chamba	Day Time	Noise Level in dB(A)	48.1	47.9	54.5	55.0	55.7	68.5
	Chamba	Night Time	Noise Lev.el in dB(A)	38.7	39.9	42.3	42.8	<b>63.3</b>	56.4
<b>09.10.2019</b>	Chamba	Day Time	Noise Level in dB(A)	49.7	<b>55.5</b>	50.6	54.0	63.8	52.4
	Chamba	Night Time	Noise Lev.el in dB(A)	<b>50.9</b>	39.8	44.4	45.0	<b>58.7</b>	55.3
<b>21.10.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>59.0</b>	50.0	<b>59.8</b>	55.0	64.8	59.7
	Chamba	Night Time	Noise Lev.el in dB(A)	38.8	<b>49.9</b>	<b>49.8</b>	43.6	<b>69.5</b>	45.5

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
27.10.2019	Chamba	Day Time	Noise Level in dB(A)	53.5	55.5	59.8	59.9	68.9	54.8
	Chamba	Night Time	Noise Lev.el in dB(A)	58.2	56.6	59.9	50.5	75.4	64.8
<b>Month and Year:</b>		<b>November-2019</b>							
01.11.2019	Chamba	Day Time	Noise Level in dB(A)	47.1	46.9	52.5	52.0	79.6	67.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.7	39.8	42.2	42.9	63.4	58.9
07.11.2019	Chamba	Day Time	Noise Level in dB(A)	50.0	57.5	54.5	54.9	64.8	54.4
	Chamba	Night Time	Noise Lev.el in dB(A)	59.9	40.0	44.9	44.5	62.2	59.3
19.11.2019	Chamba	Day Time	Noise Level in dB(A)	57.0	58.9	55.0	55.0	63.9	54.3
	Chamba	Night Time	Noise Lev.el in dB(A)	40.0	59.9	59.8	44.5	59.5	55.5
25.11.2019	Chamba	Day Time	Noise Level in dB(A)	51.5	54.5	55.0	56.9	66.9	57.8
	Chamba	Night Time	Noise Lev.el in dB(A)	43.1	52.6	51.0	51.5	64.4	54.8
<b>Month and Year:</b>		<b>December-2019</b>							
07.12.2019	Chamba	Day Time	Noise Level in dB(A)	49.1	47.9	53.5	51.1	69.6	69.5
	Chamba	Night Time	Noise Lev.el in dB(A)	39.9	39.9	42.9	49.9	69.9	64.9
11.12.2019	Chamba	Day Time	Noise Level in dB(A)	50.0	52.5	54.5	53.9	63.8	57.4
	Chamba	Night Time	Noise Lev.el in dB(A)	57.9	39.0	45.0	45.0	60.2	57.3
18.12.2019	Chamba	Day Time	Noise Level in dB(A)	57.0	54.9	55.0	55.0	63.9	54.3

Date	Location	Details of Sampling		Silence		Residential		Commercial	Industrial
				Distt. Hospital	Near Distt. Court Chamba	VPO Rajpura	Mohalla Hardaspura	Near Market Chowgan Chamba	Ind. Area Sultanpur
	Chamba	Night Time	Noise Lev.el in dB(A)	40.0	<b>59.7</b>	<b>59.7</b>	44.4	<b>69.2</b>	59.5
<b>23.12.2019</b>	Chamba	Day Time	Noise Level in dB(A)	<b>50.5</b>	<b>55.5</b>	54.0	<b>55.9</b>	<b>69.7</b>	56.8
	Chamba	Night Time	Noise Lev.el in dB(A)	40.0	<b>51.6</b>	45.0	<b>50.5</b>	<b>62.4</b>	52.8

Name of Regional Office: Chamba							
Area/Zone				Silence	Residential	Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Month and Year:		January-2018					
Date	Location	Details of Sampling		Silence (District Hospital)	Residential (Mohalla Hardaspura)	Commercial (Near Market Chowgan Chamba)	Industrial (Ind. Area Sultanpur)
05-01-2018	Chamba	Day Time	Noise Level in dB(A)	43.6	44.2	55.9	42.8
		Night Time	Noise Level in dB(A)	33.1	35.4	39.5	40.4
15-01-2018	Chamba	Day Time	Noise Level in dB(A)	42.7	44.5	56.3	42.6
		Night Time	Noise Level in dB(A)	33.4	35.1	39.8	39.6
24-01-2018	Chamba	Day Time	Noise Level in dB(A)	41.6	43.5	55.8	42.9
		Night Time	Noise Level in dB(A)	32.6	35.4	39.8	41.2
30-01-2018	Chamba	Day Time	Noise Level in dB(A)	42.1	45.3	56.2	42.8
		Night Time	Noise Level in dB(A)	32.4	36.3	41.2	41.6
Month & Year :		Febraury-2018					
06-02-2018	Chamba	Day Time	Noise Level in dB(A)	43.4	44.3	55.6	41.9
		Night Time	Noise Level in dB(A)	33.5	34.6	39.4	39.3
12-02-2018	Chamba	Day Time	Noise Level in dB(A)	42.8	44.1	55.8	41.7
		Night Time	Noise Level in dB(A)	33.1	34.5	39.6	39.5
23-02-2018	Chamba	Day Time	Noise Level in dB(A)	42.6	43.1	54.9	41.3
		Night Time	Noise Level in dB(A)	32.5	34.1	39.5	40.1
27-02-2018	Chamba	Day Time	Noise Level in dB(A)	41.8	44.6	55.1	41.7
		Night Time	Noise Level in dB(A)	32.5	34.3	39.6	39.8
Month & Year :		March, 2018					
07-03-2018	Chamba	Day Time	Noise Level in dB(A)	43.1	44.5	55.3	41.5
		Night Time	Noise Level in dB(A)	33.6	34.3	39.8	39.6
14-03-2018	Chamba	Day Time	Noise Level in dB(A)	42.6	44.4	55.5	41.2
		Night Time	Noise Level in dB(A)	33.4	34.8	38.9	39.2
22-03-2018	Chamba	Day Time	Noise Level in dB(A)	41.8	44.6	55.1	41.7
		Night Time	Noise Level in dB(A)	32.5	34.3	39.6	39.8
31-03-2018	Chamba	Day Time	Noise Level in dB(A)	41.4	44.1	54.8	41.5

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
		Night Time	Noise Level in dB(A)	32.4	34.1	39.1	38.4
<b>Month &amp; Year : April, 2018</b>		Noise Monitoer out of order					
<b>Month &amp; Year : May, 2018</b>		Noise Monitoer out of order					
<b>Month &amp; Year : June, 2018</b>		Noise Monitoer out of order					
<b>Month &amp; Year : July, 2018</b>		Noise Monitoer out of order					
<b>Month &amp; Year : August, 2018</b>		Noise Monitoer out of order					
<b>Month &amp; Year : September, 2018</b>		Noise Monitoer out of order					
<b>Month &amp; Year : October, 2018</b>		Noise Monitoer out of order					

**Month & Year :**

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	Rajpura	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
<b>05-11-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	44.4	46.6	42.3	56.4
	<b>Chamba</b>	Night Time	Noise Lev.el in dB(A)	35.2	36.1	37.5	43.3
<b>12-11-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	46.2	45.9	49.5	57.2
	<b>Chamba</b>	Night Time	Noise Level in dB(A)	35.7	34.5	42.5	46.8
<b>20-11-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	44.5	46.9	47.2	57.2
	<b>Chamba</b>	Night Time	Noise Level in dB(A)	37.3	36.2	36.4	46.4
<b>28-11-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	43.6	45.8	42.2	55.6
	<b>Chamba</b>	Night Time	Noise Level in dB(A)	36.6	35.9	41.2	44.2
<b>Month &amp; Year : December, 2018</b>							
<b>03-12-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	45.2	44.6	55.6	56.2
	<b>Chamba</b>	Night Time	Noise Lev.el in dB(A)	36.3	38.2	45.4	43.2
<b>10-12-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	47.4	48.2	56.4	50.2
	<b>Chamba</b>	Night Time	Noise Level in dB(A)	34.2	41.2	44.6	43.2
<b>19-12-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	45.2	48.3	55.4	58.2
	<b>Chamba</b>	Night Time	Noise Level in dB(A)	38.2	37.2	44.8	46.4
<b>22-12-2018</b>	<b>Chamba</b>	Day Time	Noise Level in dB(A)	45.2	43.6	50.6	59.2

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
	<b>Chamba</b>	Night Time	Noise Level in dB(A)	35.8	39.3	47.9	45.7

**Name of Regional Office: Chamba**

	Area/Zone			Silence	Residential	Commercial	Industrial
<b>Limit in dB(A)</b>		<b>Day Time</b>	<b>Limit in dB(A)</b>	<b>50</b>	<b>55</b>	<b>65</b>	<b>75</b>
		<b>Night Time</b>	<b>Limit in dB(A)</b>	<b>40</b>	<b>45</b>	<b>55</b>	<b>70</b>
<b>Month and Year:</b>			<b>January-2017</b>				
<b>Date</b>	<b>Location</b>	<b>Details of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
				<b>(District Hospital)</b>	<b>(Mohalla Hardaspura)</b>	<b>(Near Market Chowgan Chamba)</b>	<b>(Ind. Area Sultanpur)</b>
1st week	Chamba	Day Time	Noise Level in dB(A)	44.8	45.4	52.3	59.4
		Night Time	Noise Level in dB(A)	36.4	41.8	48.6	48.1
16-01-2017	Chamba	Day Time	Noise Level in dB(A)	45.1	46.1	51.6	57.6
		Night Time	Noise Level in dB(A)	36.9	41.2	47.2	49.7
24-01-2017	Chamba	Day Time	Noise Level in dB(A)	44.5	46.3	52.5	58.1
		Night Time	Noise Level in dB(A)	35.9	43.3	47.9	49.4
30-01-2017	Chamba	Day Time	Noise Level in dB(A)	45.2	45.8	53.1	58.3
		Night Time	Noise Level in dB(A)	35.7	42.9	48.1	49.9

**Month & Year : February 2017.**

03-02-2017	Chamba	Day Time	Noise Level in dB(A)	48.2	51.3	61.3	51.2
		Night Time	Noise Level in dB(A)	36.4	41.6	45.9	44.3
08-02-2017	Chamba	Day Time	Noise Level in dB(A)	48.5	50.1	59.8	50.3
		Night Time	Noise Level in dB(A)	37.1	40.8	42.3	40.3
17-02-2017	Chamba	Day Time	Noise Level in dB(A)	47.4	49.1	61.3	50.6
		Night Time	Noise Level in dB(A)	38.6	42.6	45.1	46.2

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
25-02-2017	Chamba	Day Time	Noise Level in dB(A)	47.8	48.9	59.7	51.3
		Night Time	Noise Level in dB(A)	38.9	41.8	45.9	40.6

**Month & Year : March, 2017.**

09-03-2017	Chamba	Day Time	Noise Level in dB(A)	47.7	52.1	62.5	50.9
		Night Time	Noise Level in dB(A)	37.1	40.7	43.8	44.1
16-03-2017	Chamba	Day Time	Noise Level in dB(A)	48.1	51.8	60.3	49.9
		Night Time	Noise Level in dB(A)	38.3	41.1	43.6	40.7
21-03-2017	Chamba	Day Time	Noise Level in dB(A)	49.3	52.7	62.7	51.3
		Night Time	Noise Level in dB(A)	39.1	41.7	43.7	45.6
30-03-2017	Chamba	Day Time	Noise Level in dB(A)	48.7	50	61.4	50.1
		Night Time	Noise Level in dB(A)	38.6	40.6	44.3	46.1

**Month & Year : April, 2017.**

06-04-2017	Chamba	Day Time	Noise Level in dB(A)	47.2	51.6	62.4	49.8
		Night Time	Noise Level in dB(A)	36.4	41.1	42.6	43.9
13-04-2017	Chamba	Day Time	Noise Level in dB(A)	48.4	51.4	59.6	48.3
		Night Time	Noise Level in dB(A)	37.4	40.5	42.8	40.1
19-04-2017	Chamba	Day Time	Noise Level in dB(A)	49.6	51.6	61.4	52.1
		Night Time	Noise Level in dB(A)	39.6	41.2	42.4	45.1



Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
27-04-2017	Chamba	Day Time	Noise Level in dB(A)	48.1	50.4	61.3	50.8
		Night Time	Noise Level in dB(A)	37.1	38.9	43.1	45.7

**Month & Year : May, 2017.**

03-05-2017	Chamba	Day Time	Noise Level in dB(A)	46.8	51.3	63.1	48.8
		Night Time	Noise Level in dB(A)	37.6	42.3	41.4	42.9
11-05-2017	Chamba	Day Time	Noise Level in dB(A)	48.6	51.7	58.7	48.1
		Night Time	Noise Level in dB(A)	36.4	40.6	42.1	39.9
19-05-2017	Chamba	Day Time	Noise Level in dB(A)	48.5	51.3	61.6	49.5
		Night Time	Noise Level in dB(A)	38.6	41.4	42.6	45.3
24-05-2017	Chamba	Day Time	Noise Level in dB(A)	48.2	50.6	61.2	49.2
		Night Time	Noise Level in dB(A)	36.4	38.2	42.5	44.9

**Month & Year : June, 2017.**

08-06-2017	Chamba	Day Time	Noise Level in dB(A)	46.2	50.9	62.6	48.4
		Night Time	Noise Level in dB(A)	35.5	41.9	41.5	42.6
17-06-2017	Chamba	Day Time	Noise Level in dB(A)	45.4	50.4	57.1	46.1
		Night Time	Noise Level in dB(A)	36.1	40.8	41.4	39.6
24-06-2017	Chamba	Day Time	Noise Level in dB(A)	47.1	51.6	60.2	49.2
		Night Time	Noise Level in dB(A)	39.4	40.8	41.4	39.8

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
29-06-2017	Chamba	Day Time	Noise Level in dB(A)	47.6	50.1	60.7	48.9
		Night Time	Noise Level in dB(A)	36.2	37.4	41.3	40.3

**Month & Year : July, 2017.**

06-07-2017	Chamba	Day Time	Noise Level in dB(A)	45.8	49.7	60.1	46.2
		Night Time	Noise Level in dB(A)	34.1	40.5	41.6	40.3
13-07-2017	Chamba	Day Time	Noise Level in dB(A)	44.9	48.5	58.6	45.4
		Night Time	Noise Level in dB(A)	35.4	39.6	41.2	39.8
21-07-2017	Chamba	Day Time	Noise Level in dB(A)	44.2	48.8	58.9	46.1
		Night Time	Noise Level in dB(A)	35.8	38.7	40.3	38.5
27-07-2017	Chamba	Day Time	Noise Level in dB(A)	47.2	50.2	62.4	48.5
		Night Time	Noise Level in dB(A)	37.5	42.6	40.8	38.7

**Month & Year : August, 2017.**

02-08-2017	Chamba	Day Time	Noise Level in dB(A)	44.6	48.8	59.7	45.4
		Night Time	Noise Level in dB(A)	34.3	39.2	41.5	40.6
08-08-2017	Chamba	Day Time	Noise Level in dB(A)	44.3	47.9	59.3	45.8
		Night Time	Noise Level in dB(A)	35.1	39.8	40.9	40.5
18-08-2017	Chamba	Day Time	Noise Level in dB(A)	43.8	48.5	58.1	45.6
		Night Time	Noise Level in dB(A)	34.7	38.3	40.7	37.6

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
26-08-2017	Chamba	Day Time	Noise Level in dB(A)	43.8	48.2	58.6	44.9
		Night Time	Noise Level in dB(A)	34.5	39.2	40.6	38.2

**Month & Year : September, 2017.**

04-09-2017	Chamba	Day Time	Noise Level in dB(A)	43.5	47.3	58.6	44.2
		Night Time	Noise Level in dB(A)	33.9	38.6	40.8	41.3
12-09-2017	Chamba	Day Time	Noise Level in dB(A)	43.9	47.5	58.2	44.6
		Night Time	Noise Level in dB(A)	34.6	39.2	40.3	41.4
18-09-2017	Chamba	Day Time	Noise Level in dB(A)	43	47.9	58.5	45.1
		Night Time	Noise Level in dB(A)	33.8	38.1	40.7	40.6
25-09-2017	Chamba	Day Time	Noise Level in dB(A)	43.7	48	58.2	44.7
		Night Time	Noise Level in dB(A)	34.1	38.6	40.2	38.3

**Month & Year : October, 2017.**

03-10-2017	Chamba	Day Time	Noise Level in dB(A)	43.2	46.4	57.3	43.5
		Night Time	Noise Level in dB(A)	32.6	37.4	40.3	42.1
10-10-2017	Chamba	Day Time	Noise Level in dB(A)	42.4	46.5	57.4	43.2
		Night Time	Noise Level in dB(A)	34.7	38.6	40.7	41.6
17-10-2017	Chamba	Day Time	Noise Level in dB(A)	45.5	46.4	58.9	46.3
		Night Time	Noise Level in dB(A)	35.6	39.7	42.4	40.3

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
24-10-2017	Chamba	Day Time	Noise Level in dB(A)	43.2	47.5	57.9	44.3
		Night Time	Noise Level in dB(A)	34.3	37.5	41.2	37.6

**Month & Year : November, 2017.**

02-11-2017	Chamba	Day Time	Noise Level in dB(A)	43.7	45.9	57.2	43.8
	Chamba	Night Time	Noise Lev.el in dB(A)	32.4	36.7	40.6	41.7
15-11-2017	Chamba	Day Time	Noise Level in dB(A)	42.6	45.2	56.5	41.7
	Chamba	Night Time	Noise Level in dB(A)	34.2	37.9	41.2	41.3
22-11-2017	Chamba	Day Time	Noise Level in dB(A)	43.4	45.7	57.8	44.1
	Chamba	Night Time	Noise Level in dB(A)	34.8	38.7	41.6	40.6
28-11-2017	Chamba	Day Time	Noise Level in dB(A)	43.6	47.1	57.1	43.9
	Chamba	Night Time	Noise Level in dB(A)	34.1	38.1	41.4	40.5

**Month & Year : December, 2017.**

05-12-2017	Chamba	Day Time	Noise Level in dB(A)	43.1	44.6	56.4	43.5
	Chamba	Night Time	Noise Lev.el in dB(A)	32.6	36.1	40.3	41.5
13-12-2017	Chamba	Day Time	Noise Level in dB(A)	43.3	44.8	56.1	42.5
	Chamba	Night Time	Noise Level in dB(A)	32.9	36.3	41.4	41.8

Date	Location	Details of Sampling		Silence	Residential	Commercial	Industrial
				(District Hospital)	(Mohalla Hardaspura)	(Near Market Chowgan Chamba)	(Ind. Area Sultanpur)
17-12-2017	Chamba	Day Time	Noise Level in dB(A)	42.7	44.1	56.9	43.2
	Chamba	Night Time	Noise Level in dB(A)	33.4	37.6	40.3	41.2
26-12-2017	Chamba	Day Time	Noise Level in dB(A)	42.1	46.8	56.1	42.9
	Chamba	Night Time	Noise Level in dB(A)	33.6	37.4	41.3	41.2

**HOME**