

<b>Name of Regional Office: Dharamshala</b>							
<b>Area/Zone</b>				<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
<b>Limit in dB(A)</b>		<b>Day Time</b>	<b>Limit in dB(A)</b>	<b>50</b>	<b>55</b>	<b>65</b>	<b>75</b>
		<b>Night Time</b>	<b>Limit in dB(A)</b>	<b>40</b>	<b>45</b>	<b>55</b>	<b>70</b>
<b>Week/Month &amp; Year</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
				<b>Zonal Hospital Dharamshala</b>	<b>Office Complex Dari</b>	<b>Kotwali Bazar, Dharamshala</b>	<b>Industrial Area, Nagrota</b>
<b>Month and Year:</b>		<b>January-2020</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	48.1	51.2	61.3	67.6
		Night Time	Noise Level dB(A)	32.9	41.4	49.8	63.7
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	45.3	48.2	58.9	66.7
		Night Time	Noise Level dB(A)	34.5	38.5	50.0	60.9
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	44.6	45.7	61.1	66.9
		Night Time	Noise Level dB(A)	38.5	40.0	47.9	67.8
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	43.3	50.2	59.8	67.8
		Night Time	Noise Level dB(A)	35.5	43.6	52.4	64.3
<b>Month and Year:</b>		<b>February-2020</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	45.3	49.9	58.2	64.3
		Night Time	Noise Level dB(A)	33.5	40.2	48.8	61.4
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	46.2	51.1	59.4	66.7
		Night Time	Noise Level dB(A)	32.3	39.7	51.4	62.8
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level dB(A)	45.6	52.1	60.7	62.8

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
		Night Time	Noise Level dB(A)	38.0	41.3	49.8	64.2
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	41.2	52.6	62.3	61.2
		Night Time	Noise Level dB(A)	35.4	43.7	51.2	66.7
<b>Month and Year:</b>		<b>March-2020</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	46.1	50.8	61.2	66.1
		Night Time	Noise Level dB(A)	36.4	41.3	47.6	63.3
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	42.5	50.0	58.2	62.3
		Night Time	Noise Level dB(A)	33.2	40.2	49.9	63.5
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	40.4	48.9	59.8	63.7
		Night Time	Noise Level dB(A)	35.7	38.6	48.8	62.8
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	Noise monitoring could not be carried out due to the lockdown imposed w.r.t. COVID-19 by the Distt. Administration			
<b>Month and Year:</b>		<b>April-2020</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	Noise monitoring could not be carried out due to the lockdown imposed w.r.t. COVID-19 by the Distt. Administration.			
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)				
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)				
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	37.2	40.5	49.8	51.8
		Night Time	Noise Level dB(A)	27.4	30.2	34.6	42.7
<b>Month and Year:</b>		<b>May-2020</b>					

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	42.1	43.4	53.2	54.9
		Night Time	Noise Level dB(A)	32.2	41.7	44.4	58.2
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	40.1	43.5	55.2	60.1
		Night Time	Noise Level dB(A)	30.6	32.7	45.2	58.9
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.7	49.2	57.3	61.0
		Night Time	Noise Level dB(A)	32.4	34.6	43.2	55.6
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	35.7	42.8	51.3	58.5
		Night Time	Noise Level dB(A)	30.2	37.9	46.3	59.8
Month and Year:		<b>June-2020</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.5	41.5	55.3	59.7
		Night Time	Noise Level dB(A)	36.2	39.6	48.9	62.3
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.0	45.1	57.8	65.3
		Night Time	Noise Level dB(A)	35.2	40.0	46.7	59.4
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	41.3	51.0	61.5	68.2
		Night Time	Noise Level dB(A)	33.6	40.7	53.2	60.7
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	45.3	44.6	55.7	62.9
		Night Time	Noise Level dB(A)	33.3	38.7	45.4	62.8
Month and Year:		<b>July-2020</b>					

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.3	42.3	56.2	60.0
		Night Time	Noise Level dB(A)	35.4	38.9	46.7	61.8
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	45.2	46.3	58.9	67.3
		Night Time	Noise Level dB(A)	37.1	41.8	48.4	61.3
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	42.2	50.4	62.1	63.3
		Night Time	Noise Level dB(A)	35.3	39.9	51.1	62.4
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	42.5	43.2	50.0	64.8
		Night Time	Noise Level dB(A)	35.5	40.0	46.6	61.7
Month and Year:		<b>August-2020</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	47.3	50.9	54.2	61.8
		Night Time	Noise Level dB(A)	35.2	37.4	46.7	59.8
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	46.3	51.1	59.0	64.5
		Night Time	Noise Level dB(A)	37.2	40.0	43.6	66.6
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	46.8	51.4	62.4	68.9
		Night Time	Noise Level dB(A)	33.7	41.9	49.8	65.8
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	42.6	50.5	58.7	63.2
		Night Time	Noise Level dB(A)	37.5	42.8	49.9	65.8
Month and Year:		<b>September-2020</b>					

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	45.6	49.0	55.8	64.2
		Night Time	Noise Level dB(A)	38.1	42.5	51.3	64.2
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.4	50.6	63.4	61.4
		Night Time	Noise Level dB(A)	34.7	32.8	49.9	65.2
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	47.3	50.1	61.4	64.8
		Night Time	Noise Level dB(A)	36.2	40.2	51.3	63.5
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.7	51.6	63.2	67.8
		Night Time	Noise Level dB(A)	33.2	41.7	48.7	63.4
Month and Year:		<b>October-2020</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.3	47.2	54.8	61.0
		Night Time	Noise Level dB(A)	35.6	41.7	50.9	62.2
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	45.3	48.9	60.2	65.4
		Night Time	Noise Level dB(A)	38.1	39.9	51.2	66.8
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	46.4	51.3	60.8	62.3
		Night Time	Noise Level dB(A)	32.5	38.8	47.6	61.1
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	42.4	47.6	58.9	65.8
		Night Time	Noise Level dB(A)	34.5	40.0	49.7	64.5
Month and Year:		<b>November-2020</b>					

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.0	48.1	56.2	63.3
		Night Time	Noise Level dB(A)	31.2	38.5	43.7	50.0
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.7	49.7	55.9	67.7
		Night Time	Noise Level dB(A)	37.5	43.2	51.4	67.2
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	43.2	44.5	56.1	61.3
		Night Time	Noise Level dB(A)	33.2	35.0	47.1	61.0
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	46.2	51.9	60.4	69.7
		Night Time	Noise Level dB(A)	35.1	39.0	51.3	65.8
Month and Year:		<b>December-2020</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level dB(A)	47.3	51.2	59.8	67.8
		Night Time	Noise Level dB(A)	35.5	41.1	47.4	61.3
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	44.3	51.8	62.4	70.5
		Night Time	Noise Level dB(A)	36.7	42.1	50.3	67.6
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level dB(A)	43.1	47.6	53.2	64.9
		Night Time	Noise Level dB(A)	33.7	40.3	48.9	67.4
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level dB(A)	47.8	51.4	58.9	69.1
		Night Time	Noise Level dB(A)	35.2	41.4	50.3	65.8

<b>Name of Regional Office: Dharamshala</b>							
<b>Area/Zone</b>				<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
<b>Limit in dB(A)</b>		<b>Day Time</b>	<b>Limit in dB(A)</b>	<b>50</b>	<b>55</b>	<b>65</b>	<b>75</b>
		<b>Night Time</b>	<b>Limit in dB(A)</b>	<b>40</b>	<b>45</b>	<b>55</b>	<b>70</b>
<b>Week/Month &amp; Year</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
				<b>Zonal Hospital Dharamshala</b>	<b>Office Complex Dari</b>	<b>Kotwali Bazar, Dharamshala</b>	<b>Industrial Area, Nagrota</b>
<b>Month and Year:</b>		<b>Jan-2019</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	44.8	51.2	56.1	66.4
		Night Time	Noise Level in dB(A)	32.9	40.3	51.2	61.2
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	47.3	47.9	58.3	56.7
		Night Time	Noise Level in dB(A)	36.8	<b>45.8</b>	48.1	48.9
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	46.6	49.9	55.4	51.3
		Night Time	Noise Level in dB(A)	38.5	43.2	49.5	49.8
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	48.2	45.9	60.2	70.3
		Night Time	Noise Level in dB(A)	37.8	37.4	52.1	64.4
<b>Month and Year:</b>		<b>Feb-2019</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	39.8	40.3	51.6	55.7
		Night Time	Noise Level in dB(A)	31.2	36.1	46.4	44.8
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	43.1	44.4	50.3	52.4
		Night Time	Noise Level in dB(A)	29.5	35.8	43.7	50.8
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	41.7	42.6	49.6	56.3
		Night Time	Noise Level in dB(A)	28.1	34.5	41.3	51.8
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	46.2	50.1	61.3	71.4
		Night Time	Noise Level in dB(A)	36.6	42.3	51.5	65.7
<b>Month and Year:</b>		<b>March-2019</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	41.4	39.2	52.3	56.7
		Night Time	Noise Level in dB(A)	30.2	35.9	44.2	48.8
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	45.7	52.2	59.0	64.8
		Night Time	Noise Level in dB(A)	33.1	36.5	45.8	52.6
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	44.7	48.7	55.3	61.5
		Night Time	Noise Level in dB(A)	33.6	40.5	51.3	55.3
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	39.9	48.6	58.7	69.8
		Night Time	Noise Level in dB(A)	37.8	41.5	52.4	68.3

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
<b>Month and Year:</b>		<b>April-2019</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	43.2	44.6	51.8	57.4
		Night Time	Noise Level in dB(A)	33.2	34.6	46.8	51.7
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	44.4	53.8	60.0	62.5
		Night Time	Noise Level in dB(A)	35.3	37.4	46.8	55.3
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	47.1	49.2	58.3	65.8
		Night Time	Noise Level in dB(A)	34.6	41.4	49.7	61.6
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	45.2	47.2	56.8	70.2
		Night Time	Noise Level in dB(A)	34.7	40.0	53.1	69.2
<b>Month and Year:</b>		<b>May-2019</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	47.2	48.4	57.1	66.3
		Night Time	Noise Level in dB(A)	38.3	40	49.4	55.6
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	46.3	51.2	62.4	68.3
		Night Time	Noise Level in dB(A)	33.4	38.5	44.4	57.9
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	46.7	50.7	59.6	69.2
		Night Time	Noise Level in dB(A)	37.3	43.0	48.5	62.1
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	46.2	47.7	53.8	60.8
		Night Time	Noise Level in dB(A)	33.3	41.5	47.7	65.8
<b>Month and Year:</b>		<b>June-2019</b>					
<b>1<sup>st</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	48.5	51.1	58.9	68.4
		Night Time	Noise Level in dB(A)	35.6	39.8	50.1	57.4
<b>2<sup>nd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	47.7	52.4	63.2	69.2
		Night Time	Noise Level in dB(A)	36.0	37.7	43.8	59.2
<b>3<sup>rd</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	48.1	54.0	56.9	68.9
		Night Time	Noise Level in dB(A)	34.2	41.7	46.3	63.5
<b>4<sup>th</sup> week</b>	<b>Dharamshala</b>	Day Time	Noise Level in dB(A)	43.8	49.2	51.5	62.4
		Night Time	Noise Level in dB(A)	32.9	40.0	48.8	66.7

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
<b>Month and Year:</b>		<b>July-2019</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.2	49.0	51.9	61.4
		Night Time	Noise Level in dB(A)	32.4	36.5	48.2	56.3
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	48.1	50.3	61.1	65.4
		Night Time	Noise Level in dB(A)	33.7	35.8	42.3	59.0
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.3	48.1	55.6	67.8
		Night Time	Noise Level in dB(A)	36.2	43.3	51.4	62.7
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.4	47.5	50.0	65.2
		Night Time	Noise Level in dB(A)	31.9	39.6	43.8	59.9
<b>Month and Year:</b>		<b>August-2019</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	48.6	51.3	56.4	64.2
		Night Time	Noise Level in dB(A)	34.9	39.8	47.3	58
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	49.1	53.4	62.3	66.7
		Night Time	Noise Level in dB(A)	34.6	38.9	41.2	65.7
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.4	49.7	59.3	67.1
		Night Time	Noise Level in dB(A)	37.2	40.0	50.1	61.1
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	43.5	46.2	52.1	68.9
		Night Time	Noise Level in dB(A)	32.9	40.1	51.6	63.7
<b>Month and Year:</b>		<b>September-2019</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	<b>50.2</b>	53.4	58.9	65.3
		Night Time	Noise Level in dB(A)	35.1	42.3	48.9	55.6
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.7	51.2	60	67.3
		Night Time	Noise Level in dB(A)	36.3	41.2	47.2	66.6
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.7	46.4	60.1	68.3
		Night Time	Noise Level in dB(A)	37.5	41.8	49.3	64.8
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.6	47.3	60.0	62.4
		Night Time	Noise Level in dB(A)	31.6	39.6	48.3	61.3
<b>Month and Year:</b>		<b>October-2019</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.2	50.1	59.2	66.4
		Night Time	Noise Level in dB(A)	34.7	41.3	46.1	53
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.3	53.7	61.5	71.3
		Night Time	Noise Level in dB(A)	37.5	43.2	51.4	67.2
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	43.2	44.5	56.1	61.3
		Night Time	Noise Level in dB(A)	31.2	34.8	46.4	62.3
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	48.9	54.2	62.3	72.1
		Night Time	Noise Level in dB(A)	38.6	43.5	53.2	68.9

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
<b>Month and Year:</b>		<b>November-2019</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.2	49.4	55.8	64
		Night Time	Noise Level in dB(A)	33.5	40.3	44.6	52.1
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.2	53.1	62.4	70.2
		Night Time	Noise Level in dB(A)	36.2	44.7	52.3	65.1
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.6	47.8	58.9	66.6
		Night Time	Noise Level in dB(A)	33.7	37.4	45.2	63.9
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.6	53.1	61.3	69
		Night Time	Noise Level in dB(A)	37.4	41.6	50.8	67.9
<b>Month and Year:</b>		<b>December-2019</b>					
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.7	50.2	57.0	65.3
		Night Time	Noise Level in dB(A)	34.8	42.3	47.4	62.5
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.1	52.3	61.2	71.4
		Night Time	Noise Level in dB(A)	38.0	43.7	51.1	66.6
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	43.2	47.0	57.2	68.9
		Night Time	Noise Level in dB(A)	35.5	41.3	46.7	65.4
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	48.7	52.1	57.2	70.0
		Night Time	Noise Level in dB(A)	31.4	42.2	51.4	68.6

**Name of Regional Office: Dharamshala**

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

**Month and Year: January-2018**

Week/Month & Year	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial	
			Zonal Hospital Dharamshala (1st week)	Office Complex Dari (2nd week)	Kotwali Bazar, Dharamshala (3rd week)	Industrial Area, Nagrota (4th week)	
January, 2018	Dharamshala	Day Time	Noise Level in dB(A)	42.5	43.3	60.3	52.7
		Night Time	Noise Level in dB(A)	32.6	27.8	40.4	41.2

**Month and Year: Feb-2018**

Febraury, 2018	Dharamshala	Day Time	Noise Level in dB(A)	43.2	41.9	60.4	52.8
		Night Time	Noise Level in dB(A)	31.1	27.9	43.7	40.5

**Month and Year: March-2018**

March, 2018	Dharamshala	Day Time	Noise Level in dB(A)	42.5	47.1	58.3	56.3
		Night Time	Noise Level in dB(A)	33.6	29.2	46.2	45.7
April, 2018	Dharamshala	Day Time	Noise Level in dB(A)	45.7	43.8	60.6	52.4
		Night Time	Noise Level in dB(A)	35.4	31.3	38.1	38.2

**Month and Year: May-2018**

May, 2018	Dharamshala	Day Time	Noise Level in dB(A)	47.9	39.1	59.6	50.3
		Night Time	Noise Level in dB(A)	33.7	28.3	42.7	35.8

**Month and Year: June-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.1	38	57.2	65.1
		Night Time	Noise Level in dB(A)	35.2	33.3	43.9	51.2
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	42.7	39.5	56.2	59.9
		Night Time	Noise Level in dB(A)	36.4	28.8	44.8	49.1
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.7	44.1	55.6	53.2
		Night Time	Noise Level in dB(A)	38.5	33.2	41.6	38.3
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.1	43.2	59.1	55.2
		Night Time	Noise Level in dB(A)	37.7	31.9	47.7	40

**Month and Year: July-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	42.9	34.2	59.1	55.1
----------------------	-------------	----------	----------------------	------	------	------	------

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala (1st week)	Office Complex Dari (2nd week)	Kotwali Bazar, Dharamshala (3rd week)	Industrial Area, Nagrota (4th week)
1 <sup>st</sup> week	Dharamshala	Night Time	Noise Level in dB(A)	33.2	37.1	47.7	49.1
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.7	38.5	53.4	53.2
		Night Time	Noise Level in dB(A)	38.1	30.8	41.8	44.3
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.3	47	57.2	49.9
		Night Time	Noise Level in dB(A)	35.5	32.8	42.6	44.8
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44	44	60	53.6
		Night Time	Noise Level in dB(A)	38.4	33.4	44.4	43.3

Month and Year:

**Aug-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	33.3	32.1	51.6	51.4
		Night Time	Noise Level in dB(A)	28.1	26.3	39.8	51.8
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	35.8	31.5	51.3	55.7
		Night Time	Noise Level in dB(A)	27.2	25.5	38.2	50
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	41.9	40	57	56.1
		Night Time	Noise Level in dB(A)	32.5	35.8	39.9	43.2
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.7	44.4	57.5	59.2
		Night Time	Noise Level in dB(A)	39.5	34.8	48.1	51.4

Month and Year:

**Sept-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.1	44	56.3	50.2
		Night Time	Noise Level in dB(A)	33.2	29	38.6	62.9
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	42.9	51.1	50.1	58.9
		Night Time	Noise Level in dB(A)	34.8	39	33.2	61.4
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	42.4	47.9	60.9	62.1
		Night Time	Noise Level in dB(A)	37.1	40.8	47.1	47.7
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	43.2	49.1	57.8	59.8
		Night Time	Noise Level in dB(A)	39.7	33.2	48.4	50.3

Month and Year:

**Oct-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.4	48.9	55.2	55.3
		Night Time	Noise Level in dB(A)	35.9	33.3	39.1	61.2
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.1	51.7	49.1	60

Week/Month & Year	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala (1st week)	Office Complex Dari (2nd week)	Kotwali Bazar, Dharamshala (3rd week)	Industrial Area, Nagrota (4th week)
2 <sup>nd</sup> week	Dharamshala	Night Time	Noise Level in dB(A)	36.8	38.4	35.7	58.9
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.4	49.1	61.4	68.4
		Night Time	Noise Level in dB(A)	32.6	41.2	51.2	61.5
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	45.3	47.2	54.8	57.9
		Night Time	Noise Level in dB(A)	39.1	34.6	47.9	48.7

Month and Year:

**Nov-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	48.2	51.4	61.1	71.2
		Night Time	Noise Level in dB(A)	38.5	40	50.8	65.3
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	49	52.6	62.2	72.4
		Night Time	Noise Level in dB(A)	38.9	41.2	53.8	68.3
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	41.1	44.5	54.1	55.9
		Night Time	Noise Level in dB(A)	32.4	32.5	39.8	42.6
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.2	45.2	48.3	54
		Night Time	Noise Level in dB(A)	36.8	35.8	42.4	47.9

Month and Year:

**Dec-2018**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.2	50.3	55.9	72.2
		Night Time	Noise Level in dB(A)	35.4	39.2	49.3	66.4
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.1	48.7	57.2	68.9
		Night Time	Noise Level in dB(A)	32.9	44.6	51.8	63.3
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.4	51.8	59.7	69.6
		Night Time	Noise Level in dB(A)	36.3	41.3	52.4	48.3
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	47.6	48.7	47.6	69.8
		Night Time	Noise Level in dB(A)	39.1	36.9	42.3	61.4

<b>Week/Month &amp; Year</b>	<b>Location</b>	<b>Detail of Sampling</b>	<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
			<b>Zonal Hospital Dharamshala (1st week)</b>	<b>Office Complex Dari (2nd week)</b>	<b>Kotwali Bazar, Dharamshala (3rd week)</b>	<b>Industrial Area, Nagrota (4th week)</b>

**Name of Regional Office: Dharamshala**

	Area/Zone			Silence	Residential	Commercial	Industrial
	Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70

**Month and Year: January-2017**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	41.3	-	-	-
		Night Time	Noise Level in dB(A)	30.4	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	42.1	-	-
		Night Time	Noise Level in dB(A)	-	26.4	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	62.7	-
		Night Time	Noise Level in dB(A)	-	-	43.1	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	51.9
		Night Time	Noise Level in dB(A)	-	-	-	39.1

**Month and Year: Febraury-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	42.9	-	-	-
		Night Time	Noise Level in dB(A)	33.5	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	42.7	-	-
		Night Time	Noise Level in dB(A)	-	25.8	-	-

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	61.7	-
		Night Time	Noise Level in dB(A)	-	-	45.1	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	51.9
		Night Time	Noise Level in dB(A)	-	-	-	39.1

**Month and Year: March-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.6	-	-	-
		Night Time	Noise Level in dB(A)	32.9	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	45.2	-	-
		Night Time	Noise Level in dB(A)	-	28.7	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	60.1	-
		Night Time	Noise Level in dB(A)	-	-	47.8	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	54.1
		Night Time	Noise Level in dB(A)	-	-	-	39.1

**Month and Year: April-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.2	-	-	-
		Night Time	Noise Level in dB(A)	34.4	-	-	-

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	41.2	-	-
		Night Time	Noise Level in dB(A)	-	27.8	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	61.1	-
		Night Time	Noise Level in dB(A)	-	-	42.8	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	51.1
		Night Time	Noise Level in dB(A)	-	-	-	39.7

**Month and Year:**

**May-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.1	-	-	-
		Night Time	Noise Level in dB(A)	31.7	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	40.9	-	-
		Night Time	Noise Level in dB(A)	-	26.7	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	62.5	-
		Night Time	Noise Level in dB(A)	-	-	44.3	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	52.6
		Night Time	Noise Level in dB(A)	-	-	-	38.2

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota

**Month and Year: June-2017**

1 <sup>st</sup> week	Dharamshala		Noise Level in dB(A)	43.3	-	-	-
		Night Time	Noise Level in dB(A)	32.1	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	41.2	-	-
		Night Time	Noise Level in dB(A)	-	27.5	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	62.1	-
		Night Time	Noise Level in dB(A)	-	-	44.5	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	51.3
		Night Time	Noise Level in dB(A)	-	-	-	37.4

**Month and Year: July-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.1	-	-	-
		Night Time	Noise Level in dB(A)	33.2	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	42.1	-	-
		Night Time	Noise Level in dB(A)	-	27.5	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	61.5	-
		Night Time	Noise Level in dB(A)	-	-	46.1	-

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	55.2
		Night Time	Noise Level in dB(A)	-	-	-	40.4

**Month and Year: August-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.9	-	-	-
		Night Time	Noise Level in dB(A)	31.7	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	43.1	-	-
		Night Time	Noise Level in dB(A)	-	25.8	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	64.2	-
		Night Time	Noise Level in dB(A)	-	-	43.2	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	54.9
		Night Time	Noise Level in dB(A)	-	-	-	39.7

**Month and Year: September-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	46.8	-	-	-
		Night Time	Noise Level in dB(A)	33.6	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	43.1	-	-
		Night Time	Noise Level in dB(A)	-	29.6	-	-

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	60.1	-
		Night Time	Noise Level in dB(A)	-	-	46.7	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	53.1
		Night Time	Noise Level in dB(A)	-	-	-	39.4

**Month and Year: October-2017**

1 <sup>st</sup> week	Dharamshala		Noise Level in dB(A)	43.6	-	-	-
		Night Time	Noise Level in dB(A)	32.7	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	41.1	-	-
		Night Time	Noise Level in dB(A)	-	25.9	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	61.8	-
		Night Time	Noise Level in dB(A)	-	-	45.1	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	52.1
		Night Time	Noise Level in dB(A)	-	-	-	37.9

**Month and Year: November-2017**

1 <sup>st</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	44.5	-	-	-
		Night Time	Noise Level in dB(A)	31.1	-	-	-

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Zonal Hospital Dharamshala	Office Complex Dari	Kotwali Bazar, Dharamshala	Industrial Area, Nagrota
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	40.6	-	-
		Night Time	Noise Level in dB(A)	-	26.2	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	62.5	-
		Night Time	Noise Level in dB(A)	-	-	44.6	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	52.2
		Night Time	Noise Level in dB(A)	-	-	-	38.1

**Month and Year: December-2017**

1 <sup>st</sup> week	Dharamshala		Noise Level in dB(A)	43.2	-	-	-
		Night Time	Noise Level in dB(A)	30.1	-	-	-
2 <sup>nd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	42.1	-	-
		Night Time	Noise Level in dB(A)	-	24.7	-	-
3 <sup>rd</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	61.4	-
		Night Time	Noise Level in dB(A)	-	-	43.9	-
4 <sup>th</sup> week	Dharamshala	Day Time	Noise Level in dB(A)	-	-	-	54.4
		Night Time	Noise Level in dB(A)	-	-	-	41.4

**HOME**