

Name of Regional Office: Kullu							
Area/Zone				Silence	Residential	Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Month and Year:		January-2020					
Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
06.01.2020	Kullu	Day Time	Noise Level dB(A)	52.2	53.4	66.3	60.0
		Night Time	Noise Level dB(A)	40.5	44.8	56.3	49.2
17.01.2020	Kullu	Day Time	Noise Level dB(A)	50.5	53.3	65.4	60.4
		Night Time	Noise Level dB(A)	39.8	42.6	55.3	49.5
23.01.2020	Kullu	Day Time	Noise Level dB(A)	48.7	52.5	65.2	59.6
		Night Time	Noise Level dB(A)	40.2	42.5	54.3	52.5
29.01.2020	Kullu	Day Time	Noise Level dB(A)	52.4	53.3	65.5	61.2
		Night Time	Noise Level dB(A)	39.9	45.4	54.7	53.8
Month and Year:		February-2020					
04.02.2020	Kullu	Day Time	Noise Level dB(A)	52.6	53.8	66.7	60.9
		Night Time	Noise Level dB(A)	40.3	44.5	56.2	49.5
13.02.2020	Kullu	Day Time	Noise Level dB(A)	50.2	53.6	65.2	60.8
		Night Time	Noise Level dB(A)	39.6	42.4	55.5	49.7
20.02.2020	Kullu	Day Time	Noise Level dB(A)	49.5	52.8	65.7	60.3

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level dB(A)	40.5	42.8	54.5	52.7
28.02.2020	Kullu	Day Time	Noise Level dB(A)	52.9	53.4	65.8	61.4
		Night Time	Noise Level dB(A)	39.7	45.1	54.3	53.5
Month and Year:		March-2020					
05.03.2020	Kullu	Day Time	Noise Level dB(A)	52.2	53.4	66.2	60.5
		Night Time	Noise Level dB(A)	40.7	44.3	56.6	49.8
11.03.2020	Kullu	Day Time	Noise Level dB(A)	50.4	53.4	65.5	60.5
		Night Time	Noise Level dB(A)	39.9	42.7	55.3	49.4
17.03.2020	Kullu	Day Time	Noise Level dB(A)	49.8	52.3	65.4	60.5
		Night Time	Noise Level dB(A)	40.3	42.5	54.2	52.4
Month and Year:		April-2020					
	Kullu	Day Time	Noise Level dB(A)	Monitoring has not been conducted due to pandemic Covid-19 Curfew			
Month and Year:		May-2020					
06.05.2020	Kullu	Day Time	Noise Level dB(A)	48.2	51.5	60.4	56.8
		Night Time	Noise Level dB(A)	37.8	39.4	49.2	42.5
16.05.2020	Kullu	Day Time	Noise Level dB(A)	48.5	51.8	60.2	56.5
		Night Time	Noise Level dB(A)	37.7	39.6	50.2	43.4

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
21.05.2020	Kullu	Day Time	Noise Level dB(A)	48.8	52.3	60.5	56.9
		Night Time	Noise Level dB(A)	38.1	39.7	50.5	43.8
29.05.2020	Kullu	Day Time	Noise Level dB(A)	48.9	52.6	60.8	57.1
		Night Time	Noise Level dB(A)	38.6	39.9	51.2	44.5
Month and Year:		June-2020					
03.06.2020	Kullu	Day Time	Noise Level dB(A)	48.6	51.9	60.8	57.3
		Night Time	Noise Level dB(A)	38.1	40.2	50.4	43.8
11.06.2020	Kullu	Day Time	Noise Level dB(A)	48.8	51.7	60.9	57.8
		Night Time	Noise Level dB(A)	38.4	40.5	50.7	44.5
17.06.2020	Kullu	Day Time	Noise Level dB(A)	48.7	51.5	60.8	58.2
		Night Time	Noise Level dB(A)	38.6	40.7	50.8	44.8
25.06.2020	Kullu	Day Time	Noise Level dB(A)	48.9	52.6	61.3	58.5
		Night Time	Noise Level dB(A)	38.9	40.8	51.2	44.6
Month and Year:		July-2020					
07.07.2020	Kullu	Day Time	Noise Level dB(A)	48.9	52.5	61.4	58.6
		Night Time	Noise Level dB(A)	38.3	40.4	50.5	43.4
15.07.2020	Kullu	Day Time	Noise Level dB(A)	48.7	52.6	61.7	58.8

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level dB(A)	38.5	40.7	50.7	44.1
23.07.2020	Kullu	Day Time	Noise Level dB(A)	48.5	52.4	61.9	59.2
		Night Time	Noise Level dB(A)	38.9	41.5	51.2	44.7
30.07.2020	Kullu	Day Time	Noise Level dB(A)	48.8	52.9	61.5	59.1
		Night Time	Noise Level dB(A)	38.5	40.9	51.6	44.8
Month and Year:		August-2020					
04.08.2020	Kullu	Day Time	Noise Level dB(A)	48.7	52.4	61.2	58.3
		Night Time	Noise Level dB(A)	37.2	40.2	50.1	43.2
13.08.2020	Kullu	Day Time	Noise Level dB(A)	48.8	52.5	61.5	58.6
		Night Time	Noise Level dB(A)	37.5	40.2	50.3	44.3
19.08.2020	Kullu	Day Time	Noise Level dB(A)	48.4	52.2	61.3	59.4
		Night Time	Noise Level dB(A)	38.5	41.1	51.3	44.4
26.08.2020	Kullu	Day Time	Noise Level dB(A)	48.5	52.6	61.6	59.2
		Night Time	Noise Level dB(A)	38.7	40.2	51.3	44.5
Month and Year:		September-2020					
05.09.2020	Kullu	Day Time	Noise Level dB(A)	48.9	52.7	61.6	58.8
		Night Time	Noise Level dB(A)	37.4	40.5	50.4	53.6

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
11.09.2020	Kullu	Day Time	Noise Level dB(A)	49.1	52.6	61.8	58.9
		Night Time	Noise Level dB(A)	37.7	40.6	50.5	44.5
19.09.2020	Kullu	Day Time	Noise Level dB(A)	48.2	52.1	61.0	59.2
		Night Time	Noise Level dB(A)	38.2	41.2	51.1	44.2
28.09.2020	Kullu	Day Time	Noise Level dB(A)	48.7	52.9	61.7	59.4
		Night Time	Noise Level dB(A)	38.5	40.5	51.5	44.8
Month and Year:		October-2020					
07.10.2020	Kullu	Day Time	Noise Level dB(A)	51.2	53.5	66.5	60.1
		Night Time	Noise Level dB(A)	40.3	44.7	55.4	48.6
22.10.2020	Kullu	Day Time	Noise Level dB(A)	48.8	52.6	65.3	59.6
		Night Time	Noise Level dB(A)	40.2	42.5	54.5	52.6
30.10.2020	Kullu	Day Time	Noise Level dB(A)	52.4	53.2	65.5	61.4
		Night Time	Noise Level dB(A)	39.8	45.7	54.5	54.8
Month and Year:		November-2020					
04.11.2020	Kullu	Day Time	Noise Level dB(A)	51.5	52.8	66.7	60.4
		Night Time	Noise Level dB(A)	40.2	44.1	55.3	48.8
10.11.2020	Kullu	Day Time	Noise Level dB(A)	50.3	52.5	64.7	60.6

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level dB(A)	38.4	41.5	55.7	49.2
22.11.2020	Kullu	Day Time	Noise Level dB(A)	48.7	52.4	64.8	59.8
		Night Time	Noise Level dB(A)	38.9	40.5	50.3	47.8
28.11.2020	Kullu	Day Time	Noise Level dB(A)	49.6	52.3	64.5	61.6
		Night Time	Noise Level dB(A)	Night Curfew			
Month and Year:		December-2020					
02.12.2020	Kullu	Day Time	Noise Level dB(A)	53.6	54.8	62.4	60.2
		Night Time	Noise Level dB(A)	Night Curfew			
10.12.2020	Kullu	Day Time	Noise Level dB(A)	54.1	54.9	62.8	60.6
		Night Time	Noise Level dB(A)	Night Curfew			
18.12.2020	Kullu	Day Time	Noise Level dB(A)	54.8	53.5	64.8	61.8
		Night Time	Noise Level dB(A)	Night Curfew			
28.12.2020	Kullu	Day Time	Noise Level dB(A)	57.4	54.7	66.0	63.4
		Night Time	Noise Level dB(A)	Night Curfew			

Name of Regional Office: Kullu

Area/Zone			Silence	Residential	Commercial	Industrial	
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75	
	Night Time	Limit in dB(A)	40	45	55	70	
Date	Location	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year:			January-2019				
07.01.2019	Kullu	Day Time	Noise Level in dB(A)	50.9	52.6	65.3	63.5
		Night Time	Noise Level in dB(A)	38.6	42.3	56.1	49.8
15.01.2019	Kullu	Day Time	Noise Level in dB(A)	50.4	51.8	65.7	62.6
		Night Time	Noise Level in dB(A)	38.4	42.8	55.1	49.2
23.01.2019	Kullu	Day Time	Noise Level in dB(A)	52.5	53.4	65.2	59.3
		Night Time	Noise Level in dB(A)	39.6	42.5	57.6	55.3
28.01.2019	Kullu	Day Time	Noise Level in dB(A)	52.9	53.4	66.5	64.5
		Night Time	Noise Level in dB(A)	39.8	44.8	53.6	58.5
Month and Year:			Febaury-2019				
05.02.2019	Kullu	Day Time	Noise Level in dB(A)	50.3	51.9	66.6	64.2
		Night Time	Noise Level in dB(A)	39.5	44.4	57.5	51.3
12.02.2019	Kullu	Day Time	Noise Level in dB(A)	50.5	51.5	65.9	63.3
		Night Time	Noise Level in dB(A)	39.2	42.7	56.6	53.2
21.02.2019	Kullu	Day Time	Noise Level in dB(A)	51.4	52.7	64.7	59.3
		Night Time	Noise Level in dB(A)	38.6	42.7	54.8	57.2
27.02.2019	Kullu	Day Time	Noise Level in dB(A)	53.4	52.8	64.3	66.4
		Night Time	Noise Level in dB(A)	39.2	44.4	53.7	59.9
Month and Year:			March-2019				
06.03.2019	Kullu	Day Time	Noise Level in dB(A)	50.5	52.1	66.2	66.3
		Night Time	Noise Level in dB(A)	39.8	44.5	56.2	52.1
14.03.2019	Kullu	Day Time	Noise Level in dB(A)	50.2	51.2	65.6	63.5
		Night Time	Noise Level in dB(A)	39.3	42.2	56.3	53.1
22.03.2019	Kullu	Day Time	Noise Level in dB(A)	51.1	52.4	64.9	59.7

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	38.8	42.5	54.4	57.5
28.03.2019	Kullu	Day Time	Noise Level in dB(A)	53.2	52.7	64.4	66.8
		Night Time	Noise Level in dB(A)	39.3	44.6	53.5	59.6
Month and Year:			April-2019				
04.04.2019	Kullu	Day Time	Noise Level in dB(A)	50.7	52.4	66.6	66.9
		Night Time	Noise Level in dB(A)	39.4	44.6	56.5	52.7
10.04.2019	Kullu	Day Time	Noise Level in dB(A)	50.4	52.3	65.3	63.6
		Night Time	Noise Level in dB(A)	39.1	42.5	56.7	53.5
18.04.2019	Kullu	Day Time	Noise Level in dB(A)	51.8	52.2	64.6	59.4
		Night Time	Noise Level in dB(A)	38.5	42.2	54.2	57.6
27.04.2019	Kullu	Day Time	Noise Level in dB(A)	53.4	52.5	64.5	66.7
		Night Time	Noise Level in dB(A)	39.5	44.9	53.7	59.8
Month and Year:			May-2019				
05.05.2019	Kullu	Day Time	Noise Level in dB(A)	50.4	53.1	66.8	66.3
		Night Time	Noise Level in dB(A)	39.2	44.2	56.9	52.8
05.11.2019	Kullu	Day Time	Noise Level in dB(A)	50.5	52.5	65.6	63.2
		Night Time	Noise Level in dB(A)	39.5	42.7	56.5	53.8
17.05.2019	Kullu	Day Time	Noise Level in dB(A)	51.2	52.5	64.3	59.7
		Night Time	Noise Level in dB(A)	38.8	42.5	54.6	57.9
29.05.2019	Kullu	Day Time	Noise Level in dB(A)	52.6	52.3	65.8	66.4
		Night Time	Noise Level in dB(A)	39.7	44.5	54.7	59.3
Month and Year:			June-2019				
06.06.2019	Kullu	Day Time	Noise Level in dB(A)	54.6	54.2	67.1	59.5
		Night Time	Noise Level in dB(A)	40.2	42.4	56.7	48.2
13.06.2019	Kullu	Day Time	Noise Level in dB(A)	50.2	53.5	65.3	60.3
		Night Time	Noise Level in dB(A)	39.8	42.1	55.6	49.8
21.06.2019	Kullu	Day Time	Noise Level in dB(A)	49.7	52.4	65.1	59.9

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	40.6	42.8	54.2	51.4
28.06.2019	Kullu	Day Time	Noise Level in dB(A)	52.3	53.8	65.2	61.3
		Night Time	Noise Level in dB(A)	39.6	45.7	54.2	53.8
Month and Year:			July-2019				
05.07.2019	Kullu	Day Time	Noise Level in dB(A)	54.3	54.5	66.4	59.7
		Night Time	Noise Level in dB(A)	40.4	42.3	56.5	48.3
11.07.2019	Kullu	Day Time	Noise Level in dB(A)	50.5	53.7	65.6	60.4
		Night Time	Noise Level in dB(A)	39.6	42.3	55.2	49.3
18.07.2019	Kullu	Day Time	Noise Level in dB(A)	49.2	52.1	65.4	59.7
		Night Time	Noise Level in dB(A)	40.4	42.5	54.6	51.2
26.07.2019	Kullu	Day Time	Noise Level in dB(A)	52.4	53.3	65.6	61.7
		Night Time	Noise Level in dB(A)	39.4	45.2	54.4	53.5
Month and Year:			August-2019				
08.08.2019	Kullu	Day Time	Noise Level in dB(A)	51.4	53.2	66.8	60.5
		Night Time	Noise Level in dB(A)	39.8	44.1	56.9	49.6
16.08.2019	Kullu	Day Time	Noise Level in dB(A)	50.3	53.4	65.5	61.2
		Night Time	Noise Level in dB(A)	39.4	42.5	55.8	49.9
22.08.2019	Kullu	Day Time	Noise Level in dB(A)	50.5	52.3	64.7	59.3
		Night Time	Noise Level in dB(A)	39.6	42.7	54.8	52.4
30.08.2019	Kullu	Day Time	Noise Level in dB(A)	51.3	52.5	65.2	61.4
		Night Time	Noise Level in dB(A)	39.6	45.4	54.7	54.6
Month and Year:			Sep-2019				
03.09.2019	Kullu	Day Time	Noise Level in dB(A)	52.1	53.6	66.4	60.2
		Night Time	Noise Level in dB(A)	40.5	44.3	56.7	49.2
13.09.2019	Kullu	Day Time	Noise Level in dB(A)	50.5	53.6	65.7	60.6
		Night Time	Noise Level in dB(A)	39.6	42.4	55.3	49.4
17.09.2019	Kullu	Day Time	Noise Level in dB(A)	48.9	52.4	65.3	59.5
		Night Time	Noise Level in dB(A)	40.3	42.4	54.6	52.8
26.09.2019	Kullu	Day Time	Noise Level in dB(A)	52.1	53.2	65.5	61.7

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	40.0	45.6	54.4	53.4
Month and Year:			Oct-2019				
05.10.2019	Kullu	Day Time	Noise Level in dB(A)	52.6	53.9	66.7	60.5
		Night Time	Noise Level in dB(A)	40.9	44.6	56.9	49.5
11.10.2019	Kullu	Day Time	Noise Level in dB(A)	61.1	65.2	65.9	60.7
		Night Time	Noise Level in dB(A)	56.3	59.4	57.3	49.7
18.10.2019	Kullu	Day Time	Noise Level in dB(A)	50.2	53.2	65.2	59.3
		Night Time	Noise Level in dB(A)	40.5	41.5	54.2	52.4
26.10.2019	Kullu	Day Time	Noise Level in dB(A)	52.3	53.5	65.7	61.9
		Night Time	Noise Level in dB(A)	39.8	45.8	54.9	53.8
Month and Year:			Nov-2019				
06.11.2019	Kullu	Day Time	Noise Level in dB(A)	52.2	53.5	66.2	60.4
		Night Time	Noise Level in dB(A)	40.6	44.1	56.5	49.3
15.11.2019	Kullu	Day Time	Noise Level in dB(A)	50.6	53.5	65.8	60.9
		Night Time	Noise Level in dB(A)	39.8	42.5	55.2	49.6
21.11.2019	Kullu	Day Time	Noise Level in dB(A)	48.8	52.6	65.5	59.7
		Night Time	Noise Level in dB(A)	40.4	42.5	54.8	52.6
28.11.2019	Kullu	Day Time	Noise Level in dB(A)	52.5	53.4	65.8	61.5
		Night Time	Noise Level in dB(A)	39.5	45.5	54.3	53.2
Month and Year:			Dec-2019				
06.12.2019	Kullu	Day Time	Noise Level in dB(A)	52.4	53.8	66.1	60.6
		Night Time	Noise Level in dB(A)	40.3	44.5	56.2	49.4
11.12.2019	Kullu	Day Time	Noise Level in dB(A)	50.2	53.1	65.2	60.5
		Night Time	Noise Level in dB(A)	39.6	42.3	55.5	49.9
20.12.2019	Kullu	Day Time	Noise Level in dB(A)	48.5	52.4	65.3	59.8
		Night Time	Noise Level in dB(A)	40.5	42.4	54.5	52.8
28.12.2019	Kullu	Day Time	Noise Level in dB(A)	52.7	53.5	65.7	61.4
		Night Time	Noise Level in dB(A)	39.7	45.6	54.5	53.4

Name of Regional Office: Kullu

Area/Zone		Silence	Residential	Commercial	Industrial	
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: January-2018

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
04-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.9	52.6	65.7	59.4
		Night Time	Noise Level in dB(A)	39.4	40.8	54.2	50.2
10-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.6	52.7	65.1	59.8
		Night Time	Noise Level in dB(A)	38.9	40.4	55.2	50.3
18-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	54.2	66.0	58.6
		Night Time	Noise Level in dB(A)	38.6	41.2	53.9	53.9
29-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.5	52.4	66.2	60.1
		Night Time	Noise Level in dB(A)	39.4	41.1	55.6	54.8

Month and Year: Febaury-2018

03-02-2018	Kullu	Day Time	Noise Level in dB(A)	51.2	52.5	66.1	58.2
		Night Time	Noise Level in dB(A)	38.5	41.5	55.8	49.1
09-02-2018	Kullu	Day Time	Noise Level in dB(A)	51.3	52.3	66.4	60.5
		Night Time	Noise Level in dB(A)	38.9	40.9	54.5	50.9
13-02-2018	Kullu	Day Time	Noise Level in dB(A)	52.4	53.3	65.4	59.5
		Night Time	Noise Level in dB(A)	39.5	41.8	54.2	52.3
24-02-2018	Kullu	Day Time	Noise Level in dB(A)	52.6	52.8	65.8	59.7
		Night Time	Noise Level in dB(A)	39.2	41.5	56.4	55.9

Month and Year: March-2018

08-03-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	51.5	66.5	59.1
		Night Time	Noise Level in dB(A)	37.8	41.2	55.1	49.3
17-03-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	52.4	66.6	61.2
		Night Time	Noise Level in dB(A)	38.5	40.7	56.1	50.7
23-03-2018	Kullu	Day Time	Noise Level in dB(A)	52.3	53.8	65.2	59.9
		Night Time	Noise Level in dB(A)	39.1	42.2	56.2	52.5
28-03-2018	Kullu	Day Time	Noise Level in dB(A)	52.3	52.6	66.1	59.9
		Night Time	Noise Level in dB(A)	39.5	41.6	54.7	56.2

Date	Location	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: **April-2018**

05-04-2018	Kullu	Day Time	Noise Level in dB(A)	51.2	51.8	66.1	59.8
		Night Time	Noise Level in dB(A)	37.5	40.2	55.1	49.6
11-04-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	52.2	66.3	62.2
		Night Time	Noise Level in dB(A)	38.9	40.1	56.3	50.5
21-04-2018	Kullu	Day Time	Noise Level in dB(A)	52.0	53.2	65.1	59.4
		Night Time	Noise Level in dB(A)	39.0	41.2	56.7	52.3
28-04-2018	Kullu	Day Time	Noise Level in dB(A)	51.3	53.6	66.5	59.0
		Night Time	Noise Level in dB(A)	38.5	41.4	54.2	56.5

Month and Year: **May-2018**

05-05-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	51.5	66.5	59.9
		Night Time	Noise Level in dB(A)	37.3	40.5	55.8	48.6
11-05-2018	Kullu	Day Time	Noise Level in dB(A)	51.5	52.3	66.1	63.2
		Night Time	Noise Level in dB(A)	38.4	40.6	55.3	50.1
17-05-2018	Kullu	Day Time	Noise Level in dB(A)	52.7	53.2	65.9	58.2
		Night Time	Noise Level in dB(A)	39.3	41.4	56.2	52.7
26-05-2018	Kullu	Day Time	Noise Level in dB(A)	51.6	53.2	66.1	59.4
		Night Time	Noise Level in dB(A)	38.9	41.1	54.8	56.9

Month and Year: **June-2018**

06-06-2018	Kullu	Day Time	Noise Level in dB(A)	50.4	51.2	65.5	60.3
		Night Time	Noise Level in dB(A)	38.3	40.2	55.5	48.4
15-06-2018	Kullu	Day Time	Noise Level in dB(A)	51.1	52.6	66.8	63.5
		Night Time	Noise Level in dB(A)	38.8	41.2	55.5	50.8
22-06-2018	Kullu	Day Time	Noise Level in dB(A)	52.4	53.0	65.2	58.8
		Night Time	Noise Level in dB(A)	39.6	41.8	56.8	52.9
29-06-2018	Kullu	Day Time	Noise Level in dB(A)	51.2	53.8	66.4	59.9
		Night Time	Noise Level in dB(A)	38.4	41.4	54.4	56.5

Month and Year: **July -2018**

Monitoring not done							
---------------------	--	--	--	--	--	--	--

Month and Year: **August -2018**

Monitoring not done							
---------------------	--	--	--	--	--	--	--

Month and Year: **Sep-2018**

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
05-09-2018	Kullu	Day Time	Noise Level in dB(A)	52.4	54.1	57.4	58.5
		Night Time	Noise Level in dB(A)	38.8	40.1	41.5	41.9
13-09-2018	Kullu	Day Time	Noise Level in dB(A)	52.7	54.7	58.1	59.2
		Night Time	Noise Level in dB(A)	39.5	41.2	41.9	42.6
17-09-18	Kullu	Day Time	Noise Level in dB(A)	52.0	53.9	58.4	59.7
		Night Time	Noise Level in dB(A)	39.1	40.6	41.4	42.3
26-09-18	Kullu	Day Time	Noise Level in dB(A)	51.2	52.5	57.1	57.6
		Night Time	Noise Level in dB(A)	38.2	38.7	39.4	40.3

Month and Year: Oct-2018

05.10.18	Kullu	Day Time	Noise Level in dB(A)	51.5	52.2	65.9	61.2
		Night Time	Noise Level in dB(A)	39.1	40.5	55.8	48.2
11.10.18	Kullu	Day Time	Noise Level in dB(A)	51.5	52.4	66.1	62.5
		Night Time	Noise Level in dB(A)	39.5	41.0	55.6	50.2
16.10.18	Kullu	Day Time	Noise Level in dB(A)	52.1	53.5	65.4	59.8
		Night Time	Noise Level in dB(A)	39.8	42.8	57.5	52.4
26.10.18	Kullu	Day Time	Noise Level in dB(A)	52.5	53.9	66.8	62.2
		Night Time	Noise Level in dB(A)	39.6	43.5	54.8	56.9

Month and Year: Nov-2018

05-11-18	Kullu	Day Time	Noise Level in dB(A)	50.8	51.5	65.5	60.2
		Night Time	Noise Level in dB(A)	39.5	40.4	55.5	48.3
14-11-18	Kullu	Day Time	Noise Level in dB(A)	51.6	52.5	66.0	52.1
		Night Time	Noise Level in dB(A)	39.3	41.2	55.3	52.2
22-11-18	Kullu	Day Time	Noise Level in dB(A)	52.0	53.1	65.2	59.4
		Night Time	Noise Level in dB(A)	39.5	42.2	57.3	52.8
28-11-18	Kullu	Day Time	Noise Level in dB(A)	52.2	53.5	66.4	62.9
		Night Time	Noise Level in dB(A)	39.2	43.2	54.5	56.7

Month and Year: Dec 2018

05.12.18	Kullu	Day Time	Noise Level in dB(A)	50.5	51.2	65.7	61.2
		Night Time	Noise Level in dB(A)	39.1	40.5	55.7	48.6
13.12.18	Kullu	Day Time	Noise Level in dB(A)	50.9	51.1	66.0	62.3
		Night Time	Noise Level in dB(A)	39.7	41.5	55.8	49.6
19.12.18	Kullu	Day Time	Noise Level in dB(A)	52.1	53.3	65.8	58.8

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	39.8	42.0	56.3	51.7
27.12.18	Kullu	Day Time	Noise Level in dB(A)	52.5	53.9	66.9	63.2
		Night Time	Noise Level in dB(A)	39.9	43.5	54.7	56.8

Name of Regional Office: Kullu

	Area/Zone		Silence	Residential	Commercial	Industrial	
Limit in dB(A)		Day Time	50	55	65	75	
		Night Time	40	45	55	70	
Month and Year: January-2017							
Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
04-01-2017	Kullu	Day Time	Noise Level in dB(A)	52.0	53.4	68.5	66.4
		Night Time	Noise Level in dB(A)	43.8	41.3	57.6	48.2
11-01-2017	Kullu	Day Time	Noise Level in dB(A)	53.7	52.3	66.8	65.1
		Night Time	Noise Level in dB(A)	44.1	42.9	56.5	52.4
18-01-2017	Kullu	Day Time	Noise Level in dB(A)	54.6	53.7	68.2	67.3
		Night Time	Noise Level in dB(A)	42.5	43.8	57.1	53.9
30-01-2017	Kullu	Day Time	Noise Level in dB(A)	55.6	49.5	69.4	60.9
		Night Time	Noise Level in dB(A)	41.2	44.1	56.7	56.4

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: Febaury-2017

02-02-2017	Kullu	Day Time	Noise Level in dB(A)	51.0	52.5	66.7	68.2
		Night Tim	Noise Level in dB(A)	42.1	43.2	56.9	49.3
09-02-2017	Kullu	Day Time	Noise Level in dB(A)	52.2	51.5	67.3	66.4
		Night Tim	Noise Level in dB(A)	42.5	43.1	57.3	55.6
14-02-2017	Kullu	Day Time	Noise Level in dB(A)	52.8	53.1	67.9	68.4
		Night Tim	Noise Level in dB(A)	41.8	42.1	57.6	54.7
25-02-2017	Kullu	Day Time	Noise Level in dB(A)	53.2	48.6	68.6	59.7
		Night Tim	Noise Level in dB(A)	41.5	43.6	57.4	58.7

Month and Year: March-2017

04-03-2017	Kullu	Day Time	Noise Level in dB(A)	51.0	52.5	66.7	68.2
		Night Tim	Noise Level in dB(A)	42.1	43.2	56.9	49.3

Date	Locatin	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
09-03-2017	Kullu	Day Time	Noise Level in dB(A)	52.2	51.5	67.3	66.4
		Night Tim	Noise Level in dB(A)	42.5	43.1	57.3	55.6
18-03-2017	Kullu	Day Time	Noise Level in dB(A)	52.8	53.1	67.9	68.4
		Night Tim	Noise Level in dB(A)	41.8	42.1	57.6	54.7
22-03-2017	Kullu	Day Time	Noise Level in dB(A)	53.2	48.6	68.6	59.7
		Night Tim	Noise Level in dB(A)	41.5	43.6	57.4	58.7
28-03-2017	Kullu	Day Time	Noise Level in dB(A)	55.1	49.3	70.0	59.4
		Night Tim	Noise Level in dB(A)	42.8	43.5	56.7	60.8

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year:			April-2017				
05-04-2017	Kullu	Day Time	Noise Level in dB(A)	55.7	53.4	70.0	69.7
		Night Tim	Noise Level in dB(A)	43.1	43.5	58.5	50.6
12-04-2017	Kullu	Day Time	Noise Level in dB(A)	55.4	53.1	69.5	68.9
		Night Tim	Noise Level in dB(A)	42.9	43.2	57.6	53.5
19-04-2017	Kullu	Day Time	Noise Level in dB(A)	54.8	52.9	66.8	67.4
		Night Tim	Noise Level in dB(A)	42.5	43.6	56.2	53.6
24-04-2017	Kullu	Day Time	Noise Level in dB(A)	53.7	51.5	67.2	59.2
		Night Tim	Noise Level in dB(A)	41.6	42.8	56.4	59.7

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year: May-2017							
04-05-2017	Kullu	Day Time	Noise Level in dB(A)	53.2	54.1	68.0	65.8
		Night Tim	Noise Level in dB(A)	42.1	42.7	55.7	48.6
09-05-2017	Kullu	Day Time	Noise Level in dB(A)	52.4	51.6	69.1	66.5
		Night Tim	Noise Level in dB(A)	41.2	43.5	57.2	54.3
19-05-2017	Kullu	Day Time	Noise Level in dB(A)	52.5	53.1	66.7	63.6
		Night Tim	Noise Level in dB(A)	41.5	44.3	56.2	54.6
			Limit in dB(A)	40.0	45.0	55.0	70.0
27-05-2017	Kullu	Day Time	Noise Level in dB(A)	51.8	52.8	66.9	60.0
		Night Tim	Noise Level in dB(A)	42.4	43.2	56.8	58.6

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: **June-2017**

06-06-2017	Kullu	Day Time	Noise Level in dB(A)	53.3	54.5	68.2	64.9
		Night Tim	Noise Level in dB(A)	41.7	42.4	55.1	49.1
15-06-2017	Kullu	Day Time	Noise Level in dB(A)	52.9	52.3	69.2	66.2
		Night Tim	Noise Level in dB(A)	42.2	43.6	56.2	55.0
23-06-2017	Kullu	Day Time	Noise Level in dB(A)	53.4	54.1	66.5	62.8
		Night Tim	Noise Level in dB(A)	42.4	43.2	56.5	54.2
28-06-2017	Kullu	Day Time	Noise Level in dB(A)	51.7	53.1	65.9	60.5
		Night Tim	Noise Level in dB(A)	41.2	42.8	57.1	59.3

Month and Year: **July -2017**

Monitoring not done

Month and Year: **August -2017**

Monitoring not done

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: Sep-2017

04-09-17	Kullu	Day Time	Noise Level in dB(A)	51.2	48.3	66.1	60.1
		Night Tim	Noise Level in dB(A)	41.2	39.2	51.8	49.2
16-09-17	Kullu	Day Time	Noise Level in dB(A)	51.3	46.7	67.5	62.3
		Night Tim	Noise Level in dB(A)	41.5	42.0	51.9	50.1
20-09-17	Kullu	Day Time	Noise Level in dB(A)	52.0	43.9	65.5	62.5
		Night Tim	Noise Level in dB(A)	41.4	42.6	56.4	53.5
27-09-17	Kullu	Day Time	Noise Level in dB(A)	50.7	47.5	66.7	58.5
		Night Tim	Noise Level in dB(A)	41.2	42.8	56.2	56.8

Month and Year: Oct-2017

06.10.17	Kullu	Day Time	Noise Level in dB(A)	50.5	46.0	65.2	61.6
----------	-------	----------	----------------------	------	------	------	------

Date	Locatin	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	40.7	41.0	52.5	48.0
13.10.17	Kullu	Day Time	Noise Level in dB(A)	54.5	45.6	69.1	65.3
		Night Time	Noise Level in dB(A)	46.5	42.1	54.9	55.0
16.10.17	Kullu	Day Time	Noise Level in dB(A)	53.4	43.2	66.5	62.8
		Night Time	Noise Level in dB(A)	42.4	41.2	56.5	54.2
28.10.17	Kullu	Day Time	Noise Level in dB(A)	51.7	49.5	65.9	60.5
		Night Time	Noise Level in dB(A)	41.2	42.8	57.0	59.2

Month and Year: Nov-2017

17-11-17	Kullu	Day Time	Noise Level in dB(A)	52.3	54.1	66.2	61.9
		Night Time	Noise Level in dB(A)	40.7	41.4	55.5	48.0
28-11-17	Kullu	Day Time	Noise Level in dB(A)	52.9	52.3	68.2	66.2
		Night Time	Noise Level in dB(A)	42.2	43.6	57.2	54.0

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year:			Dec 2017				
06.12.17	Kullu	Day Time	Noise Level in dB(A)	51.4	49.7	66.5	60.8
		Night Time	Noise Level in dB(A)	41.2	39.6	55.8	49.5
11.12.17	Kullu	Day Time	Noise Level in dB(A)	51.6	47.7	67.1	63.3
		Night Time	Noise Level in dB(A)	41.5	42.0	60.2	50.1
20.12.17	Kullu	Day Time	Noise Level in dB(A)	52.0	44.9	67.5	62.2
		Night Time	Noise Level in dB(A)	40.7	42.2	57.4	52.5
28.12.17	Kullu	Day Time	Noise Level in dB(A)	50.9	45.5	66.4	59.2
		Night Time	Noise Level in dB(A)	41.4	44.8	56.3	48.6

[HOME](#)