

Name of Regional Office: Kullu (Manali)							
	Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)		50	55	65	75
	Night Time	Limit in dB(A)		40	45	55	70
Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
Month and Year:		January-2020					
07.01.2020	Manali	Day Time	Noise Level dB(A)	52.6	53.4	62.7	64.5
		Night Time	Noise Level dB(A)	38.4	40.3	48.2	50.1
16.01.2020	Manali	Day Time	Noise Level dB(A)	51.2	54.2	63.7	65.6
		Night Time	Noise Level dB(A)	37.4	41.5	53.2	55.3
22.01.2020	Manali	Day Time	Noise Level dB(A)	53.1	56.2	62.7	64.1
		Night Time	Noise Level dB(A)	40.2	42.5	44.3	53.4
31.01.2020	Manali	Day Time	Noise Level dB(A)	49.6	51.2	60.5	62.8
		Night Time	Noise Level dB(A)	38.3	44.1	47.3	48.6
Month and Year:		Febraury-2020					
02.02.2020	Manali	Day Time	Noise Level dB(A)	53.2	54.7	63.4	66.2
		Night Time	Noise Level dB(A)	40.3	41.4	49.6	51.1
14.02.2020	Manali	Day Time	Noise Level dB(A)	50.8	52.1	62.3	64.7
		Night Time	Noise Level dB(A)	38.1	42.8	54.1	54.8
16.02.2020	Manali	Day Time	Noise Level dB(A)	51.1	54.6	65.2	66.4

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
		Night Time	Noise Level dB(A)	39.1	43.2	45.3	50.7
23.02.2020	Manali	Day Time	Noise Level dB(A)	53.6	52.5	63.4	65.3
		Night Time	Noise Level dB(A)	39.7	43.6	46.1	49.2
Month and Year:				March-2020			
03.03.2020	Manali	Day Time	Noise Level dB(A)	51.7	53.0	62.7	64.4
		Night Time	Noise Level dB(A)	38.0	40.6	48.2	50.3
12.03.2020	Manali	Day Time	Noise Level dB(A)	50.8	54.0	63.4	65.0
		Night Time	Noise Level dB(A)	36.5	41.6	51.8	52.7
15.03.2020	Manali	Day Time	Noise Level dB(A)	51.6	54.9	60.8	63.4
		Night Time	Noise Level dB(A)	40.8	42.4	44.6	53.5
Month and Year:				April-2020			
	Manali	Day Time	Noise Level dB(A)	Monitoring has not been conducted due to pandemic Covid-19 Curfew			
		Night Time	Noise Level dB(A)				
Month and Year:				May-2020			
03.05.2020	Manali	Day Time	Noise Level dB(A)	45.6	46.7	45.6	47.8
		Night Time	Noise Level dB(A)	32.4	36.6	32.5	35.3
15.05.2020	Manali	Day Time	Noise Level dB(A)	40.4	48.9	40.2	54.8
		Night Time	Noise Level dB(A)	33.2	36.8	34.3	39.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
21.05.2020	Manali	Day Time	Noise Level dB(A)	49.7	50.7	54.8	53.6
		Night Time	Noise Level dB(A)	35.5	37.4	36.2	32.6
28.05.2020	Manali	Day Time	Noise Level dB(A)	46.8	48.6	49.7	52.4
		Night Time	Noise Level dB(A)	37.2	38.9	35.6	38.5
Month and Year:		June-2020					
03.06.2020	Kullu	Day Time	Noise Level dB(A)	48.9	47.8	51.4	54.7
		Night Time	Noise Level dB(A)	32.5	35.8	33.2	32.4
11.06.2020	Kullu	Day Time	Noise Level dB(A)	45.7	52.3	55.7	53.8
		Night Time	Noise Level dB(A)	35.6	36.2	35.3	34.5
17.06.2020	Kullu	Day Time	Noise Level dB(A)	49.2	48.6	52.2	55.5
		Night Time	Noise Level dB(A)	34.3	33.5	37.3	35.2
23.06.2020	Kullu	Day Time	Noise Level dB(A)	48.2	50.9	51.5	49.8
		Night Time	Noise Level dB(A)	36.6	33.5	36.3	34.9
Month and Year:		July-2020					
04.07.2020	Manali	Day Time	Noise Level dB(A)	45.3	48.0	53.6	50.2
		Night Time	Noise Level dB(A)	34.5	35.2	33.0	35.6
08.07.2020	Manali	Day Time	Noise Level dB(A)	46.9	50.5	58.6	55.4
		Night Time	Noise Level dB(A)	36.9	34.3	37.4	39.0

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
15.07.2020	Manali	Day Time	Noise Level dB(A)	47.7	46.3	55.6	52.6
		Night Time	Noise Level dB(A)	36.9	35.4	35.5	37.5
23.07.2020	Manali	Day Time	Noise Level dB(A)	47.2	46.9	49.3	46.7
		Night Time	Noise Level dB(A)	35.0	35.8	36.7	45.8
30.07.2020	Manali	Day Time	Noise Level dB(A)	49.6	51.7	56.8	52.1
		Night Time	Noise Level dB(A)	39.1	42.6	46.5	45.6
Month and Year:		August-2020					
06.08.2020	Manali	Day Time	Noise Level dB(A)	48.9	51.6	55.4	61.5
		Night Time	Noise Level dB(A)	37.8	42.1	47.3	44.9
12.08.2020	Manali	Day Time	Noise Level dB(A)	47.6	51.9	61.7	58.9
		Night Time	Noise Level dB(A)	38.5	41.2	49.1	47.4
17.08.2020	Manali	Day Time	Noise Level dB(A)	45.7	52.1	55.1	49.8
		Night Time	Noise Level dB(A)	38.6	35.9	46.7	49.9
27.08.2020	Manali	Day Time	Noise Level dB(A)	49.8	51.5	56.8	60.7
		Night Time	Noise Level dB(A)	38.9	42.7	45.8	46.9
Month and Year:		September-2020					
03.09.2020	Manali	Day Time	Noise Level dB(A)	55.0	53.4	61.4	53.4
		Night Time	Noise Level dB(A)	41.9	41.0	46.9	47.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
09.09.2020	Manali	Day Time	Noise Level dB(A)	52.7	54.3	60.3	57.5
		Night Time	Noise Level dB(A)	38.9	43.3	50.9	52.7
15.09.2020	Manali	Day Time	Noise Level dB(A)	52.5	52.9	63.7	57.8
		Night Time	Noise Level dB(A)	42.0	44.7	48.5	50.4
26.09.2020	Manali	Day Time	Noise Level dB(A)	52.5	53.8	66.7	58.5
		Night Time	Noise Level dB(A)	39.1	44.1	50.5	48.4
Month and Year:		October-2020					
05.10.2020	Manali	Day Time	Noise Level dB(A)	52.7	54.4	64.4	69.8
		Night Time	Noise Level dB(A)	43.6	46.6	52.4	58.2
13.10.2020	Manali	Day Time	Noise Level dB(A)	49.6	52.7	64.4	67.4
		Night Time	Noise Level dB(A)	44.5	45.6	51.3	46.9
23.10.2020	Manali	Day Time	Noise Level dB(A)	48.7	55.1	61.5	59.7
		Night Time	Noise Level dB(A)	46.9	45.2	49.9	46.9
29.10.2020	Manali	Day Time	Noise Level dB(A)	49.9	52.8	59.3	62.9
		Night Time	Noise Level dB(A)	38.9	49.3	46.7	49.3
Month and Year:		November-2020					
02.11.2020	Manali	Day Time	Noise Level dB(A)	49.3	52.4	67.8	71.6
		Night Time	Noise Level dB(A)	44.6	41.7	56.7	55.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
12.11.2020	Manali	Day Time	Noise Level dB(A)	61.9	49.5	58.7	65.3
		Night Time	Noise Level dB(A)	48.6	40.7	51.3	46.9
21.11.2020	Manali	Day Time	Noise Level dB(A)	48.7	48.8	57.8	60.7
		Night Time	Noise Level dB(A)	39.5	43.4	48.7	46.9
27.11.2020	Manali	Day Time	Noise Level dB(A)	48.5	50.6	52.0	58.7
		Night Time	Noise Level dB(A)	Night curfew			
Month and Year:		December-2020					
04.12.2020	Manali	Day Time	Noise Level dB(A)	55.6	53.6	58.8	58.7
		Night Time	Noise Level dB(A)	Night curfew			
11.12.2020	Manali	Day Time	Noise Level dB(A)	54.8	54.0	57.7	60.3
		Night Time	Noise Level dB(A)	Night curfew			
15.12.2020	Manali	Day Time	Noise Level dB(A)	57.5	54.3	59.4	61.7
		Night Time	Noise Level dB(A)	Night curfew			
29.12.2020	Manali	Day Time	Noise Level dB(A)	59.7	54.8	66.4	68.4
		Night Time	Noise Level dB(A)	Night curfew			

Name of Regional Office: Kullu (Manali)							
Area/Zone			Silence	Residential	Commercial	Industrial	
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75	
	Night Time	Limit in dB(A)	40	45	55	70	
Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial	
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX	
Month and Year:		January-2019					
05.01.2019	Manali	Day Time	Noise Level in dB(A)	53.2	54.1	57.8	58.6
		Night Time	Noise Level in dB(A)	37.2	37.5	38.1	38.4
09.01.2019	Manali	Day Time	Noise Level in dB(A)	53.6	54.5	58.1	58.4
		Night Time	Noise Level in dB(A)	37.0	37.3	38.2	38.6
18.01.2019	Manali	Day Time	Noise Level in dB(A)	52.5	54.0	57.4	58.1
		Night Time	Noise Level in dB(A)	36.8	37.2	37.9	38.4
24.01.2019	Manali	Day Time	Noise Level in dB(A)	51.3	53.4	57.2	57.9
		Night Time	Noise Level in dB(A)	36.5	36.7	37.1	37.4
Month and Year:		Febraury-2019					
02.02.2019	Manali	Day Time	Noise Level in dB(A)	51.7	53.2	56.4	57.6
		Night Time	Noise Level in dB(A)	37.6	37.9	38.4	38.9
07.02.2019	Manali	Day Time	Noise Level in dB(A)	51.3	53.0	55.6	56.0
		Night Time	Noise Level in dB(A)	36.4	36.7	37.6	38.3
15.02.2019	Manali	Day Time	Noise Level in dB(A)	51.5	53.4	56.0	56.4
		Night Time	Noise Level in dB(A)	36.9	37.2	37.8	38.3
23.02.2019	Manali	Day Time	Noise Level in dB(A)	53.6	54.1	57.6	58.0
		Night Time	Noise Level in dB(A)	37.5	37.7	38.4	38.9
Month and Year:		March-2019					
02.03.2019	Manali	Day Time	Noise Level in dB(A)	51.9	53.1	59.3	58.2
		Night Time	Noise Level in dB(A)	36.5	39.7	41.5	41.2
07.03.2019	Manali	Day Time	Noise Level in dB(A)	51.1	53.9	56.5	55.8
		Night Time	Noise Level in dB(A)	35.7	37.8	39.2	41.6
14.03.2019	Manali	Day Time	Noise Level in dB(A)	52.0	53.4	55.3	57.1
		Night Time	Noise Level in dB(A)	37.3	38.1	38.1	39.6

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
23.03.2019	Manali	Day Time	Noise Level in dB(A)	53.8	53.6	56.8	58.9
		Night Time	Noise Level in dB(A)	36.9	38.5	42.3	40.4
29.03.2019	Manali	Day Time	Noise Level in dB(A)	52.9	53.3	57.1	57.9
		Night Time	Noise Level in dB(A)	37.1	37.9	41.1	41.6
Month and Year:		April-2019					
05.04.2019	Manali	Day Time	Noise Level in dB(A)	52.6	53.9	59.7	59.8
		Night Time	Noise Level in dB(A)	36.6	39.8	40.1	41.3
09.04.2019	Manali	Day Time	Noise Level in dB(A)	50.6	56.1	61.1	61.0
		Night Time	Noise Level in dB(A)	38.1	40.2	41.6	41.8
16.04.2019	Manali	Day Time	Noise Level in dB(A)	53.3	53.4	57.9	58.3
		Night Time	Noise Level in dB(A)	39.8	42.0	44.3	46.2
23.04.2019	Manali	Day Time	Noise Level in dB(A)	48.1	52.9	58.6	59.0
		Night Time	Noise Level in dB(A)	41.1	41.3	48.2	50.0
30.04.2019	Manali	Day Time	Noise Level in dB(A)	53.1	53.3	58.8	60.0
		Night Time	Noise Level in dB(A)	42.3	42.5	47.6	49.6
Month and Year:		May-2019					
03.05.2019	Manali	Day Time	Noise Level in dB(A)	53.9	56.8	63.0	64.1
		Night Time	Noise Level in dB(A)	39.1	41.3	47.9	48.3
06.05.2019	Manali	Day Time	Noise Level in dB(A)	51.9	56.6	63.2	63.0
		Night Time	Noise Level in dB(A)	39.0	40.0	46.3	50.0
17.05.2019	Manali	Day Time	Noise Level in dB(A)	51.0	52.9	60.1	63.5
		Night Time	Noise Level in dB(A)	38.2	41.0	45.5	56.9
23.05.2019	Manali	Day Time	Noise Level in dB(A)	52.3	52.2	59.2	60.1
		Night Time	Noise Level in dB(A)	40.6	41.2	53.3	59.0
28.05.2019	Manali	Day Time	Noise Level in dB(A)	50.5	54.3	57.9	59.1
		Night Time	Noise Level in dB(A)	41.5	46.3	54.3	56.7
Month and Year:		June-2019					
07.06.2019	Kullu	Day Time	Noise Level in dB(A)	51.3	55.8	64.0	67.3
		Night Time	Noise Level in dB(A)	38.0	42.0	48.0	51.1
10.06.2019	Kullu	Day Time	Noise Level in dB(A)	49.7	55.1	62.5	66.6
		Night Time	Noise Level in dB(A)	39.0	42.2	45.8	53.2

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
19.06.2019	Kullu	Day Time	Noise Level in dB(A)	50.2	53.1	61.1	64.8
		Night Time	Noise Level in dB(A)	38.9	43.3	48.8	57.9
26.06.2019	Kullu	Day Time	Noise Level in dB(A)	51.9	54.1	59.2	65.2
		Night Time	Noise Level in dB(A)	40.5	42.3	53.9	61.8
Month and Year:		July-2019					
03.07.2019	Manali	Day Time	Noise Level in dB(A)	49.8	55.1	62.0	64.4
		Night Time	Noise Level in dB(A)	39.0	40.1	43.9	46.8
11.07.2019	Manali	Day Time	Noise Level in dB(A)	51.2	55.8	61.3	65.9
		Night Time	Noise Level in dB(A)	37.2	40.9	44.1	54.8
18.07.2019	Manali	Day Time	Noise Level in dB(A)	49.8	53.2	63.2	65.5
		Night Time	Noise Level in dB(A)	38.2	44.1	47.9	59.6
23.07.2019	Manali	Day Time	Noise Level in dB(A)	51.1	54.6	61.8	68.8
		Night Time	Noise Level in dB(A)	41.1	44.2	54.3	63.8
Month and Year:		August-2019					
03.08.2019	Manali	Day Time	Noise Level in dB(A)	51.8	54.5	64.3	66.4
		Night Time	Noise Level in dB(A)	38.2	42.3	43.1	46.1
07.08.2019	Manali	Day Time	Noise Level in dB(A)	50.6	53.5	65.8	60.9
		Night Time	Noise Level in dB(A)	39.8	42.5	55.2	49.6
12.08.2019	Manali	Day Time	Noise Level in dB(A)	48.8	52.6	63.5	59.7
		Night Time	Noise Level in dB(A)	40.4	42.5	54.8	52.6
21.08.2019	Manali	Day Time	Noise Level in dB(A)	52.5	53.4	65.8	61.5
		Night Time	Noise Level in dB(A)	39.5	44.2	54.3	53.1
Month and Year:		September-2019					
04.09.2019	Manali	Day Time	Noise Level in dB(A)	52.2	54.6	63.4	67.2
		Night Time	Noise Level in dB(A)	40.4	44.3	46.1	45.9
14.09.2019	Manali	Day Time	Noise Level in dB(A)	49.2	54.8	64.3	65.8
		Night Time	Noise Level in dB(A)	38.7	52.8	54.3	55.6
19.09.2019	Manali	Day Time	Noise Level in dB(A)	53.2	53.4	64.1	59.1
		Night Time	Noise Level in dB(A)	37.8	43.2	52.4	56.3
24.09.2019	Manali	Day Time	Noise Level in dB(A)	51.8	55.6	64.5	64.8
		Night Time	Noise Level in dB(A)	41.2	43.5	53.9	54.4

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
Month and Year:			October-2019				
02.10.2019	Manali	Day Time	Noise Level in dB(A)	48.9	56.2	64.6	65.7
		Night Time	Noise Level in dB(A)	39.2	40.3	48.2	49.4
12.10.2019	Manali	Day Time	Noise Level in dB(A)	52.1	53.6	63.5	66.8
		Night Time	Noise Level in dB(A)	42.1	44.5	56.2	57.4
19.10.2019	Manali	Day Time	Noise Level in dB(A)	54.3	55.2	64.8	60.5
		Night Time	Noise Level in dB(A)	38.9	40.2	51.6	55.4
25.10.2019	Manali	Day Time	Noise Level in dB(A)	52.3	54.1	62.4	65.2
		Night Time	Noise Level in dB(A)	42.3	44.8	52.3	55.1
Month and Year:			November-2019				
		Night Time	Noise Level in dB(A)	42.2	43.5	45.6	45.8
14.11.2019	Manali	Day Time	Noise Level in dB(A)	53.4	50.4	61.8	65.1
		Night Time	Noise Level in dB(A)	38.1	44.1	52.3	55.6
19.11.2019	Manali	Day Time	Noise Level in dB(A)	52.7	54.2	66.3	63.9
		Night Time	Noise Level in dB(A)	42.6	39.9	46.7	52.6
26.11.2019	Manali	Day Time	Noise Level in dB(A)	51.8	53.4	63.5	64.2
		Night Time	Noise Level in dB(A)	37.4	44.8	52.3	55.1
Month and Year:			December-2019				
07.12.2019	Manali	Day Time	Noise Level in dB(A)	54.2	54.8	65.5	65.8
		Night Time	Noise Level in dB(A)	39.4	44.3	49.7	52.1
14.12.2019	Manali	Day Time	Noise Level in dB(A)	49.2	55.6	62.3	66.8
		Night Time	Noise Level in dB(A)	41.1	42.2	47.3	52.1
19.12.2019	Manali	Day Time	Noise Level in dB(A)	51.6	53.4	61.8	62.4
		Night Time	Noise Level in dB(A)	39.7	41.6	45.3	48.1
23.12.2019	Manali	Day Time	Noise Level in dB(A)	53.4	54.4	60.4	63.4
		Night Time	Noise Level in dB(A)	42.3	42.7	48.3	50.2

Name of Regional Office: Kullu

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: January-2018

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
02-01-2018	Manali	Day Time	Noise Level in dB(A)	51.3	52.8	57.2	59.3
		Night Time	Noise Level in dB(A)	39.2	41.3	42.1	42.7
11-01-2018	Manali	Day Time	Noise Level in dB(A)	50.7	52.1	57.5	59.6
		Night Time	Noise Level in dB(A)	39.3	40.5	41.5	41.9
19-01-2018	Manali	Day Time	Noise Level in dB(A)	51.5	52.6	57.2	58.6
		Night Time	Noise Level in dB(A)	38.4	40.8	41.4	42.3
23-01-2018	Manali	Day Time	Noise Level in dB(A)	52.0	53.4	57.1	59.0
		Night Time	Noise Level in dB(A)	38.1	40.4	42.3	42.9

Month and Year: Febraury-2018

02-02-2018	Manali	Day Time	Noise Level in dB(A)	51.7	52.6	56.7	58.3
		Night Time	Noise Level in dB(A)	38.4	41.0	41.8	42.6
06-02-2018	Manali	Day Time	Noise Level in dB(A)	50.9	52.2	57.0	58.4
		Night Time	Noise Level in dB(A)	39.2	40.7	41.6	42.3
16-02-2018	Manali	Day Time	Noise Level in dB(A)	51.3	52.9	57.6	57.9
		Night Time	Noise Level in dB(A)	38.5	41.1	42.3	42.9
23-02-2018	Manali	Day Time	Noise Level in dB(A)	53.2	53.9	58.2	59.7
		Night Time	Noise Level in dB(A)	39.7	41.8	42.6	43.8

Month and Year: March-2018

03-03-2018	Manali	Day Time	Noise Level in dB(A)	53.2	53.8	57.8	60.1
		Night Time	Noise Level in dB(A)	38.8	41.4	41.9	42.4
09-03-2018	Manali	Day Time	Noise Level in dB(A)	53.8	54.2	58.6	60.3
		Night Time	Noise Level in dB(A)	39.4	41.9	42.7	43.0
15-03-2018	Manali	Day Time	Noise Level in dB(A)	53.2	54.4	58.5	59.7
		Night Time	Noise Level in dB(A)	39.1	41.6	42.2	43.1
21-03-2018	Manali	Day Time	Noise Level in dB(A)	54.0	54.6	59.2	60.5
		Night Time	Noise Level in dB(A)	39.7	41.7	42.8	43.4
31-03-2018	Manali	Day Time	Noise Level in dB(A)	53.8	54.9	59.7	61.4

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
		Night Time	Noise Level in dB(A)	40.4	41.9	42.6	43.7

Month and Year: **April-2018**

03-04-2018	Manali	Day Time	Noise Level in dB(A)	53.7	54.6	58.0	60.6
		Night Time	Noise Level in dB(A)	38.6	41.1	42.3	42.7
12-04-2018	Manali	Day Time	Noise Level in dB(A)	54.1	55.3	58.7	61.0
		Night Time	Noise Level in dB(A)	39.2	41.4	42.8	43.2
19-04-2018	Manali	Day Time	Noise Level in dB(A)	54.0	54.8	59.3	60.7
		Night Time	Noise Level in dB(A)	39.8	41.9	42.6	43.0
26-04-2018	Manali	Day Time	Noise Level in dB(A)	54.4	55.8	60.2	62.5
		Night Time	Noise Level in dB(A)	40.6	42.5	43.1	43.6

Month and Year: **May-2018**

02-05-2018	Manali	Day Time	Noise Level in dB(A)	54.1	56.3	60.4	61.5
		Night Time	Noise Level in dB(A)	39.2	43.7	48.2	49.4
09-05-2018	Manali	Day Time	Noise Level in dB(A)	55.2	56.7	60.9	61.7
		Night Time	Noise Level in dB(A)	41.5	44.3	51.2	53.5
15-05-2018	Manali	Day Time	Noise Level in dB(A)	55.0	56.3	60.7	62.4
		Night Time	Noise Level in dB(A)	41.1	44.1	50.4	52.4
22-05-2018	Manali	Day Time	Noise Level in dB(A)	54.7	57.1	61.3	62.9
		Night Time	Noise Level in dB(A)	40.9	43.5	48.6	51.2
30-05-2018	Manali	Day Time	Noise Level in dB(A)	53.9	56.7	61.7	62.6
		Night Time	Noise Level in dB(A)	41.6	44.4	49.8	51.9

Month and Year: **June-2018**

08-06-2018	Manali	Day Time	Noise Level in dB(A)	53.2	56.3	59.7	61.5
		Night Time	Noise Level in dB(A)	41.3	43.2	50.5	52.1
15-06-2018	Manali	Day Time	Noise Level in dB(A)	53.7	55.6	60.9	62.5
		Night Time	Noise Level in dB(A)	40.7	42.7	48.6	50.2
21-06-2018	Manali	Day Time	Noise Level in dB(A)	52.6	54.7	58.7	61.3
		Night Time	Noise Level in dB(A)	40.2	41.5	46.8	48.0
30-06-2018	Manali	Day Time	Noise Level in dB(A)	53.1	55.3	59.4	60.7
		Night Time	Noise Level in dB(A)	40.7	42.2	46.6	47.5

Month and Year: **July-2018**

03-07-2018	Manali	Day Time	Noise Level in dB(A)	54.1	56.1	59.3	61.5
-------------------	---------------	----------	----------------------	-------------	-------------	------	------

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
		Night Time	Noise Level in dB(A)	40.2	42.4	46.2	46.5
11-07-2018	Manali	Day Time	Noise Level in dB(A)	53.3	55.8	59.6	61.1
		Night Time	Noise Level in dB(A)	39.3	40.5	42.6	42.9
18-07-2018	Manali	Day Time	Noise Level in dB(A)	53.7	55.2	59.5	60.4
		Night Time	Noise Level in dB(A)	39.5	40.8	43.0	43.3
23-07-2018	Manali	Day Time	Noise Level in dB(A)	52.3	54.7	58.3	59.8
		Night Time	Noise Level in dB(A)	38.7	41.0	42.4	42.7

Month and Year: August-2018

02-08-2018	Manali	Day Time	Noise Level in dB(A)	51.2	53.6	58.7	59.3
		Night Time	Noise Level in dB(A)	38.6	40.6	41.3	41.7
08-08-2018	Manali	Day Time	Noise Level in dB(A)	51.4	54.0	58.6	59.8
		Night Time	Noise Level in dB(A)	39.1	40.3	41.1	41.5
14-08-2018	Manali	Day Time	Noise Level in dB(A)	53.6	55.3	60.4	61.5
		Night Time	Noise Level in dB(A)	40.5	41.8	43.2	43.8
21-08-2018	Manali	Day Time	Noise Level in dB(A)	51.9	53.8	58.0	58.7
		Night Time	Noise Level in dB(A)	38.9	41.2	42.4	43.1
29-08-2018	Manali	Day Time	Noise Level in dB(A)	52.4	53.0	58.6	59.0
		Night Time	Noise Level in dB(A)	39.4	41.4	42.3	42.9

Month and Year: September-2018

05-09-2018	Manali	Day Time	Noise Level in dB(A)	52.4	54.1	57.4	58.5
		Night Time	Noise Level in dB(A)	38.8	40.1	41.5	41.9
13-09-2018	Manali	Day Time	Noise Level in dB(A)	52.7	54.7	58.1	59.2
		Night Time	Noise Level in dB(A)	39.5	41.2	41.9	42.6
17-09-2018	Manali	Day Time	Noise Level in dB(A)	52.0	53.9	58.4	59.7
		Night Time	Noise Level in dB(A)	39.1	40.6	41.4	42.3
26-09-2018	Manali	Day Time	Noise Level in dB(A)	51.2	52.5	57.1	57.6
		Night Time	Noise Level in dB(A)	38.2	38.7	39.4	40.3

Month and Year: October-2018

03-10-2018	Manali	Day Time	Noise Level in dB(A)	51.9	54.1	56.7	58.0
		Night Time	Noise Level in dB(A)	38.3	39.4	40.7	41.8
10-10-2018	Manali	Day Time	Noise Level in dB(A)	52.5	54.6	57.3	58.6
		Night Time	Noise Level in dB(A)	38.5	39.2	41.1	42.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
18-10-2018	Manali	Day Time	Noise Level in dB(A)	53.8	56.4	58.9	60.2
		Night Time	Noise Level in dB(A)	39.4	41.0	41.9	43.2
26-10-2018	Manali	Day Time	Noise Level in dB(A)	53.1	55.7	58.2	59.1
		Night Time	Noise Level in dB(A)	38.9	39.6	40.2	40.9

Month and Year: November-2018

03-11-2018	Manali	Day Time	Noise Level in dB(A)	54.2	56.4	59.4	61.4
		Night Time	Noise Level in dB(A)	41.6	42.4	43.8	44.2
09-11-2018	Manali	Day Time	Noise Level in dB(A)	53.2	56.1	58.4	58.9
		Night Time	Noise Level in dB(A)	41.2	42.0	43.6	44.6
16-11-2018	Manali	Day Time	Noise Level in dB(A)	52.4	55.4	57.3	58.5
		Night Time	Noise Level in dB(A)	39.7	40.1	41.2	41.8
24-11-2018	Manali	Day Time	Noise Level in dB(A)	51.7	56.1	57.5	58.2
		Night Time	Noise Level in dB(A)	39.5	40.5	41.6	42.4
30-11-2018	Manali	Day Time	Noise Level in dB(A)	52.0	55.8	57.2	58.1
		Night Time	Noise Level in dB(A)	39.1	40.0	40.9	41.5

Month and Year: December-2018

07-12-2018	Manali	Day Time	Noise Level in dB(A)	52.4	54.5	58.1	59.7
		Night Time	Noise Level in dB(A)	38.1	38.9	39.5	40.0
13-12-2018	Manali	Day Time	Noise Level in dB(A)	53.2	54.7	58.5	59.4
		Night Time	Noise Level in dB(A)	38.5	39.0	39.9	40.8
18-12-2018	Manali	Day Time	Noise Level in dB(A)	53.7	55.8	58.3	59.2
		Night Time	Noise Level in dB(A)	39.3	39.7	40.7	41.1
28-12-2018	Manali	Day Time	Noise Level in dB(A)	54.9	56.4	59.6	60.2
		Night Time	Noise Level in dB(A)	39.8	40.1	41.3	41.9

Name of Regional Office: Kullu

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: January-2017

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
02-01-17	Manali	Day Time	Noise Level in dB(A)	53.7	54.8	58.1	60.7
		Night Time	Noise Level in dB(A)	41.7	43.6	47.2	52.9
11-01-17	Manali	Day Time	Noise Level in dB(A)	52.1	52.9	55.7	57.2
		Night Time	Noise Level in dB(A)	40.8	41.7	47.6	48.2
19-01-17	Manali	Day Time	Noise Level in dB(A)	50.7	51.7	54.7	56.1
		Night Time	Noise Level in dB(A)	39.1	41.5	46.8	47.5
23-01-17	Manali	Day Time	Noise Level in dB(A)	52.7	53.9	55.7	57.3
		Night Time	Noise Level in dB(A)	41.5	43.4	46.9	49.2

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX

Month and Year: Febraury-2017

03-02-17	Manali	Day Time	Noise Level in dB(A)	52.9	54.2	56.7	57.9
		Night Time	Noise Level in dB(A)	38.5	41.8	46.6	47.5
08-02-17	Manali	Day Time	Noise Level in dB(A)	52.3	53.7	57.8	59
		Night Time	Noise Level in dB(A)	41.1	41.6	46.9	47.3
17-02-17	Manali	Day Time	Noise Level in dB(A)	53.8	54.1	56.1	57.6
		Night Time	Noise Level in dB(A)	41.7	42.6	47.2	48.2
23-02-17	Manali	Day Time	Noise Level in dB(A)	52.7	53.7	57.9	59.4
		Night Time	Noise Level in dB(A)	42.1	44.4	48.9	49.3

Month and Year: March-2017

03-03-17	Manali	Day Time	Noise Level in dB(A)	54.2	57.3	59.6	62.5
		Night Time	Noise Level in dB(A)	39.2	43.7	49.8	51.4

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
07-03-17	Manali	Day Time	Noise Level in dB(A)	53.7	56.4	59.4	61.8
		Night Time	Noise Level in dB(A)	39.7	43.9	47.7	49.8
15-03-17	Manali	Day Time	Noise Level in dB(A)	51.1	52.9	55.8	58.2
		Night Time	Noise Level in dB(A)	37.6	40.9	42.6	47.3
24-03-17	Manali	Day Time	Noise Level in dB(A)	56.8	57.2	60.8	62.9
		Night Time	Noise Level in dB(A)	40.7	44.4	48.3	49.8
30-03-17	Manali	Day Time	Noise Level in dB(A)	57.8	58.7	61.4	63.4
		Night Time	Noise Level in dB(A)	41.4	43.8	47.3	49.1

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX

Month and Year: April-2017

06-04-17	Manali	Day Time	Noise Level in dB(A)	56.4	56.1	59.8	60.7
		Night Time	Noise Level in dB(A)	37.5	41.5	47.9	48.1
13-04-17	Manali	Day Time	Noise Level in dB(A)	57.8	55.3	60.4	62.3
		Night Time	Noise Level in dB(A)	38.4	43.2	47.3	49.2
21-04-17	Manali	Day Time	Noise Level in dB(A)	57.6	55.8	61.4	62.8
		Night Time	Noise Level in dB(A)	39.1	41.3	48.6	48.8
27-04-17	Manali	Day Time	Noise Level in dB(A)	56.4	56.3	60.8	62.5
		Night Time	Noise Level in dB(A)	39.7	40.3	49.2	49.7

Month and Year: May-2017

02-05-17	Manali	Day Time	Noise Level in dB(A)	58.1	57.6	61.8	62.2
		Night Time	Noise Level in dB(A)	42.1	42.7	53.4	53.7

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
11-05-17	Manali	Day Time	Noise Level in dB(A)	58.4	56.9	61.7	62.8
		Night Time	Noise Level in dB(A)	42.7	41.7	54.1	54.3
17-05-17	Manali	Day Time	Noise Level in dB(A)	57.3	56.9	62.8	63.4
		Night Time	Noise Level in dB(A)	43.0	41.6	51.3	51.7
25-05-17	Manali	Day Time	Noise Level in dB(A)	58.1	57.4	62.1	62.9
		Night Time	Noise Level in dB(A)	42.2	41.5	52.4	53.7

Month and Year: June-2017

02-06-17	Manali	Day Time	Noise Level in dB(A)	57.9	56.8	61.7	62.4
		Night Time	Noise Level in dB(A)	42.5	41.7	47.8	48.9
07-06-17	Manali	Day Time	Noise Level in dB(A)	58.3	57.4	62.5	63.7
		Night Time	Noise Level in dB(A)	43.6	44.9	48.6	49.1

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
17-06-17	Manali	Day Time	Noise Level in dB(A)	57.6	57.3	62.3	63.1
		Night Time	Noise Level in dB(A)	43.5	44.6	47.1	47.8
21-06-17	Manali	Day Time	Noise Level in dB(A)	56.3	56.7	61.2	61.8
		Night Time	Noise Level in dB(A)	41.3	43.5	46.7	47.5
29-06-17	Manali	Day Time	Noise Level in dB(A)	56.4	57.0	60.7	61.3
		Night Time	Noise Level in dB(A)	41.5	42.8	46.9	47.9

Month and Year: July-2017

06-07-17	Manali	Day Time	Noise Level in dB(A)	53.4	54.7	57.6	58.9
		Night Time	Noise Level in dB(A)	40.3	40.8	42.7	44.3
12-07-17	Manali	Day Time	Noise Level in dB(A)	54.2	55.6	58.4	59.4
		Night Time	Noise Level in dB(A)	39.1	41.7	42.5	43.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
20-07-17	Manali	Day Time	Noise Level in dB(A)	52.4	54.1	57.1	58.5
		Night Time	Noise Level in dB(A)	41.5	42.7	43.4	43.9
28-07-17	Manali	Day Time	Noise Level in dB(A)	53.4	54.2	56.8	58.2
		Night Time	Noise Level in dB(A)	39.6	41.3	42.7	43.5

Month and Year: August-2017

02-08-17	Manali	Day Time	Noise Level in dB(A)	51.6	53.7	57.2	58.4
		Night Time	Noise Level in dB(A)	38.7	40.2	42.1	43.9
11-08-17	Manali	Day Time	Noise Level in dB(A)	52.3	53.9	57.8	58.7
		Night Time	Noise Level in dB(A)	39.4	41.5	42.8	44.1
17-08-17	Manali	Day Time	Noise Level in dB(A)	51.8	52.9	56.6	59.4
		Night Time	Noise Level in dB(A)	39.0	41.7	43.4	44.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
24-08-17	Manali	Day Time	Noise Level in dB(A)	52.7	54.8	58.7	59
		Night Time	Noise Level in dB(A)	38.4	41.5	44.9	45.2
30-08-17	Manali	Day Time	Noise Level in dB(A)	51.4	54.0	56.4	58.1
		Night Time	Noise Level in dB(A)	39.5	42.3	43.5	44.6

Month and Year: September-2017

07-09-17	Manali	Day Time	Noise Level in dB(A)	50.7	54.2	59.7	65.8
		Night Time	Noise Level in dB(A)	39.6	41.5	45.6	47.5
15-09-17	Manali	Day Time	Noise Level in dB(A)	51.4	52.8	57.3	66.7
		Night Time	Noise Level in dB(A)	38.2	40.6	42.5	46.3
23-09-17	Manali	Day Time	Noise Level in dB(A)	51.6	54.7	58.4	65.3
		Night Time	Noise Level in dB(A)	38.6	41.1	43.8	46.5

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
29-09-17	Manali	Day Time	Noise Level in dB(A)	54.3	55.8	60.2	67.9
		Night Time	Noise Level in dB(A)	41.2	43.7	45.1	48.0

Month and Year: October-2017

03-10-17	Manali	Day Time	Noise Level in dB(A)	51.7	54.8	58.8	61.7
		Night Time	Noise Level in dB(A)	41.5	42.6	44.1	45.9
11-10-17	Manali	Day Time	Noise Level in dB(A)	50.7	53.5	57.4	61.2
		Night Time	Noise Level in dB(A)	40.3	41.6	43.8	45.6
17-10-17	Manali	Day Time	Noise Level in dB(A)	52.8	55.4	58.3	63.1
		Night Time	Noise Level in dB(A)	41.6	42.8	44.0	46.3
26-10-17	Manali	Day Time	Noise Level in dB(A)	50.9	54.7	56.8	58.4
		Night Time	Noise Level in dB(A)	41	43.1	44.3	46.1

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX

Month and Year: November-2017

04-11-17	Manali	Day Time	Noise Level in dB(A)	52.4	54.1	57.3	60.7
		Night Time	Noise Level in dB(A)	40.6	42.1	43.7	45.3
10-11-17	Manali	Day Time	Noise Level in dB(A)	51.7	53.8	57.9	59.7
		Night Time	Noise Level in dB(A)	39.6	41.3	42.4	44.8
18-11-17	Manali	Day Time	Noise Level in dB(A)	51.4	54.0	56.8	58.9
		Night Time	Noise Level in dB(A)	39.0	41.1	42.2	44.6
24-11-17	Manali	Day Time	Noise Level in dB(A)	50.7	53.4	55.6	57.7
		Night Time	Noise Level in dB(A)	38.6	41.4	42.7	43.6

Month and Year: December-2017

01-12-17	Manali	Day Time	Noise Level in dB(A)	52.0	53.7	57.5	59.6
		Night Time	Noise Level in dB(A)	39.5	41.6	42.5	43.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
8-12-17	Manali	Day Time	Noise Level in dB(A)	52.5	53.9	58.2	60.1
		Night Time	Noise Level in dB(A)	39.8	42.5	43.8	44.5
16-12-17	Manali	Day Time	Noise Level in dB(A)	51.7	53.0	56.5	58.4
		Night Time	Noise Level in dB(A)	38.7	41.4	41.7	43.6
23-12-17	Manali	Day Time	Noise Level in dB(A)	50.9	52.6	55.9	58.4
		Night Time	Noise Level in dB(A)	38.5	40.8	41.9	43.2
30-12-17	Manali	Day Time	Noise Level in dB(A)	52.3	54.6	57.9	61.0
		Night Time	Noise Level in dB(A)	40.7	42.6	44.4	44.9

[HOME](#)