

<b>Name of Regional Office: Paonta Sahib</b>								
<b>Area/Zone</b>				<b>Silence</b>		<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
<b>Limit in dB(A)</b>		<b>Day Time</b>	<b>Limit in dB(A)</b>	<b>50.0</b>		<b>55.0</b>	<b>65.0</b>	<b>75.0</b>
		<b>Night Time</b>	<b>Limit in dB(A)</b>	<b>40.0</b>		<b>45.0</b>	<b>55.0</b>	<b>70.0</b>
<b>Month and Year:</b>		<b>January-2020</b>						
<b>Date</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
				<b>Civil hospital Paonta Sahib</b>	<b>Mini Secretariat Paonta Sahib</b>	<b>Shiva Colony, Taruwala</b>	<b>Badripur Area Near HPSEBL Office</b>	<b>Industrial Area, Gondpur</b>
<b>04.01.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	<b>53.4</b>	49.8	43.4	<b>66.9</b>	70.2
		Night Time	Noise Level dB(A)	31.0	34.1	39.9	41.8	53.9
<b>15.01.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	<b>51.3</b>	48.5	43.2	<b>65.6</b>	72.5
		Night Time	Noise Level dB(A)	30.4	32.7	38.0	40.8	56.6
<b>23.01.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	<b>52.6</b>	<b>50.3</b>	44.6	<b>65.7</b>	72.8
		Night Time	Noise Level dB(A)	30.3	33.2	38.2	40.1	55.5
<b>29.01.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	<b>54.6</b>	<b>50.9</b>	42.4	<b>66.8</b>	72.6
		Night Time	Noise Level dB(A)	30.7	35.8	37.8	41.2	55.1
<b>Month and Year:</b>		<b>Febraury-2020</b>						
<b>06.02.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	<b>52.4</b>	49.7	43.6	<b>68.5</b>	71.6
		Night Time	Noise Level dB(A)	29.7	33.4	38.1	41.3	55.7

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
13.02.2020	Paonta Sahib	Day Time	Noise Level dB(A)	52.5	48.7	42.3	65.3	72.7
		Night Time	Noise Level dB(A)	30.4	31.6	37.8	41.2	55.9
20.02.2020	Paonta Sahib	Day Time	Noise Level dB(A)	53.2	50.4	44.6	66.8	73.0
		Night Time	Noise Level dB(A)	30.3	33.8	38.3	39.3	54.3
28.02.2020	Paonta Sahib	Day Time	Noise Level dB(A)	53.8	50.3	43.0	67.5	72.4
		Night Time	Noise Level dB(A)	30.5	35.6	37.8	41.3	55.7
Month and Year:		March-2020						
05.03.2020	Paonta Sahib	Day Time	Noise Level dB(A)	52.7	49.5	43.5	68.5	71.4
		Night Time	Noise Level dB(A)	29.6	33.7	38.3	41.2	55.7
16.03.2020	Paonta Sahib	Day Time	Noise Level dB(A)	52.3	48.7	42.2	65.4	72.5
		Night Time	Noise Level dB(A)	30.4	31.8	37.9	41.1	55.9
24.03.2020	Paonta Sahib	Day Time	Noise Level dB(A)	Monitoring could not be done due to lockdown (COVID-19)				
Month and Year:		April-2020						
	Paonta Sahib	Day Time	Noise Level dB(A)	Monitoring could not be done due to lockdown (COVID-19)				
		Night Time	Noise Level dB(A)					
Month and Year:		May-2020						

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
04.05.2020	Paonta Sahib	Day Time	Noise Level dB(A)	49.8	49.1	43.8	63.2	69.0
		Night Time	Noise Level dB(A)	31.1	33.4	40.0	41.2	53.2
12.05.2020	Paonta Sahib	Day Time	Noise Level dB(A)	50.0	47.8	42.4	64.3	71.2
		Night Time	Noise Level dB(A)	29.5	32.1	37.5	39.9	55.4
20.05.2020	Paonta Sahib	Day Time	Noise Level dB(A)	49.3	49.0	43.2	64.6	68.7
		Night Time	Noise Level dB(A)	30.0	33.3	38.0	40.0	54.1
28.05.2020	Paonta Sahib	Day Time	Noise Level dB(A)	50.0	49.3	42.2	64.9	72.8
		Night Time	Noise Level dB(A)	30.6	35.7	37.8	40.3	55.9
Month and Year:		<b>June-2020</b>						
06.06.2020	Paonta Sahib	Day Time	Noise Level dB(A)	49.8	49.1	43.3	64.6	70.2
		Night Time	Noise Level dB(A)	29.8	33.6	38.2	41.0	55.4
11.06.2020	Paonta Sahib	Day Time	Noise Level dB(A)	48.5	48.6	42.1	63.2	72.5
		Night Time	Noise Level dB(A)	30.4	31.3	37.8	41.2	55.4
19.06.2020	Paonta Sahib	Day Time	Noise Level dB(A)	48.8	48.7	44.6	63.8	73.1
		Night Time	Noise Level dB(A)	30.4	33.8	38.3	39.5	54.3
27.06.2020	Paonta Sahib	Day Time	Noise Level dB(A)	48.9	48.7	43.1	63.8	72.3

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
		Night Time	Noise Level dB(A)	30.7	35.6	37.2	41.3	55.8
<b>Month and Year:</b>		<b>July-2020</b>						
<b>03.07.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.0	48.5	44.1	63.6	69.9
		Night Time	Noise Level dB(A)	32.4	34.7	41.3	42.2	54.8
<b>09.07.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.2	48.1	44.6	63.7	69.7
		Night Time	Noise Level dB(A)	30.5	33.2	38.5	42.0	57.1
<b>18.07.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.1	49.5	44.5	64.1	69.2
		Night Time	Noise Level dB(A)	31.3	34.4	37.8	41.6	55.8
<b>24.07.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	48.3	48.4	44.5	63.9	74.3
		Night Time	Noise Level dB(A)	35.9	37.1	39.1	41.0	57.6
<b>Month and Year:</b>		<b>August-2020</b>						
<b>04.08.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.3	49.4	45.3	64.2	71.7
		Night Time	Noise Level dB(A)	33.6	35.1	42.4	43.1	56.3
<b>10.08.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.5	48.5	46.2	64.1	70.8
		Night Time	Noise Level dB(A)	31.1	34.3	39.4	42.7	59.2
<b>17.08.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.4	49.7	44.8	64.2	71.1

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
		Night Time	Noise Level dB(A)	31.9	35.1	38.3	43.2	57.3
<b>24.08.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	48.6	48.9	45.7	64.1	74.6
		Night Time	Noise Level dB(A)	36.4	--	39.6	42.2	59.4
<b>Month and Year:</b>		<b>September-2020</b>						
<b>03.09.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	48.6	49.6	46.2	63.4	73.6
		Night Time	Noise Level dB(A)	31.6	37.1	43.1	44.1	59.5
<b>11.09.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.6	48.9	48.5	64.3	72.6
		Night Time	Noise Level dB(A)	32.3	35.1	40.2	43.7	61.2
<b>18.09.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.7	49.4	46.1	64.5	72.4
		Night Time	Noise Level dB(A)	32.6	35.0	40.3	45.6	58.6
<b>25.09.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.1	49.3	46.3	64.6	74.3
		Night Time	Noise Level dB(A)	37.4	38.6	41.2	43.3	59.1
<b>Month and Year:</b>		<b>October-2020</b>						
<b>05.10.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.1	49.4	47.6	63.8	74.1
		Night Time	Noise Level dB(A)	32.7	38.8	44.9	46.3	61.5
<b>13.10.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.3	48.4	48.7	64.7	73.1

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
		Night Time	Noise Level dB(A)	32.1	35.6	41.6	45.3	61.9
<b>24.10.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.2	49.5	47.3	64.7	73.3
		Night Time	Noise Level dB(A)	32.7	35.4	41.4	46.1	59.1
<b>30.10.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.4	49.4	46.8	64.7	74.4
		Night Time	Noise Level dB(A)	37.7	39.1	41.6	44.2	60.1
<b>Month and Year:</b>		<b>November-2020</b>						
<b>06.11.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.6	49.6	49.7	64.3	74.5
		Night Time	Noise Level dB(A)	35.2	39.4	43.2	47.5	63.1
<b>13.11.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.6	48.9	50.1	64.8	74.4
		Night Time	Noise Level dB(A)	38.7	38.1	44.2	49.8	64.2
<b>20.11.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.4	49.7	49.4	64.8	73.8
		Night Time	Noise Level dB(A)	35.2	37.5	42.3	48.1	60.2
<b>27.11.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	49.6	49.7	47.1	64.8	74.6
		Night Time	Noise Level dB(A)	38.1	39.3	42.3	45.2	61.1
<b>Month and Year:</b>		<b>December-2020</b>						
<b>07.12.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	48.2	46.2	48.3	62.6	72.1

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
		Night Time	Noise Level dB(A)	32.1	36.4	41.3	45.3	60.3
<b>16.12.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	48.1	46.7	48.6	62.5	72.4
		Night Time	Noise Level dB(A)	36.2	35.2	41.1	46.3	62.6
<b>21.12.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	47.6	45.8	45.1	62.7	70.6
		Night Time	Noise Level dB(A)	32.8	34.8	40.3	45.1	59.4
<b>29.12.2020</b>	<b>Paonta Sahib</b>	Day Time	Noise Level dB(A)	47.2	45.4	47.1	62.2	70.1
		Night Time	Noise Level dB(A)	36.4	34.2	41.4	45.0	58.2

**Name of Regional Office: Paonta Sahib**

Area/Zone				Silence		Residential	Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50	50	55	65	75
		Night Time	Limit in dB(A)	40	40	45	55	70
Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
<b>Month and Year:</b>		<b>January-2019</b>						
<b>03.01.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.1</b>	<b>58.1</b>	52.1	<b>70.3</b>	74.1
		Night Time	Noise Level in dB(A)	37.3	36.3	38.2	54.0	65.2
<b>09.01.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>57.3</b>	<b>60.1</b>	54.3	<b>73.7</b>	73.9
		Night Time	Noise Level in dB(A)	35.0	34.1	37.1	52.5	62.5
<b>16.01.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>56.4</b>	<b>57.1</b>	54.0	62.3	71.8
		Night Time	Noise Level in dB(A)	33.7	38.1	38.2	53.1	61.3
<b>30.01.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	49.2	49.2	<b>57.3</b>	<b>68.3</b>	70.4
		Night Time	Noise Level in dB(A)	32.1	34.1	38.5	52.1	69.3
<b>Month and Year:</b>		<b>Febraury-2019</b>						
<b>07.02.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.2</b>	<b>55.2</b>	53.2	<b>71.3</b>	71.2
		Night Time	Noise Level in dB(A)	32.7	31.7	39.1	51.0	64.1
<b>15.02.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.2</b>	<b>61.0</b>	50.3	<b>68.4</b>	70.5
		Night Time	Noise Level in dB(A)	31.9	32.7	39.1	48.3	65.4



Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
27.02.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	54.1	53.2	52.0	68.1	67.4
		Night Time	Noise Level in dB(A)	36.2	32.7	37.3	51.8	64.1
<b>Month and Year:</b>			<b>March-2019</b>					
07.03.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	52.4	52.1	54.3	71.1	70.1
		Night Time	Noise Level in dB(A)	34.1	35.1	37.2	56.0	62.3
12.03.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	53.8	54.3	51.3	69.7	71.2
		Night Time	Noise Level in dB(A)	37.0	30.1	36.1	53.5	66.2
27.03.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	52.7	53.1	53.9	69.4	72.5
		Night Time	Noise Level in dB(A)	31.4	37.1	37.1	50.1	60.7
<b>Month and Year:</b>			<b>April-2019</b>					
04.04.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	56.3	51.3	44.1	72.7	74.1
		Night Time	Noise Level in dB(A)	30.9	34.7	39.2	42.7	56.3
11.04.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	52.6	54.3	48.1	69.1	72.3
		Night Time	Noise Level in dB(A)	31.7	33.7	34.2	43.7	64.2
18.04.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	57.2	45.1	51.2	72.1	67.1
		Night Time	Noise Level in dB(A)	32.1	34.3	34.1	53.7	68.2
27.04.2019	Paonta Sahib	Day Time	Noise Level in dB(A)	52.6	54.5	51.1	70.2	65.2
		Night Time	Noise Level in dB(A)	35.4	36.3	40.3	41.3	59.2

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
<b>Month and Year:</b>			<b>May-2019</b>					
<b>06.05.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>62.3</b>	<b>51.3</b>	44.1	<b>72.7</b>	74.1
		Night Time	Noise Level in dB(A)	30.9	34.7	39.2	42.7	56.3
<b>13.05.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>56.2</b>	<b>53.2</b>	44.1	<b>67.1</b>	71.3
		Night Time	Noise Level in dB(A)	35.7	31.5	32.4	43.1	62.4
<b>24.05.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>59.7</b>	48.3	<b>57.6</b>	<b>73.1</b>	69.7
		Night Time	Noise Level in dB(A)	35.1	35.1	34.1	51.4	66.8
<b>30.05.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.7</b>	<b>51.7</b>	53.7	<b>68.2</b>	69.5
		Night Time	Noise Level in dB(A)	34.9	37.1	38.2	44.3	57.3
<b>Month and Year:</b>			<b>June-2019</b>					
<b>04.06.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.3</b>	<b>50.3</b>	43.6	<b>67.7</b>	70.8
		Night Time	Noise Level in dB(A)	30.2	33.4	39.5	41.2	54.8
<b>12.06.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>51.6</b>	48.5	42.9	<b>65.7</b>	72.8
		Night Time	Noise Level in dB(A)	30.3	32.3	38.1	40.9	56.2
<b>19.06.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>52.6</b>	<b>50.8</b>	44.6	<b>65.9</b>	72.4
		Night Time	Noise Level in dB(A)	30.3	33.6	38.2	39.9	55.5
<b>27.06.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.3</b>	<b>50.8</b>	42.2	<b>66.9</b>	72.7
		Night Time	Noise Level in dB(A)	30.6	35.8	37.8	41.4	55.2

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
<b>Month and Year:</b>			<b>July-2019</b>					
<b>05.07.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>52.5</b>	49.6	43.6	<b>68.1</b>	71.4
		Night Time	Noise Level in dB(A)	29.6	33.4	38.2	41.3	55.7
<b>12.07.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>52.2</b>	48.7	42.1	<b>65.4</b>	72.6
		Night Time	Noise Level in dB(A)	30.5	31.8	37.8	41.2	55.8
<b>18.07.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.1</b>	<b>50.5</b>	44.6	<b>66.8</b>	72.9
		Night Time	Noise Level in dB(A)	30.4	33.7	38.1	39.4	54.3
<b>29.07.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.5</b>	<b>50.3</b>	42.9	<b>67.5</b>	72.6
		Night Time	Noise Level in dB(A)	30.7	35.7	37.9	41.2	55.4
<b>Month and Year:</b>			<b>August-2019</b>					
<b>06.08.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.3</b>	<b>51.2</b>	44.2	<b>69.8</b>	73.2
		Night Time	Noise Level in dB(A)	30.9	34.8	39.4	42.9	56.3
<b>13.08.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.8</b>	<b>50.2</b>	44.6	<b>67.9</b>	73.5
		Night Time	Noise Level in dB(A)	31.5	34.3	38.8	42.4	57.2
<b>22.08.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.5</b>	<b>51.4</b>	46.1	<b>68.7</b>	73.4
		Night Time	Noise Level in dB(A)	31.6	34.4	38.9	41.9	56.2
<b>30.08.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.8</b>	<b>51.8</b>	44.6	<b>69.9</b>	73.5
		Night Time	Noise Level in dB(A)	32.2	36.9	39.8	43.1	56.7

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
<b>Month and Year:</b>			<b>September-2019</b>					
<b>04.09.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.7</b>	<b>51.5</b>	44.6	<b>68.9</b>	74.1
		Night Time	Noise Level in dB(A)	30.8	34.9	38.8	43.1	57.4
<b>12.09.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.9</b>	<b>51.4</b>	44.3	<b>68.1</b>	73.2
		Night Time	Noise Level in dB(A)	31.4	34.8	38.9	42.6	58.1
<b>21.09.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.6</b>	<b>51.3</b>	46.4	<b>67.8</b>	73.5
		Night Time	Noise Level in dB(A)	32.2	34.3	38.5	41.4	56.6
<b>27.09.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.4</b>	<b>51.4</b>	44.3	<b>69.1</b>	73.2
		Night Time	Noise Level in dB(A)	32.8	36.8	39.3	44.0	56.7
<b>Month and Year:</b>			<b>October-2019</b>					
<b>09.10.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.9</b>	<b>52.3</b>	45.2	<b>70.3</b>	73.2
		Night Time	Noise Level in dB(A)	32.2	34.9	39.7	43.1	56.6
<b>18.10.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.9</b>	<b>51.2</b>	45.6	<b>70.5</b>	73.6
		Night Time	Noise Level in dB(A)	32.5	34.9	39.8	43.6	57.7
<b>23.10.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.6</b>	<b>54.1</b>	46.9	<b>68.9</b>	74.8
		Night Time	Noise Level in dB(A)	39.6	35.9	40.3	42.8	57.5
<b>30.10.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.9</b>	<b>54.7</b>	47.3	<b>70.5</b>	74.3
		Night Time	Noise Level in dB(A)	39.8	36.2	40.2	45.4	57.6

Date	Location	Detail of Sampling		Silence	Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Mini Secretariat Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
<b>Month and Year:</b>			<b>November-2019</b>					
<b>05.11.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.2</b>	<b>50.6</b>	44.4	<b>69.9</b>	72.9
		Night Time	Noise Level in dB(A)	30.7	34.2	39.6	42.3	56.6
<b>15.11.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>52.8</b>	49.6	43.9	<b>66.8</b>	73.2
		Night Time	Noise Level in dB(A)	31.2	32.8	38.6	42.1	56.7
<b>23.11.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.4</b>	<b>51.3</b>	45.4	<b>67.2</b>	73.1
		Night Time	Noise Level in dB(A)	31.3	34.1	38.6	40.8	55.6
<b>29.11.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.6</b>	<b>51.8</b>	43.8	<b>68.8</b>	73.4
		Night Time	Noise Level in dB(A)	31.7	36.3	38.7	42.5	56.4
<b>Month and Year:</b>			<b>December-2019</b>					
<b>06.12.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.5</b>	48.2	42.6	<b>67.8</b>	74.2
		Night Time	Noise Level in dB(A)	28.6	32.5	36.4	45.9	58.5
<b>12.12.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.8</b>	49.5	45.3	<b>68.5</b>	71.5
		Night Time	Noise Level in dB(A)	33.8	32.8	39.5	44.5	55.6
<b>18.12.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.3</b>	<b>51.6</b>	43.5	<b>68.4</b>	72.6
		Night Time	Noise Level in dB(A)	32.4	34.8	38.9	41.6	52.2
<b>28.12.2019</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.8</b>	<b>51.3</b>	43.6	<b>68.9</b>	73.8
		Night Time	Noise Level in dB(A)	30.2	36.5	37.8	42.1	56.6

**Name of Regional Office: Paonta Sahib**

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: **January-2018**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
02-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	56.7	47.2	72.2	71.5
		Night Time	Noise Level in dB(A)	37.2	44.2	51.8	62.1
12-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	57.8	42.8	71.5	75.4
		Night Time	Noise Level in dB(A)	35.2	34.9	53.8	65.7
20-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.1	56.3	72.9	69.1
		Night Time	Noise Level in dB(A)	34.7	38.2	52.9	65.3
30-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	63.7	53.5	68.1	70.3
		Night Time	Noise Level in dB(A)	37.2	37.2	49.8	65.1

Month and Year: **Febraury-2018**

06-02-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	59.7	47.2	74.3	73.1
		Night Time	Noise Level in dB(A)	33.9	42.8	47.3	60.8
15-02-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	54.1	45.1	73.1	71.3

		Night Time	Noise Level in dB(A)	36.4	35.7	48.3	67.2
23-02-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>62.5</b>	<b>55.7</b>	<b>72.6</b>	70.4
		Night Time	Noise Level in dB(A)	34.6	31.2	50.9	67.1

Month and Year:

**March-2018**

06-03-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>65.2</b>	45.3	<b>74.1</b>	74.1
		Night Time	Noise Level in dB(A)	31.2	39.3	45.3	58.3
15-03-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>56.1</b>	47.5	<b>69.2</b>	73.1
		Night Time	Noise Level in dB(A)	38.1	39.3	47.3	65.3
22-03-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>63.2</b>	<b>57.2</b>	<b>71.4</b>	69.1
		Night Time	Noise Level in dB(A)	37.4	39.2	54.1	65.3

Month and Year:

**April-2018**

05-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>62.7</b>	45.0	<b>74.5</b>	74.3
		Night Time	Noise Level in dB(A)	37.3	36.1	43.1	65.4
09-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>52.1</b>	50.2	<b>67.3</b>	74.8
		Night Time	Noise Level in dB(A)	34.3	41.6	52.7	65.0
20-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>58.4</b>	<b>56.3</b>	<b>72.7</b>	67.1
		Night Time	Noise Level in dB(A)	35.2	38.0	53.2	68.3
26-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>56.3</b>	54.1	<b>67.5</b>	<b>76.1</b>

		Night Time	Noise Level in dB(A)	39.4	40.2	50.8	63.5
--	--	------------	----------------------	------	------	------	------

**Month and Year: May-2018**

<b>04-05-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>65.4</b>	<b>56.2</b>	<b>75.7</b>	76.5
		Night Time	Noise Level in dB(A)	36.7	38.1	43.2	57.2
<b>10-05-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>51.2</b>	49.9	<b>73.3</b>	74.2
		Night Time	Noise Level in dB(A)	37.1	38.0	49.0	67.4
<b>19-05-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>60.9</b>	<b>57.1</b>	<b>75.8</b>	64.4
		Night Time	Noise Level in dB(A)	37.2	39.2	51.9	56.1
<b>24-05-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.2</b>	<b>56.3</b>	<b>70.6</b>	73.1
		Night Time	Noise Level in dB(A)	35.4	39.4	49.4	58.4

**Month and Year: June-2018**

<b>07-06-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>63.2</b>	<b>56.7</b>	<b>73.5</b>	<b>76.4</b>
		Night Time	Noise Level in dB(A)	34.2	35.1	38.4	60.7
<b>15-06-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>56.1</b>	54.1	<b>74.3</b>	71.8
		Night Time	Noise Level in dB(A)	38.5	39.2	47.2	67.1
<b>23-06-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>62.7</b>	53.8	<b>75.2</b>	69.1
		Night Time	Noise Level in dB(A)	34.1	38.1	53.4	59.2

**Month and Year: July-2018**

<b>06-07-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>62.7</b>	<b>57.2</b>	<b>73.5</b>	<b>76.1</b>
-------------------	---------------------	----------	----------------------	-------------	-------------	-------------	-------------



		Night Time	Noise Level in dB(A)	32.8	38.3	52.7	65.7
<b>12-07-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>58.1</b>	54.7	<b>73.4</b>	<b>78.2</b>
		Night Time	Noise Level in dB(A)	39.2	40.6	49.2	66.1
<b>19-07-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>59.7</b>	<b>56.3</b>	<b>73.1</b>	69.4
		Night Time	Noise Level in dB(A)	35.1	40.2	54.2	59.2
<b>15-07-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>52.1</b>	43.1	<b>71.1</b>	72.3
		Night Time	Noise Level in dB(A)	31.4	35.8	49.3	67.0

Month and Year:

**Aug-2018**

<b>07-08-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>61.4</b>	<b>58.2</b>	<b>75.1</b>	<b>77.1</b>
		Night Time	Noise Level in dB(A)	37	39.2	40.3	63.7
<b>16-08-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>58.3</b>	51.3	<b>73.5</b>	73.8
		Night Time	Noise Level in dB(A)	35.7	32.8	48.1	65.3
<b>29-08-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>64.3</b>	<b>58.1</b>	<b>74.5</b>	67.1
		Night Time	Noise Level in dB(A)	33.2	37.2	51.4	59.5

Month and Year:

**Sept-2018**

<b>06-09-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>59.2</b>	<b>56.3</b>	<b>75.1</b>	74.1
		Night Time	Noise Level in dB(A)	31.8	33.8	<b>57.6</b>	63.7
<b>12-09-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>58.1</b>	<b>57.3</b>	<b>74.1</b>	72.7

		Night Time	Noise Level in dB(A)	37.2	46.2	43.9	61.4
22-09-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>57.9</b>	53.4	<b>71.2</b>	67.2
		Night Time	Noise Level in dB(A)	33.5	42.7	52.1	54.3
28-09-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>53.1</b>	41.7	<b>71.1</b>	72.5
		Night Time	Noise Level in dB(A)	32.4	36.1	49.3	64.0

Month and Year:

**oct-2018**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	Silence
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur	Mini Secretaria t Paonta Sahib
04-10-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>65.1</b>	52.7	<b>75.2</b>	<b>77.4</b>	<b>67.4</b>
		Night Time	Noise Level in dB(A)	34.3	34.3	<b>56.2</b>	62.7	<b>42.7</b>
11-10-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>63.7</b>	54.7	<b>72.1</b>	<b>75.1</b>	<b>65.2</b>
		Night Time	Noise Level in dB(A)	33.8	36.2	<b>58.3</b>	65.4	<b>41.3</b>
26-10-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>62.7</b>	<b>57.9</b>	<b>73.2</b>	74.3	<b>58.1</b>
		Night Time	Noise Level in dB(A)	38.3	33.8	52.7	67.3	<b>44.3</b>

Month and Year:

**Nov-2018**

01-11-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	<b>58.1</b>	52.5	<b>75.3</b>	73.8	<b>65.2</b>
		Night Time	Noise Level in dB(A)	32.3	39.1	52.1	65.7	39.1

<b>08-11-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>57.6</b>	45.8	<b>70.5</b>	73.4	<b>62.7</b>
		Night Time	Noise Level in dB(A)	34.7	37.8	51.9	67.5	32.3
<b>17-11-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.7</b>	54.8	<b>68.2</b>	74.3	<b>64.1</b>
		Night Time	Noise Level in dB(A)	37.3	39.7	53.8	63.2	36.2
<b>29-11-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.3</b>	50.2	<b>69.4</b>	76.1	<b>59.1</b>
		Night Time	Noise Level in dB(A)	32.1	38.1	52.6	60.4	39.4

Month and Year:

**Dec-2018**

<b>04-12-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.2</b>	49.6	<b>71.5</b>	72.1	<b>60.7</b>
		Night Time	Noise Level in dB(A)	35.1	34.7	53.1	63.7	37.2
<b>14-12-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>55.2</b>	48.2	<b>72.4</b>	72.1	<b>59.7</b>
		Night Time	Noise Level in dB(A)	37.1	36.5	50.3	65.3	35.1
<b>21-12-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>53.2</b>	52.5	<b>62.5</b>	73.2	<b>52.3</b>
		Night Time	Noise Level in dB(A)	35.1	35.1	52.4	62.9	32.1
<b>29-12-2018</b>	<b>Paonta Sahib</b>	Day Time	Noise Level in dB(A)	<b>54.9</b>	52.7	<b>64.3</b>	71.5	<b>59.1</b>
		Night Time	Noise Level in dB(A)	34.1	34.5	51.2	64.2	39.4

**Name of Regional Office: Paonta Sahib/ Kala Amb**

	Area/Zone			Silence	Residential	Commercial	Industrial
	Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70

**Month and Year: January-2017**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
03/01/2017	Paonta Sahib	Day Time	Noise Level in dB(A)	59.2	48.2	70.2	72.8
		Night Time	Noise Level in dB(A)	35.1	43.2	51.3	61.2
10-01-17	Paonta Sahib	Day Time	Noise Level in dB(A)	58.7	48.2	73.1	74.5
		Night Time	Noise Level in dB(A)	32.5	35.1	49.6	63.1
18-01-17	Paonta Sahib	Day Time	Noise Level in dB(A)	54.7	57.6	70.8	71.8
		Night Time	Noise Level in dB(A)	35.4	35.7	53.9	59.7
23-01-17	Paonta Sahib	Day Time	Noise Level in dB(A)	60.3	55.3	68.9	72.8
		Night Time	Noise Level in dB(A)	32.7	36.7	48.9	57.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur

**Month and Year: Febraury-2017**

03-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)		50.2		60.7
	Trilokpur	Night Time	Noise Level in dB(A)		42.6		55.0
16-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.3		62.3	
	DC, Office Nahan	Night Time	Noise Level in dB(A)	38.5		50.4	
16-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)	46.3			
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	38.4			
16-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)		46.8		
	Residential area Nahan	Night Time	Noise Level in dB(A)		40.0		

**Month and Year: March-2017**

02-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	60.7	45.8	74.3	70.9
		Night Time	Noise Level in dB(A)	34.1	40.1	45.1	56.3

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
08-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	57.1	42.9	74.8	73.1
		Night Time	Noise Level in dB(A)	34.2	32.5	46.8	64.7
17-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.5	55.7	72.6	70.4
		Night Time	Noise Level in dB(A)	34.6	31.2	50.9	67.1
30-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	61.2	57.9	67.5	74.3
		Night Time	Noise Level in dB(A)	35.7	34.1	45.2	58.9

**Month and Year: April-2017**

07-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)		51.2		62.3
		Night Time	Noise Level in dB(A)		43.2		58.1
21-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)	48.9			
	DC, Office Nahan	Night Time	Noise Level in dB(A)	36.3			

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
21-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.4		63.4	
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	36.8		49.3	
27-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)		48.3		
		Night Time	Noise Level in dB(A)		41.1		

**Month and Year: May-2017**

05-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	63.2	46.1	75.2	72.4
		Night Time	Noise Level in dB(A)	31.7	39.2	42.7	57.5
12-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	54.7	47.1	68.7	70.3
		Night Time	Noise Level in dB(A)	35.7	34.2	48.1	61.2
20-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	60.7	57.9	73.1	69.7
		Night Time	Noise Level in dB(A)	31.5	30.4	51.4	66.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
27-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	55.7	57.3	68.2	73.5
		Night Time	Noise Level in dB(A)	34.9	33.2	43.8	56.7

**Month and Year: June-2017**

12-06-17	Paonta Sahib	Day Time	Noise Level in dB(A)		53.4		65.8
		Night Time	Noise Level in dB(A)		40.2		62.1
29-06-17	Paonta Sahib	Day Time	Noise Level in dB(A)	49.5			
	DC, Office Nahan	Night Time	Noise Level in dB(A)	35			
29-06-17	Paonta Sahib	Day Time	Noise Level in dB(A)	48.3	53.2	64.1	
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	38.4	43.2	46.2	

**Month and Year: July-2017**

06-07-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.5	47.5	72.9	71.9
		Night Time	Noise Level in dB(A)	32.2	38.1	40.1	56.8



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
19-07-17	Paonta Sahib	Day Time	Noise Level in dB(A)	51.7	46.7	68.7	70.3
		Night Time	Noise Level in dB(A)	37.8	32.1	48.1	61.2
28-07-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.3	58.1	74.8	68.9
		Night Time	Noise Level in dB(A)	30.8	32.5	52.7	64.1

**Month and Year: August-2017**

09-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)		49.5		68.2
		Night Time	Noise Level in dB(A)		42.3		60.4
22-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.5			
	DC, Office Nahan	Night Time	Noise Level in dB(A)	34.3			
22-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.4		62.1	
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	36.1		45.0	

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
22-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)		50.3		
	Residential area Nahan	Night Time	Noise Level in dB(A)		40.1		

**Month and Year:** September-2017

08-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	64.1	50.6	76.1	76.8
		Night Time	Noise Level in dB(A)	32.6	32.8	40.3	55.7
16-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	56.1	49.9	70.3	73.9
		Night Time	Noise Level in dB(A)	32.5	32.5	41.9	61.7
21-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.9	58.7	72.8	67.4
		Night Time	Noise Level in dB(A)	32.7	33.9	52.9	56.9
27-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	54.8	57.1	70.1	74.5
		Night Time	Noise Level in dB(A)	32.9	32.8	41.9	55.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur

**Month and Year: October-2017**

04-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)		51.8		61.8
		Night Time	Noise Level in dB(A)		38.6		55.3
18-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)	44.5		64.1	
	DC, Office Nahan	Night Time	Noise Level in dB(A)	38.6		48.2	
18-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)	45.1			
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	38.3			
18-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)		51.5		
		Night Time	Noise Level in dB(A)		37.8		

**Month and Year: November-2017**

13-11-17	Paonta Sahib	Day Time	Noise Level in dB(A)	64.8	56.7	71.3	78.2
		Night Time	Noise Level in dB(A)	31.9	31.9	39.5	54.7

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
23-11-17	Paonta Sahib	Day Time	Noise Level in dB(A)	55.9	50.8	71.8	72.8
		Night Time	Noise Level in dB(A)	30.8	31.9	42.7	60.7
29-11-17	Paonta Sahib	Day Time	Noise Level in dB(A)	63.7	57.2	74.5	68.9
		Night Time	Noise Level in dB(A)	31.8	32.8	51.8	54.8

**Month and Year: December-2017**

06-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)		53.5		66.4
		Night Time	Noise Level in dB(A)		44.0		60.7
28-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)	42.3		63.8	
	DC, Office Nahan	Night Time	Noise Level in dB(A)	35.4		45.2	
28-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)	48.4			
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	37.2			

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
28-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)		52.4		
		Night Time	Noise Level in dB(A)		40.5		

**HOME**