

**Name of Regional Office: Rampur**

	Area/Zone			Silence	Residential	Commercial	Industrial
	Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70

**Month and Year:**

**January-2017**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
24-01-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	46.4			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand</b>	Day Time	Noise Level in dB(A)			87.6	
		Night Time	Noise Level in dB(A)				
	<b>Residential area Pipty Forest Colony</b>	Day Time	Noise Level in dB(A)		46.3		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)		50.6		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
<b>Month and Year:</b>		<b>April-2017</b>					
03-04-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.9			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand</b>	Day Time	Noise Level in dB(A)			90.3	
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pity Rampur</b>	Day Time	Noise Level in dB(A)		48.7		
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			79.9	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.7			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
12-04-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	42.7			
		Night Time	Noise Level in dB(A)				
	<b>Colony Rampur</b>	Day Time	Noise Level in dB(A)		65.5		
		Night Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73.7	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			81.3	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	42.1			
		Night Time	Noise Level in dB(A)				
17-04-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	81.6			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			75.8	
		Night Time	Noise Level in dB(A)				
	<b>Residential Colony Kdyen....</b>	Day Time	Noise Level in dB(A)		59.3		
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			97.2	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	53.3			
		Night Time	Noise Level in dB(A)				
27-04-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	88.6			
		Night Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			71.3	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			86.8	
		Night Time	Noise Level in dB(A)				
	<b>Colony Pity Rampur</b>	Day Time	Noise Level in dB(A)		61.2		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	56.3			
		Night Time	Noise Level in dB(A)				
<b>Month and Year: May-2017</b>							
08-05-17	<b>Colony Khapri</b>	Day Time	Noise Level in dB(A)		49.3		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.7			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			90.7	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			88.3	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	41.1			
		Night Time	Noise Level in dB(A)				
15-05-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	89.4			
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			96.5	
		Night Time	Noise Level in dB(A)				
	<b>Main Market Rampur</b>	Day Time	Noise Level in dB(A)			78.1	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Residential Colony Khareri</b>	Day Time	Noise Level in dB(A)		75.3		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	58.2			
		Night Time	Noise Level in dB(A)				
26-05-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	98.1			
		Night Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			81.3	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			86.3	
		Night Time	Noise Level in dB(A)				
	<b>Colony Khareri</b>	Day Time	Noise Level in dB(A)		60.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	55.2			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>		<b>June-2017</b>					
02-06-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	46.1			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			91.6	
		Night Time	Noise Level in dB(A)				
	<b>Residential area Pipty Colony</b>	Day Time	Noise Level in dB(A)		42.1		
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			81.3	
		Night Time	Noise Level in dB(A)				



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
07-06-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	46.9			
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	45.2			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)		49.8		
		Night Time	Noise Level in dB(A)				
	<b>Residential are Pipty Colony</b>	Day Time	Noise Level in dB(A)			78.7	
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			80.1	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.4			
		Night Time	Noise Level in dB(A)				

<b>Date</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
12-06-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	91.4			
		Night Time	Noise Level in dB(A)				
	<b>Main Market Rampur</b>	Day Time	Noise Level in dB(A)			81.4	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			93.3	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	56.1			
		Night Time	Noise Level in dB(A)				
	<b>Colony main market</b>	Day Time	Noise Level in dB(A)			54.2	
		Night Time	Noise Level in dB(A)				
23-06-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	80.6			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			74.2	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			88.2	
		Night Time	Noise Level in dB(A)				
	<b>Colony Khareri Rampur</b>	Day Time	Noise Level in dB(A)		54.4		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	53.6			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>				<b>July-2017</b>			
01-07-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	46.4			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			92.8	

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Night Time	Noise Level in dB(A)					
	<b>Residential area Pipty Forest Colony</b>	Day Time	Noise Level in dB(A)		40.1			
		Night Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			81.2		
		Night Time	Noise Level in dB(A)					
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	48.8				
		Night Time	Noise Level in dB(A)					
	09-07-17	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			91.3	
			Night Time	Noise Level in dB(A)				
<b>Main Bazar Rampur</b>		Day Time	Noise Level in dB(A)			78.1		
		Night Time	Noise Level in dB(A)					

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	49.3			
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	43.0			
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pipty Rampur</b>	Day Time	Noise Level in dB(A)		53.7		
		Night Time	Noise Level in dB(A)				
28-07-17	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)	87.6			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			76.3	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)			83.4	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)		56.4		
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pity Rampur</b>	Day Time	Noise Level in dB(A)	59.2			
		Night Time	Noise Level in dB(A)				

**Month and Year:**

**August-2017**

01-08-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.9			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			90.6	
		Night Time	Noise Level in dB(A)				
	<b>Residential area Pity Forest Colony</b>	Day Time	Noise Level in dB(A)		40.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Day Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			76.5		
		Night Time	Noise Level in dB(A)					
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	49.6				
		Night Time	Noise Level in dB(A)					
	11-08-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	42.8			
			Night Time	Noise Level in dB(A)				
		<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			88.1	
			Night Time	Noise Level in dB(A)				
	<b>Residential area Pity Forest Colony</b>	Day Time	Noise Level in dB(A)		42.3			
		Night Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)	44.7				
		Night Time	Noise Level in dB(A)					

<b>Date</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
18-08-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	49.4			
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	70.1			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73.3	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			89.2	
		Night Time	Noise Level in dB(A)				
25-08-2017	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.3			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			71.6	
		Night Time	Noise Level in dB(A)				



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	New Bus Stand Rampur	Night Time	Noise Level in dB(A)			78.7	
		Day Time	Noise Level in dB(A)				
	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	41.1			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>				<b>September-2017</b>			
04-09-2017	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	36.6			
		Night Time	Noise Level in dB(A)				
	New Bus Stand Rampur	Day Time	Noise Level in dB(A)			82.9	
		Night Time	Noise Level in dB(A)				
	Pat Bangla PWD Colony Rampur	Day Time	Noise Level in dB(A)		42.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	Main Bazar Rampur	Day Time	Noise Level in dB(A)			71.1	
		Night Time	Noise Level in dB(A)				
11-09-2017	Court Complex Rampur	Day Time	Noise Level in dB(A)	46.3			
		Night Time	Noise Level in dB(A)				
	Main Bazar Rampur	Day Time	Noise Level in dB(A)			78	
		Night Time	Noise Level in dB(A)				
	Forest colony Pity Rampur	Day Time	Noise Level in dB(A)		55.3		
		Night Time	Noise Level in dB(A)				
	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	43.1			
		Night Time	Noise Level in dB(A)				
18-09-2017	Court Complex Rampur	Day Time	Noise Level in dB(A)	70.4			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
25-09-2017	<b>Residential Colony Khapri</b>	Day Time	Noise Level in dB(A)		48.4		
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			83.2	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	48.1			
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	44.7			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			81.6	
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	46.3			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>		<b>October-2017</b>					
03-10-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	35.8			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			85.5	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	36.7			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			69.9	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
09-10-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	42.0			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			89.3	
		Night Time	Noise Level in dB(A)				
	<b>PWD Colony Near Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)		53.8		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.7			
		Night Time	Noise Level in dB(A)				
16-10-2017	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			86.7	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	69.2			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Day Time	Noise Level in dB(A)					
	Main Bazar Rampur	Day Time	Noise Level in dB(A)			78.4		
		Night Time	Noise Level in dB(A)					
	PWD Colony Rampur	Day Time	Noise Level in dB(A)		50.1			
		Night Time	Noise Level in dB(A)					
	23-10-2017	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	44.6			
			Night Time	Noise Level in dB(A)				
		New Bus Stand Rampur	Day Time	Noise Level in dB(A)		53.2		
			Night Time	Noise Level in dB(A)				
Court Complex Rampur		Day Time	Noise Level in dB(A)			76.1		
		Night Time	Noise Level in dB(A)					
Main Bazar Rampur		Day Time	Noise Level in dB(A)	43.8				
		Night Time	Noise Level in dB(A)					

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
<b>Month and Year:</b>			<b>November-2017</b>				
06-11-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	35.4			
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pipty Rampur</b>	Day Time	Noise Level in dB(A)		49.8		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	37.6			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			76.8	
		Night Time	Noise Level in dB(A)				
13-11-2017	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			83.7	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.6			
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pipty Rampur</b>	Day Time	Noise Level in dB(A)		52.1		
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.6			
		Night Time	Noise Level in dB(A)				
20-11-2017	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			82.5	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	65.5			
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			88.2	
		Night Time	Noise Level in dB(A)				



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	49.3		
	Night Time		Noise Level in dB(A)				
<b>Month and Year:</b>		<b>December-2017</b>					
04-12-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	37.9			
		Night Time	Noise Level in dB(A)				
	<b>Indira market Rampur</b>	Day Time	Noise Level in dB(A)			62.1	
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73.5	
		Night Time	Noise Level in dB(A)				
	<b>Khapri Village Rampur</b>	Day Time	Noise Level in dB(A)		40.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
13-12-2017	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			83	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.7			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			79.1	
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.1			
		Night Time	Noise Level in dB(A)				
20-11-2017	<b>Residential Colony Forest Khapri</b>	Day Time	Noise Level in dB(A)		48.1		
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			78.3	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	64.6			
		Night Time	Noise Level in dB(A)				
	<b>Main Market Rampur</b>	Day Time	Noise Level in dB(A)			72.2	
		Night Time	Noise Level in dB(A)				
27-12-2017	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.6			
		Night Time	Noise Level in dB(A)				
	<b>Residential Colony PWD Pat Bangla</b>	Day Time	Noise Level in dB(A)		55.1		
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			79.6	
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.9			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
<b>Month and Year:</b>		<b>January-2018</b>						
01-01-2018	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	36.9				
		Night Time	Noise Level in dB(A)					
	<b>PWD Colony Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)		41.6			
		Night Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			71.9		
		Night Time	Noise Level in dB(A)					
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	38.6				
		Night Time	Noise Level in dB(A)	41.1				
	09-01-2018	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)				
			Night Time	Noise Level in dB(A)		54.7		

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>PWD Colony Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)				
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			38	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	45.7			
		Night Time	Noise Level in dB(A)				
16-01-2018	<b>Bus stand Rampur</b>	Day Time	Noise Level in dB(A)		81.6		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	48.2			
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	69.4			
		Night Time	Noise Level in dB(A)			72.4	

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
	Market Rampur	Day Time	Noise Level in dB(A)				
		Night Time	Noise Level in dB(A)				

**Month and Year:**

**February-2018**

01-02-2018	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	38.6			
		Night Time	Noise Level in dB(A)				
	<b>PWD Colony Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)		48.6		
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			72.3	
		Night Time	Noise Level in dB(A)				
	<b>Boys School Rampur near Court Complex</b>	Day Time	Noise Level in dB(A)	42.8			
		Night Time	Noise Level in dB(A)				

**HOME**