

Name of Regional Office: Shimla							
Area/Zone			Silence	Residential	Commercial	Industrial	
Limit in dB(A)		Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Month and Year:		Jan-20					
Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC-II	Totu	Ridge	IA Shoghi
16.01.2020	Shimla	Day Time	Noise Level in dB(A)	49.0	52.2	62.5	69.3
23.01.2020	Shimla	Day Time	Noise Level in dB(A)	53.9	52.8	60.2	68.8
31.01.2020	Shimla	Day Time	Noise Level in dB(A)	55.8	52.9	61.1	63.9
Month and Year:		Feb-20					
12.02.2020	Shimla	Day Time	Noise Level in dB(A)	49.2	52.9	63.1	68.2
20.02.2020	Shimla	Day Time	Noise Level in dB(A)	55.3	54.8	64.9	68.5
28.02.2020	Shimla	Day Time	Noise Level in dB(A)	55.9	53.9	62.7	65.9
Month and Year:		Mar-20					
03.03.2020	Shimla	Day Time	Noise Level in dB(A)	51.5	52.2	62.5	62.3
12.03.2020	Shimla	Day Time	Noise Level in dB(A)	52.8	52.8	63.2	69.8
18.03.2020	Shimla	Day Time	Noise Level in dB(A)	49.2	52.9	60.1	65.9
Month and Year:		Apr-20					
		Night Time	Noise Level in dB(A)	Sound Level Meter is out of order			
Month and Year:		May-20					
05.05.2020	Shimla	Day Time	Noise Level in dB(A)	49.4	51.7	50.0	55.3

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC-II	Totu	Ridge	IA Shoghi
12.05.2020	Shimla	Day Time	Noise Level in dB(A)	54.2	49.8	53.4	50.7
23.05.2020	Shimla	Day Time	Noise Level in dB(A)	50.9	52.9	60.1	57.9
Month and Year:		Jun-20					
02.06.2020	Shimla	Day Time	Noise Level in dB(A)	59.4	54.0	59.9	60.7
15.06.2020	Shimla	Day Time	Noise Level in dB(A)	55.9	52.8	62.4	64.7
27.06.2020	Shimla	Day Time	Noise Level in dB(A)	50.0	54.9	57.7	60.1
Month and Year:		Jul-20					
06.07.2020	Shimla	Day Time	Noise Level in dB(A)	62.4	50.1	58.7	62.2
13.07.2020	Shimla	Day Time	Noise Level in dB(A)	58.1	54.2	60.0	60.1
29.07.2020	Shimla	Day Time	Noise Level in dB(A)	55.8	55.0	56.6	57.6
Month and Year:		Aug-20					
10.08.2020	Shimla	Day Time	Noise Level in dB(A)	65.2	49.1	54.3	59.1
19.08.2020	Shimla	Day Time	Noise Level in dB(A)	60.0	53.0	50.9	63.4
24.08.2020	Shimla	Day Time	Noise Level in dB(A)	59.7	51.9	58.8	60.7
Month and Year:		Sep-20					
07.09.2020	Shimla	Day Time	Noise Level in dB(A)	62.1	50.3	54.3	61.9
15.09.2020	Shimla	Day Time	Noise Level in dB(A)	58.5	55.0	60.7	65.5
25.09.2020	Shimla	Day Time	Noise Level in dB(A)	66.6	49.2	62.1	59.5

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC-II	Totu	Ridge	IA Shoghi
Month and Year:		Oct-20					
09.10.2020	Shimla	Day Time	Noise Level in dB(A)	51.4	54.1	59.0	55.5
15.10.2020	Shimla	Day Time	Noise Level in dB(A)	50.0	48.9	54.5	57.1
27.10.2020	Shimla	Day Time	Noise Level in dB(A)	54.1	50.2	60.3	61.9
Month and Year:		Nov-20					
06.11.2020	Shimla	Day Time	Noise Level in dB(A)	55.2	51.9	57.4	58.8
19.11.2020	Shimla	Day Time	Noise Level in dB(A)	48.9	53.5	62.8	59.1
25.11.2020	Shimla	Day Time	Noise Level in dB(A)	49.9	51.5	58.7	62.0
Month and Year:		Dec-20					
04.12.2020	Shimla	Day Time	Noise Level in dB(A)	48.1	54.1	60.3	61.7
22.12.2020	Shimla	Day Time	Noise Level in dB(A)	51.9	55.0	63.7	59.9
31.12.2020	Shimla	Day Time	Noise Level in dB(A)	57.0	52.8	59.9	60.6

Month and Year: January-2020 (Silence Zone)				
		Day Time	Silence Zone	50
Date	Location	Detail of Sampling		Area/ Zone
				Silence
16.01.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	60.2
16.01.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	60.7
16.01.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	55.7
16.01.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	58.2
16.01.2020	Chapslee School	Day Time	Noise Level in dB(A)	52.9
16.01.2020	RKMV College	Day Time	Noise Level in dB(A)	59.9
16.01.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	54.5
16.01.2020	Tibetian School	Day Time	Noise Level in dB(A)	58.9
16.01.2020	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	60.8
16.01.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	65.9
16.01.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	55.8
16.01.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	65.8
16.01.2020	H.P. University	Day Time	Noise Level in dB(A)	52.8
16.01.2020	St. Edward School	Day Time	Noise Level in dB(A)	59.1
16.01.2020	St. Bedes College	Day Time	Noise Level in dB(A)	50.8
16.01.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	49.0

Date	Location	Detail of Sampling		Area/ Zone
				Silence
16.01.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	57.2
16.01.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	56.2
16.01.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	58.3
16.01.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	61.1
16.01.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	59.8
16.01.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	56.2
16.01.2020	H.P. High Court	Day Time	Noise Level in dB(A)	42.5
16.01.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	45.0
Feb-20				
20.02.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	58.1
20.02.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	59.9
20.02.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	59.2
20.02.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	53.2
20.02.2020	Chapslee School	Day Time	Noise Level in dB(A)	54.2
20.02.2020	RKMV College	Day Time	Noise Level in dB(A)	55.2
20.02.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	56.8
20.02.2020	Tibetian School	Day Time	Noise Level in dB(A)	59.3
20.02.2020	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	66.2

Date	Location	Detail of Sampling		Area/ Zone
				Silence
20.02.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	64.5
20.02.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	58.2
20.02.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	62.1
20.02.2020	H.P. University	Day Time	Noise Level in dB(A)	54.4
20.02.2020	St. Edward School	Day Time	Noise Level in dB(A)	60.9
20.02.2020	St. Bedes College	Day Time	Noise Level in dB(A)	51.2
20.02.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	55.3
20.02.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	55.1
20.02.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	63.9
20.02.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	57.4
20.02.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	60.8
20.02.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	58.5
20.02.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	55.9
20.02.2020	H.P. High Court	Day Time	Noise Level in dB(A)	45.8
20.02.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	48.0
March-2020				
12.03.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	65.3
12.03.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	68.5

Date	Location	Detail of Sampling		Area/ Zone
				Silence
12.03.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	60.6
12.03.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	62.3
12.03.2020	Chapslee School	Day Time	Noise Level in dB(A)	60.1
12.03.2020	RKMV College	Day Time	Noise Level in dB(A)	64.4
12.03.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	59.2
12.03.2020	Tibetian School	Day Time	Noise Level in dB(A)	60.8
12.03.2020	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	67.4
12.03.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	72.7
12.03.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	63.5
12.03.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	79.2
12.03.2020	H.P. University	Day Time	Noise Level in dB(A)	61.9
12.03.2020	St. Edward School	Day Time	Noise Level in dB(A)	67.4
12.03.2020	St. Bedes College	Day Time	Noise Level in dB(A)	60.2
12.03.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	52.8
12.03.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	63.5
12.03.2020	Deen Dayal Upadhaay Hospital	Day Time	Noise Level in dB(A)	64.2
12.03.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	67.5
12.03.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	63.5

Date	Location	Detail of Sampling		Area/ Zone
				Silence
12.03.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	63.2
12.03.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	60.5
12.03.2020	H.P. High Court	Day Time	Noise Level in dB(A)	58.5
12.03.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	51.9
Apr-20				
Sound Level Meter is out of order				
May-20				
28.05.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	48.9
28.05.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	49.1
28.05.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	49.9
28.05.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	45.1
28.05.2020	Chapslee School	Day Time	Noise Level in dB(A)	47.7
28.05.2020	RKMV College	Day Time	Noise Level in dB(A)	48.1
28.05.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	47.4
28.05.2020	Tibetian School	Day Time	Noise Level in dB(A)	50.0
28.05.2020	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	47.8
28.05.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	50.1
28.05.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	48.2

Date	Location	Detail of Sampling		Area/ Zone
				Silence
28.05.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	48.1
28.05.2020	H.P. University	Day Time	Noise Level in dB(A)	51.5
28.05.2020	St. Edward School	Day Time	Noise Level in dB(A)	48.4
28.05.2020	St. Bedes College	Day Time	Noise Level in dB(A)	47.7
28.05.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	48.3
May-20				
28.05.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	46.6
28.05.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	49.2
28.05.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	49.0
28.05.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	50.8
28.05.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	54.2
28.05.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	45.7
28.05.2020	H.P. High Court	Day Time	Noise Level in dB(A)	49.3
28.05.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	47.6
Jun-20				
08.06.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	45.2
08.06.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	48.7
08.06.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	53.1

Date	Location	Detail of Sampling		Area/ Zone
				Silence
08.06.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	50.7
08.06.2020	Chapslee School	Day Time	Noise Level in dB(A)	50.0
08.06.2020	RKMV College	Day Time	Noise Level in dB(A)	49.2
08.06.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	46.9
08.06.2020	Tibetian School	Day Time	Noise Level in dB(A)	49.9
08.06.2020	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	48.3
08.06.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	51.0
08.06.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	47.9
08.06.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	45.3
08.06.2020	H.P. University	Day Time	Noise Level in dB(A)	55.7
08.06.2020	St. Edward School	Day Time	Noise Level in dB(A)	50.0
08.06.2020	St. Bedes College	Day Time	Noise Level in dB(A)	51.7
08.06.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	57.3
08.06.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	54.8
08.06.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	55.4
08.06.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	48.7
08.06.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	56.0
08.06.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	57.3

Date	Location	Detail of Sampling		Area/ Zone
				Silence
08.06.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	47.5
08.06.2020	H.P. High Court	Day Time	Noise Level in dB(A)	50.0
08.06.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	48.6
Jul-20				
03.07.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	48.5
03.07.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	49.2
03.07.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	58.2
03.07.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	55.2
03.07.2020	Chapslee School	Day Time	Noise Level in dB(A)	48.9
03.07.2020	RKMV College	Day Time	Noise Level in dB(A)	48.5
03.07.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	54.1
03.07.2020	Tibetian School	Day Time	Noise Level in dB(A)	52.9
03.07.2020	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	50.5
03.07.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	49.8
03.07.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	47.9
03.07.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	48.5
03.07.2020	H.P. University	Day Time	Noise Level in dB(A)	68.9
03.07.2020	St. Edward School	Day Time	Noise Level in dB(A)	55.4

Date	Location	Detail of Sampling		Area/ Zone
				Silence
03.07.2020	St. Bedes College	Day Time	Noise Level in dB(A)	50.2
03.07.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	58.8
03.07.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	53.5
03.07.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	59.2
03.07.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	50.5
03.07.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	57.5
03.07.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	57.9
03.07.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	52.4
03.07.2020	H.P. High Court	Day Time	Noise Level in dB(A)	53.5
03.07.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	50.0
Aug-20				
06.08.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	58.5
06.08.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	59.2
06.08.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	58.2
06.08.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	55.2
06.08.2020	Chapslee School	Day Time	Noise Level in dB(A)	49.8
06.08.2020	RKMV College	Day Time	Noise Level in dB(A)	58.5
06.08.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	51.9

Date	Location	Detail of Sampling		Area/ Zone
				Silence
06.08.2020	Tibetian School	Day Time	Noise Level in dB(A)	49.9
06.08.2020	Govt. Sr. Secondary School Kasumptati	Day Time	Noise Level in dB(A)	53.5
06.08.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	59.8
06.08.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	54.9
06.08.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	49.5
06.08.2020	H.P. University	Day Time	Noise Level in dB(A)	59.8
06.08.2020	St. Edward School	Day Time	Noise Level in dB(A)	53.4
06.08.2020	St. Bedes College	Day Time	Noise Level in dB(A)	57.2
06.08.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	56.8
06.08.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	55.5
06.08.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	57.2
06.08.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	53.5
06.08.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	55.7
06.08.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	54.9
06.08.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	53.4
06.08.2020	H.P. High Court	Day Time	Noise Level in dB(A)	55.5
06.08.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	51.0
Sep-20				

Date	Location	Detail of Sampling		Area/ Zone
				Silence
02.09.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	48.3
02.09.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	52.8
02.09.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	47.2
02.09.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	49.6
02.09.2020	Chapslee School	Day Time	Noise Level in dB(A)	50.5
02.09.2020	RKMV College	Day Time	Noise Level in dB(A)	52.1
02.09.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	46.4
02.09.2020	Tibetian School	Day Time	Noise Level in dB(A)	49.3
02.09.2020	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	50.2
02.09.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	58.2
02.09.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	52.0
02.09.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	49.2
02.09.2020	H.P. University	Day Time	Noise Level in dB(A)	58.5
02.09.2020	St. Edward School	Day Time	Noise Level in dB(A)	56.1
02.09.2020	St. Bedes College	Day Time	Noise Level in dB(A)	56.3
02.09.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	63.5
02.09.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	60.5
02.09.2020	Deen Dayal Upadhyay Hospital	Day Time	Noise Level in dB(A)	61.9

Date	Location	Detail of Sampling		Area/ Zone
				Silence
02.09.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	59.8
02.09.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	54.9
02.09.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	60.5
02.09.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	58.5
02.09.2020	H.P. High Court	Day Time	Noise Level in dB(A)	59.9
02.09.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	58.7
Oct-20				
22.10.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	49.0
22.10.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	48.2
22.10.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	47.7
22.10.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	46.9
22.10.2020	Chapslee School	Day Time	Noise Level in dB(A)	49.2
22.10.2020	RKMV College	Day Time	Noise Level in dB(A)	48.5
22.10.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	48.2
22.10.2020	Tibetian School	Day Time	Noise Level in dB(A)	49.2
22.10.2020	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	47.2
22.10.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	49.6
22.10.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	47.8

Date	Location	Detail of Sampling		Area/ Zone
				Silence
22.10.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	49.3
22.10.2020	H.P. University	Day Time	Noise Level in dB(A)	50.0
22.10.2020	St. Edward School	Day Time	Noise Level in dB(A)	49.1
22.10.2020	St. Bedes College	Day Time	Noise Level in dB(A)	46.2
22.10.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	52.9
22.10.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	48.9
22.10.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	55.2
22.10.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	48.5
22.10.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	51.1
22.10.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	55.1
22.10.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	47.2
22.10.2020	H.P. High Court	Day Time	Noise Level in dB(A)	48.9
22.10.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	48.3
Nov-20				
09.11.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	48.1
09.11.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	47.9
09.11.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	49.9
09.11.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	48.2

Date	Location	Detail of Sampling		Area/ Zone
				Silence
09.11.2020	Chapslee School	Day Time	Noise Level in dB(A)	49.8
09.11.2020	RKMV College	Day Time	Noise Level in dB(A)	49.2
09.11.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	48.2
09.11.2020	Tibetian School	Day Time	Noise Level in dB(A)	49.4
09.11.2020	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	47.6
09.11.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	48.5
09.11.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	45.9
09.11.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	48.2
09.11.2020	H.P. University	Day Time	Noise Level in dB(A)	51.5
09.11.2020	St. Edward School	Day Time	Noise Level in dB(A)	48.3
09.11.2020	St. Bedes College	Day Time	Noise Level in dB(A)	47.9
09.11.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	54.1
09.11.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	49.9
09.11.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	51.5
09.11.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	47.3
09.11.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	50.0
09.11.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	53.5
09.11.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	49.1

Date	Location	Detail of Sampling		Area/ Zone
				Silence
09.11.2020	H.P. High Court	Day Time	Noise Level in dB(A)	49.9
09.11.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	48.3
Dec-20				
11.12.2020	Loreto Convent School	Day Time	Noise Level in dB(A)	48.9
11.12.2020	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	49.3
11.12.2020	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	50.0
11.12.2020	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	47.4
11.12.2020	Chapslee School	Day Time	Noise Level in dB(A)	48.1
11.12.2020	RKMV College	Day Time	Noise Level in dB(A)	50.1
11.12.2020	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	49.2
11.12.2020	Tibetian School	Day Time	Noise Level in dB(A)	49.4
11.12.2020	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	48.6
11.12.2020	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	49.5
11.12.2020	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	46.9
11.12.2020	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	47.9
11.12.2020	H.P. University	Day Time	Noise Level in dB(A)	53.2
11.12.2020	St. Edward School	Day Time	Noise Level in dB(A)	49.8
11.12.2020	St. Bedes College	Day Time	Noise Level in dB(A)	49.3

Date	Location	Detail of Sampling		Area/ Zone
				Silence
11.12.2020	IGMC Shimla	Day Time	Noise Level in dB(A)	50.5
11.12.2020	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	50.8
11.12.2020	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	55.5
11.12.2020	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	49.5
11.12.2020	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	47.7
11.12.2020	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	50.0
11.12.2020	Raj Bhawan	Day Time	Noise Level in dB(A)	47.9
11.12.2020	H.P. High Court	Day Time	Noise Level in dB(A)	49.1
11.12.2020	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	49.9

Name of Regional Office: Shimla							
Area/Zone			Silence	Residential	Commercial	Industrial	
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75	
	Night Time	Limit in dB(A)	40	45	55	70	
Sound Level Meter was out of order for the period January to April- 2019							
Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial	
			IGMC	Totu	Ridge	IA Shoghi	
Month and Year:		May-2019					
31.05.2019	Shimla	Day Time	Noise Level in dB(A)	70.0	52.0	66.0	65.0
		Night Time	Noise Level in dB(A)	--	32.0	--	--
Month and Year:		June-2019					
07.06.2019	Shimla	Day Time	Noise Level in dB(A)	68.0	52.0	69.0	60.0
		Night Time	Noise Level in dB(A)	--	38.0	--	--
10.06.2019	Shimla	Day Time	Noise Level in dB(A)	65.0	50.0	66.0	--
		Night Time	Noise Level in dB(A)	--	34.0	--	--
18.06.2019	Shimla	Day Time	Noise Level in dB(A)	67.0	47.0	63.0	--
		Night Time	Noise Level in dB(A)	--	38.0	--	--
Month and Year:		July-2019					
09.07.2019	Shimla	Day Time	Noise Level in dB(A)	60.0	54.0	62.8	61.0
		Night Time	Noise Level in dB(A)	---	39.9	---	---
26.07.2019	Shimla	Day Time	Noise Level in dB(A)	56.0	47.3	64.7	---
		Night Time	Noise Level in dB(A)	---	44.3	---	---
28.07.2019	Shimla	Day Time	Noise Level in dB(A)	56.3	52.4	60.3	---
		Night Time	Noise Level in dB(A)	---	45.0	---	---

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
Month and Year:		August-2019					
09.08.2019	Shimla	Day Time	Noise Level in dB(A)	52.0	52.9	60.4	59.7
		Night Time	Noise Level in dB(A)	---	44.9	---	---
12.08.2019	Shimla	Day Time	Noise Level in dB(A)	55.3	49.7	62.7	---
		Night Time	Noise Level in dB(A)	---	41.3	---	---
25.08.2019	Shimla	Day Time	Noise Level in dB(A)	59.3	50.3	64.1	---
		Night Time	Noise Level in dB(A)	---	42.7	---	---
Month and Year:		September, 2019					
01.09.2019	Shimla	Day Time	Noise Level in dB(A)	57.0	49.6	63.7	---
		Night Time	Noise Level in dB(A)	---	37.7	---	---
11.09.2019	Shimla	Day Time	Noise Level in dB(A)	53.3	49.6	63.7	---
		Night Time	Noise Level in dB(A)	---	42.1	---	---
27.09.2019	Shimla	Day Time	Noise Level in dB(A)	---	52.3	65.0	---
		Night Time	Noise Level in dB(A)	---	43.9	---	---
Month and Year:		October, 2019					
03.10.2019	Shimla	Day Time	Noise Level in dB(A)	61.7	54.5	62.8	---
		Night Time	Noise Level in dB(A)	---	45.0	---	---
16.10.2019	Shimla	Day Time	Noise Level in dB(A)	52.5	51.5	61.2	---
		Night Time	Noise Level in dB(A)	---	41.1	---	---
24.10.2019	Shimla	Day Time	Noise Level in dB(A)	55.3	54.1	64.6	---
		Night Time	Noise Level in dB(A)	---	42.1	---	62.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
Month and Year:			November, 2019				
04.11.2019	Shimla	Day Time	Noise Level in dB(A)	73.5	54.2	63.5	61.3
		Night Time	Noise Level in dB(A)	---	---	---	---
15.11.2019	Shimla	Day Time	Noise Level in dB(A)	72.9	53.8	64.2	62.8
		Night Time	Noise Level in dB(A)	---	---	---	---
25.11.2019	Shimla	Day Time	Noise Level in dB(A)	73.8	52.9	63.1	63.9
		Night Time	Noise Level in dB(A)	---	---	---	---
Month and Year:			December, 2019				
02.12.2019	Shimla	Day Time	Noise Level in dB(A)	74.1	53.9	63.1	61.2
		Night Time	Noise Level in dB(A)				
18.12.2019	Shimla	Day Time	Noise Level in dB(A)	73.2	52.8	63.9	64.5
		Night Time	Noise Level in dB(A)				
26.12.2019	Shimla	Day Time	Noise Level in dB(A)	72.9	51.9	62.7	64.9
		Night Time	Noise Level in dB(A)				

Name of Regional Office: Shimla

Area/Zone				Silence	Residential	Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Month and Year: January 2018							
Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
04-01-2018	Shimla	Day Time	Noise Level in dB(A)	60.0	44.0	61.0	70.0
		Night Time	Noise Level in dB(A)	---	32.0	---	---
10-01-2018	Shimla	Day Time	Noise Level in dB(A)	64.0	50.0	58.0	60.0
		Night Time	Noise Level in dB(A)	---	32.0	---	---
17-01-2018	Shimla	Day Time	Noise Level in dB(A)	56.0	46.0	71.0	58.0
		Night Time	Noise Level in dB(A)	---	36.0	---	---
22-01-2018	Shimla	Day Time	Noise Level in dB(A)	59.0	46.0	89.0	63.0
		Night Time	Noise Level in dB(A)	---	31.0	---	---
31-01-2018	Shimla	Day Time	Noise Level in dB(A)	58.0	48.0	60.0	61.0
		Night Time	Noise Level in dB(A)	---	31.0	---	---
Month and Year: February 2018							
02.02.2018	Shimla	Day Time	Noise Level in dB(A)	61.0	42.0	67.0	60.0
		Night Time	Noise Level in dB(A)	---	39.0	---	---
09.02.2018	Shimla	Day Time	Noise Level in dB(A)	59.0	51.0	60.0	55.0
		Night Time	Noise Level in dB(A)	---	38.0	---	---
14.02.2018	Shimla	Day Time	Noise Level in dB(A)	67.0	48.0	62.0	62.0
		Night Time	Noise Level in dB(A)	---	41.0	---	---
20.02.2018	Shimla	Day Time	Noise Level in dB(A)	59.0	46.0	66.0	67.0
		Night Time	Noise Level in dB(A)	---	30.0	---	---
Month and Year: March 2018							
8.3.2018	Shimla	Day Time	Noise Level in dB(A)	62.0	47.0	58.0	72.0
		Night Time	Noise Level in dB(A)	---	32.0	---	---
15.3.2018	Shimla	Day Time	Noise Level in dB(A)	66.0	49.0	59.0	61.0
		Night Time	Noise Level in dB(A)	---	36.0	---	---
21.03.2018	Shimla	Day Time	Noise Level in dB(A)	67.0	48.0	60.0	61.0
		Night Time	Noise Level in dB(A)	---	36.0	---	---
Month and Year: April 2018							
13.4.2018	Shimla	Day Time	Noise Level in dB(A)	64.0	43.0	62.0	68.0
		Night Time	Noise Level in dB(A)	---	30.0	---	---

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
19.4.2018	Shimla	Day Time	Noise Level in dB(A)	63.0	50.0	67.0	67.0
		Night Time	Noise Level in dB(A)	---	35.0	---	---
24.4.2018	Shimla	Day Time	Noise Level in dB(A)	67.0	40.0	70.0	58.0
		Night Time	Noise Level in dB(A)	---	38.0	---	---
30.4.2018	Shimla	Day Time	Noise Level in dB(A)	63.0	42.0	67.0	63.0
		Night Time	Noise Level in dB(A)	---	35.0	---	---
Month and Year: May 2018							
2.5.2018	Shimla	Day Time	Noise Level in dB(A)	64.0	48.0	66.0	71.0
		Night Time	Noise Level in dB(A)	---	30.0	---	---
10.5.2018	Shimla	Day Time	Noise Level in dB(A)	63.0	51.0	67.0	65.0
		Night Time	Noise Level in dB(A)	---	28.0	---	---
15.5.2018	Shimla	Day Time	Noise Level in dB(A)	58.0	48.0	70.0	67.0
		Night Time	Noise Level in dB(A)	---	37.0	---	---
Month and Year: June 2018							
4.6.2018	Shimla	Day Time	Noise Level in dB(A)	67.0	51.0	67.0	68.0
		Night Time	Noise Level in dB(A)	---	34.0	---	---
16.6.2018	Shimla	Day Time	Noise Level in dB(A)	62.0	48.0	60.0	67.0
		Night Time	Noise Level in dB(A)	---	38.0	---	---
29.6.2018	Shimla	Day Time	Noise Level in dB(A)	68.0	50.0	66.0	64.0
		Night Time	Noise Level in dB(A)	---	41.0	---	---
Month and Year: July 2018							
7.7.2018	Shimla	Day Time	Noise Level in dB(A)	62.0	50.0	60.0	62.0
		Night Time	Noise Level in dB(A)	---	38.0	---	---
16.7.2018	Shimla	Day Time	Noise Level in dB(A)	58.0	49.0	63.0	64.0
		Night Time	Noise Level in dB(A)	---	34.0	---	---
24.7.2018	Shimla	Day Time	Noise Level in dB(A)	60.0	53.0	62.0	61.0
		Night Time	Noise Level in dB(A)	---	40.0	---	---
Month and Year: August 2018							
3.8.2018	Shimla	Day Time	Noise Level in dB(A)	61.0	51.0	68.0	71.0
		Night Time	Noise Level in dB(A)	---	33.0	---	---
06.8.2018	Shimla	Day Time	Noise Level in dB(A)	65.0	52.0	66.0	68.0
		Night Time	Noise Level in dB(A)	---	39.0	---	---
19.8.2018	Shimla	Day Time	Noise Level in dB(A)	63.0	47	60.0	69.0
		Night Time	Noise Level in dB(A)	---	39.0	---	---

Date	Location	Detail of Sampling		Silence IGMC	Residential Totu	Commercial Ridge	Industrial IA Shoghi
Month and Year: September 2018							
6.9.2018	Shimla	Day Time	Noise Level in dB(A)	68.0	50.0	63.0	62.0
		Night Time	Noise Level in dB(A)	---	37.0	---	---
10.9.2018	Shimla	Day Time	Noise Level in dB(A)	64.0	46.0	58.0	65.0
		Night Time	Noise Level in dB(A)	---	35.0	---	---
20.9.2018	Shimla	Day Time	Noise Level in dB(A)	67.0	59.0	67.0	66.0
		Night Time	Noise Level in dB(A)	---	38.0	---	---
Month and Year: October 2018							
1.10.2018	Shimla	Day Time	Noise Level in dB(A)	62.0	62.0	63.0	71.0
		Night Time	Noise Level in dB(A)	---	38.0	---	---
22.10.2018	Shimla	Day Time	Noise Level in dB(A)	58.0	50.0	62.0	68.0
		Night Time	Noise Level in dB(A)	---	35.0	---	---
29.10.2018	Shimla	Day Time	Noise Level in dB(A)	66.0	49.0	68.0	69.0
		Night Time	Noise Level in dB(A)	---	30.0	---	---
Month and Year: November 2018							
6.11.2018	Shimla	Day Time	Noise Level in dB(A)	63.0	48.0	70.0	68.0
		Night Time	Noise Level in dB(A)	---	39.0	---	---
20.11.2018	Shimla	Day Time	Noise Level in dB(A)	67.0	46.0	62.0	67.0
		Night Time	Noise Level in dB(A)	---	36.0	---	---
Month and Year: December 2018		Sound Level Meter is out of order					

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			IGMC	Totu	Ridge	IA Shoghi

--

Name of Regional Office: Shimla

Month and Year: May, 2018 (Silence Zone)				
Limit in dB(A)		Day Time	Limit in dB(A)	50
		Night Time	Limit in dB(A)	40
Date	Location	Detail of Sampling		Area/ Zone
				Silence
29.05.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	66
29.05.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	60
29.05.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	58
29.05.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	55
29.05.2018	Chapslee School	Day Time	Noise Level in dB(A)	53
29.05.2018	RKMV College	Day Time	Noise Level in dB(A)	60
29.05.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	48
29.05.2018	Tibetian School	Day Time	Noise Level in dB(A)	65
29.05.2018	Govt. Sr. Secondary School Kasumptati	Day Time	Noise Level in dB(A)	60
29.05.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	68
29.05.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	64
29.05.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	56
29.05.2018	H.P. University	Day Time	Noise Level in dB(A)	55
29.05.2018	St. Edward School	Day Time	Noise Level in dB(A)	67
29.05.2018	St. Bedes College	Day Time	Noise Level in dB(A)	57
29.05.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	66
29.05.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	64
29.05.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	67
29.05.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	56
29.05.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	62
29.05.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	64
29.05.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	45
29.05.2018	H.P. High Court	Day Time	Noise Level in dB(A)	55
29.05.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	53
Month and Year: June, 2018 (Silence Zone)				
23.06.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	60 dB(A)
23.06.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	67 dB(A)

Date	Location	Detail of Sampling		Area/ Zone
				Silence
23.06.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	60 dB(A)
23.06.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	58 dB(A)
23.06.2018	Chapslee School	Day Time	Noise Level in dB(A)	58 dB(A)
23.06.2018	RKMV College	Day Time	Noise Level in dB(A)	60 dB(A)
23.06.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	52 dB(A)
23.06.2018	Tibetian School	Day Time	Noise Level in dB(A)	62 dB(A)
23.06.2018	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	66 dB(A)
23.06.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	62 dB(A)
23.06.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	65 dB(A)
23.06.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	58 dB(A)
23.06.2018	H.P. University	Day Time	Noise Level in dB(A)	59 dB(A)
23.06.2018	St. Edward School	Day Time	Noise Level in dB(A)	68 dB(A)
23.06.2018	St. Bedes College	Day Time	Noise Level in dB(A)	60 dB(A)
23.06.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	64 dB(A)
23.06.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	58 dB(A)
23.06.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	60 dB(A)
23.06.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	58 dB(A)
23.06.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	63 dB(A)
23.06.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	62 dB(A)
23.06.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	49 dB(A)
23.06.2018	H.P. High Court	Day Time	Noise Level in dB(A)	58 dB(A)
23.06.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	56 dB(A)
Month and Year: July, 2018 (Silence Zone)				
10.07.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	62 dB(A)
10.07.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	58 dB(A)
10.07.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	62 dB(A)
10.07.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	59 dB(A)
10.07.2018	Chapslee School	Day Time	Noise Level in dB(A)	60 dB(A)
10.07.2018	RKMV College	Day Time	Noise Level in dB(A)	62 dB(A)
10.07.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	58 dB(A)
10.07.2018	Tibetian School	Day Time	Noise Level in dB(A)	65 dB(A)
10.07.2018	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	58 dB(A)

Date	Location	Detail of Sampling		Area/ Zone
				Silence
10.07.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	60 dB(A)
10.07.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	64 dB(A)
10.07.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	63 dB(A)
10.07.2018	H.P. University	Day Time	Noise Level in dB(A)	60 dB(A)
10.07.2018	St. Edward School	Day Time	Noise Level in dB(A)	64 dB(A)
10.07.2018	St. Bedes College	Day Time	Noise Level in dB(A)	62 dB(A)
10.07.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	65 dB(A)
10.07.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	62 dB(A)
10.07.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	64 dB(A)
10.07.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	57 dB(A)
10.07.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	64 dB(A)
10.07.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	60 dB(A)
10.07.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	45 dB(A)
10.07.2018	H.P. High Court	Day Time	Noise Level in dB(A)	60 dB(A)
10.07.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	58 dB(A)
Month and Year: Aug, 2018 (Silence Zone)				
13.08.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	66 dB(A)
13.08.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	63 dB(A)
13.08.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	58 dB(A)
13.08.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	55 dB(A)
13.08.2018	Chapslee School	Day Time	Noise Level in dB(A)	64 dB(A)
13.08.2018	RKMV College	Day Time	Noise Level in dB(A)	57 dB(A)
13.08.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	64 dB(A)
13.08.2018	Tibetian School	Day Time	Noise Level in dB(A)	66 dB(A)
13.08.2018	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	57 dB(A)
13.08.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	58 dB(A)
13.08.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	59 dB(A)
13.08.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	66 dB(A)
13.08.2018	H.P. University	Day Time	Noise Level in dB(A)	62 dB(A)
13.08.2018	St. Edward School	Day Time	Noise Level in dB(A)	66 dB(A)
13.08.2018	St. Bedes College	Day Time	Noise Level in dB(A)	58 dB(A)
13.08.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	59 dB(A)

Date	Location	Detail of Sampling		Area/ Zone
				Silence
13.08.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	64 dB(A)
13.08.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	66 dB(A)
13.08.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	60 dB(A)
13.08.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	62 dB(A)
13.08.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	58 dB(A)
13.08.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	47 dB(A)
13.08.2018	H.P. High Court	Day Time	Noise Level in dB(A)	59 dB(A)
13.08.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	61 dB(A)
Month and Year: Sept, 2018 (Silence Zone)				
01.09.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	64 dB(A)
01.09.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	62 dB(A)
01.09.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	65 dB(A)
01.09.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	58 dB(A)
01.09.2018	Chapslee School	Day Time	Noise Level in dB(A)	56 dB(A)
01.09.2018	RKMV College	Day Time	Noise Level in dB(A)	62 dB(A)
01.09.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	60 dB(A)
01.09.2018	Tibetan School	Day Time	Noise Level in dB(A)	68 dB(A)
01.09.2018	Govt. Sr. Secondary School Kasumpti	Day Time	Noise Level in dB(A)	59 dB(A)
01.09.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	65 dB(A)
01.09.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	58 dB(A)
01.09.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	62 dB(A)
01.09.2018	H.P. University	Day Time	Noise Level in dB(A)	66 dB(A)
01.09.2018	St. Edward School	Day Time	Noise Level in dB(A)	68 dB(A)
01.09.2018	St. Bedes College	Day Time	Noise Level in dB(A)	56 dB(A)
01.09.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	63 dB(A)
01.09.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	66 dB(A)
01.09.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	65 dB(A)
01.09.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	58 dB(A)
01.09.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	67 dB(A)
01.09.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	63 dB(A)
01.09.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	46 dB(A)
01.09.2018	H.P. High Court	Day Time	Noise Level in dB(A)	58 dB(A)

Date	Location	Detail of Sampling		Area/ Zone
				Silence
01.09.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	63 dB(A)
Month and Year: Oct, 2018 (Silence Zone)				
10.10.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	62 dB(A)
10.10.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	60 dB(A)
10.10.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	56 dB(A)
10.10.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	60 dB(A)
10.10.2018	Chapslee School	Day Time	Noise Level in dB(A)	60 dB(A)
10.10.2018	RKMV College	Day Time	Noise Level in dB(A)	60 dB(A)
10.10.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	59 dB(A)
10.10.2018	Tibetian School	Day Time	Noise Level in dB(A)	63 dB(A)
10.10.2018	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	63 dB(A)
10.10.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	66 dB(A)
10.10.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	62 dB(A)
10.10.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	58 dB(A)
10.10.2018	H.P. University	Day Time	Noise Level in dB(A)	63 dB(A)
10.10.2018	St. Edward School	Day Time	Noise Level in dB(A)	64 dB(A)
10.10.2018	St. Bedes College	Day Time	Noise Level in dB(A)	63 dB(A)
10.10.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	68 dB(A)
10.10.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	63 dB(A)
10.10.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	64 dB(A)
10.10.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	55 dB(A)
10.10.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	64 dB(A)
10.10.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	66 dB(A)
10.10.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	43 dB(A)
10.10.2018	H.P. High Court	Day Time	Noise Level in dB(A)	54 dB(A)
10.10.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	56 dB(A)
Month and Year: Nov, 2018 (Silence Zone)				
13.11.2018	Loreto Convent School	Day Time	Noise Level in dB(A)	61 dB(A)
13.11.2018	Govt. Senior Secondary School (Girls), Lakkar Bazaar	Day Time	Noise Level in dB(A)	60 dB(A)
13.11.2018	Auckland House School (Girls)	Day Time	Noise Level in dB(A)	59 dB(A)
13.11.2018	Auckland House School (Boys)	Day Time	Noise Level in dB(A)	58 dB(A)

Date	Location	Detail of Sampling		Area/ Zone
				Silence
13.11.2018	Chapslee School	Day Time	Noise Level in dB(A)	56 dB(A)
13.11.2018	RKMV College	Day Time	Noise Level in dB(A)	64 dB(A)
13.11.2018	College of Excellence Sanjauli	Day Time	Noise Level in dB(A)	57 dB(A)
13.11.2018	Tibetian School	Day Time	Noise Level in dB(A)	63 dB(A)
13.11.2018	Govt. Sr. Secondary School Kasumpati	Day Time	Noise Level in dB(A)	62 dB(A)
13.11.2018	Shimla Public School (Khalini)	Day Time	Noise Level in dB(A)	62 dB(A)
13.11.2018	Govt. School Tutikandi	Day Time	Noise Level in dB(A)	60 dB(A)
13.11.2018	Govt. Sr. Secondary School Boileauganj	Day Time	Noise Level in dB(A)	66 dB(A)
13.11.2018	H.P. University	Day Time	Noise Level in dB(A)	64 dB(A)
13.11.2018	St. Edward School	Day Time	Noise Level in dB(A)	66 dB(A)
13.11.2018	St. Bedes College	Day Time	Noise Level in dB(A)	59 dB(A)
13.11.2018	IGMC Shimla	Day Time	Noise Level in dB(A)	62 dB(A)
13.11.2018	Kamla Nehru Hospital Shimla	Day Time	Noise Level in dB(A)	60 dB(A)
13.11.2018	Deen Dayal Upaadhaay Hospital	Day Time	Noise Level in dB(A)	68 dB(A)
13.11.2018	Sanitorium Hospital Chaura Maidan	Day Time	Noise Level in dB(A)	57 dB(A)
13.11.2018	Ayurvedic Hospital Chotta Shimla	Day Time	Noise Level in dB(A)	62 dB(A)
13.11.2018	H.P. Secretariat, Chotta Shimla	Day Time	Noise Level in dB(A)	60 dB(A)
13.11.2018	Raj Bhawan	Day Time	Noise Level in dB(A)	45 dB(A)
13.11.2018	H.P. High Court	Day Time	Noise Level in dB(A)	57 dB(A)
13.11.2018	H.P. Vidhan Sabha	Day Time	Noise Level in dB(A)	62 dB(A)
Month and Year: Dec, 2018 (Silence Zone)=Sound Level Meter is out of order				

Date	Location	Detail of Sampling	Area/ Zone Silence
-------------	-----------------	---------------------------	-------------------------------------

--

Name of Regional Office: Shimla

Month and Year: January 2017				Silence	Residential	Commercial	Industrial
Limit in dB(A)		Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
06-01-2017	Shimla	Day Time	Noise Level in dB(A)	60	44	58	62
		Night Time	Noise Level in dB(A)	---	38	---	---
11-01-2017	Shimla	Day Time	Noise Level in dB(A)	61	46	62	62
		Night Time	Noise Level in dB(A)	---	41	---	---
20-01-2017	Shimla	Day Time	Noise Level in dB(A)	64	49	66	66
		Night Time	Noise Level in dB(A)	---	40	---	---
24-01-2017	Shimla	Day Time	Noise Level in dB(A)	58	52	59	65
		Night Time	Noise Level in dB(A)	---	32	---	---
31-01-2017	Shimla	Day Time	Noise Level in dB(A)	58	52	59	---
		Night Time	Noise Level in dB(A)	---	32	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
Month and Year: February 2017							
7.02.17	Shimla	Day Time	Noise Level in dB(A)	64	43	57	--
		Night Time	Noise Level in dB(A)	---	35	---	---
14.02.17	Shimla	Day Time	Noise Level in dB(A)	62	51	50	62
		Night Time	Noise Level in dB(A)	---	38	---	---
22.02.17	Shimla	Day Time	Noise Level in dB(A)	60	47	62	62
		Night Time	Noise Level in dB(A)	---	37	---	---
27.02.17	Shimla	Day Time	Noise Level in dB(A)	56	49	67	--
		Night Time	Noise Level in dB(A)	---	30	---	---
Month and Year: March 17							
8.3.17	Shimla	Day Time	Noise Level in dB(A)	62	43	59	61
		Night Time	Noise Level in dB(A)	---	36	---	---
15.3.17	Shimla	Day Time	Noise Level in dB(A)	67	45	60	--
		Night Time	Noise Level in dB(A)	---	30	---	---
21.03.17	Shimla	Day Time	Noise Level in dB(A)	58	47	59	65
		Night Time	Noise Level in dB(A)	---	36	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
30.03.17	Shimla	Day Time	Noise Level in dB(A)	66	50	63	--
		Night Time	Noise Level in dB(A)	---	37	---	---
Month and Year: April 17							
7.4.17	Shimla	Day Time	Noise Level in dB(A)	60	42	63	--
		Night Time	Noise Level in dB(A)	---	40	---	---
12.4.17	Shimla	Day Time	Noise Level in dB(A)	62	48	67	61
		Night Time	Noise Level in dB(A)	---	38	---	---
20.4.17	Shimla	Day Time	Noise Level in dB(A)	68	49	58	--
		Night Time	Noise Level in dB(A)	---	30	---	---
27.4.17	Shimla	Day Time	Noise Level in dB(A)	60	47	63	---
		Night Time	Noise Level in dB(A)	---	37	---	---
Month and Year: May 17							
5.5.17	Shimla	Day Time	Noise Level in dB(A)	55	43	57	67
		Night Time	Noise Level in dB(A)	---	32	---	---
12.5.17	Shimla	Day Time	Noise Level in dB(A)	63	48	60	--
		Night Time	Noise Level in dB(A)	---	40	---	---
18.5.17	Shimla	Day Time	Noise Level in dB(A)	60	46	62	67
		Night Time	Noise Level in dB(A)	---	35	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
27.5.17	Shimla	Day Time	Noise Level in dB(A)	63	50	66	---
		Night Time	Noise Level in dB(A)	---	38	---	---
31.5.17	Shimla	Day Time	Noise Level in dB(A)	62	49	58	---
		Night Time	Noise Level in dB(A)	---	30	---	---
Month and Year: June 17							
2.6.17	Shimla	Day Time	Noise Level in dB(A)	63	42	73	60
		Night Time	Noise Level in dB(A)	---	33	65	---
4.6.17	Shimla	Day Time	Noise Level in dB(A)	60	44	71	--
		Night Time	Noise Level in dB(A)	---	37	64	---
14.6.17	Shimla	Day Time	Noise Level in dB(A)	58	51	60	60
		Night Time	Noise Level in dB(A)	---	37	---	---
23.6.17	Shimla	Day Time	Noise Level in dB(A)	56	45	60	63
		Night Time	Noise Level in dB(A)	---	30	---	---
29.06.17	Shimla	Day Time	Noise Level in dB(A)	60	48	67	65
		Night Time	Noise Level in dB(A)	---	28	---	---
Month and Year: July 17							
3.7.17	Shimla	Day Time	Noise Level in dB(A)	60	45	60	63
		Night Time	Noise Level in dB(A)	---	38	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
11.7.17	Shimla	Day Time	Noise Level in dB(A)	58	50	61	62
		Night Time	Noise Level in dB(A)	---	37	---	---
21.7.17	Shimla	Day Time	Noise Level in dB(A)	67	47	63	--
		Night Time	Noise Level in dB(A)	---	38	---	---
26.7.17	Shimla	Day Time	Noise Level in dB(A)	64	51	61	--
		Night Time	Noise Level in dB(A)	---	35	---	---
Month and Year: August 17							
3.8.17	Shimla	Day Time	Noise Level in dB(A)	61	48	67	--
		Night Time	Noise Level in dB(A)	---	37	---	---
11.8.17	Shimla	Day Time	Noise Level in dB(A)	63	47	60	62
		Night Time	Noise Level in dB(A)	---	30	---	---
16.8.17	Shimla	Day Time	Noise Level in dB(A)	67	51	63	67
		Night Time	Noise Level in dB(A)	---	38	---	---
24.8.17	Shimla	Day Time	Noise Level in dB(A)	57	50	62	--
		Night Time	Noise Level in dB(A)	---	36	---	---
29.8.17	Shimla	Day Time	Noise Level in dB(A)	62	52	60	---
		Night Time	Noise Level in dB(A)	---	32	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
Month and Year: September 17							
8.9.17	Shimla	Day Time	Noise Level in dB(A)	63	45	57	62
		Night Time	Noise Level in dB(A)	---	37	---	---
12.9.17	Shimla	Day Time	Noise Level in dB(A)	60	48	61	67
		Night Time	Noise Level in dB(A)	---	38	---	---
22.9.17	Shimla	Day Time	Noise Level in dB(A)	67	43	62	63
		Night Time	Noise Level in dB(A)	---	33	---	---
26.9.17	Shimla	Day Time	Noise Level in dB(A)	62	51	60	--
		Night Time	Noise Level in dB(A)	---	40	---	---
Month and Year: October 17							
4.10.17	Shimla	Day Time	Noise Level in dB(A)	62	45	60	66
		Night Time	Noise Level in dB(A)	---	39	---	---
12.10.17	Shimla	Day Time	Noise Level in dB(A)	64	50	49	62
		Night Time	Noise Level in dB(A)	---	38	34	---
19.10.17	Shimla	Day Time	Noise Level in dB(A)	63	40	66	63
		Night Time	Noise Level in dB(A)	---	38	70	---
25.10.17	Shimla	Day Time	Noise Level in dB(A)	63	49	63	--
		Night Time	Noise Level in dB(A)	---	37	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
31.10.17	Shimla	Day Time	Noise Level in dB(A)	62	48	58	---
		Night Time	Noise Level in dB(A)	---	30	---	---
Month and Year: November 17							
7.11.17	Shimla	Day Time	Noise Level in dB(A)	63	42	57	--
		Night Time	Noise Level in dB(A)	---	37	---	---
17.11.17	Shimla	Day Time	Noise Level in dB(A)	62	48	60	--
		Night Time	Noise Level in dB(A)	---	36	---	---
21.11.17	Shimla	Day Time	Noise Level in dB(A)	62	51	49	60
		Night Time	Noise Level in dB(A)	---	36	---	---
28.11.17	Shimla	Day Time	Noise Level in dB(A)	67	50	60	63
		Night Time	Noise Level in dB(A)	---	30	---	---
Month and Year: December17							
5.12.17	Shimla	Day Time	Noise Level in dB(A)	67	49	62	62
		Night Time	Noise Level in dB(A)	---	37	---	---
13.12.17	Shimla	Day Time	Noise Level in dB(A)	60	48	60	64
		Night Time	Noise Level in dB(A)	---	33	---	---

Date	Location	Detail of Sampling		Area/ Zone			
				Silence	Residential	Commercial	Industrial
				IGMC	Totu	Ridge	IA Shoghi
19.12.17	Shimla	Day Time	Noise Level in dB(A)	63	50	58	62
		Night Time	Noise Level in dB(A)	---	38	---	---
28.12.17	Shimla	Day Time	Noise Level in dB(A)	59	51	62	65
		Night Time	Noise Level in dB(A)	---	30	---	---

HOME