

**ENVIRONMENT IMPACT ASSESSMENT
&
ENVIRONMENTAL MANAGEMENT PLAN
WITH EXECUTIVE SUMMARY HINDI & ENGLISH
FOR
CLUSTER AREA OF 2 EXISTING MINING LEASE AND 02-94-00 Ha.
PROPOSED
SAND STONE AND BAJRI MINING PROJECT
AT**

MAUZA / MOHAL- BAIN ATTARIAN

Tehsil – INDORA, District – KANGRA,
State – HIMACHAL PARDESH

(Private Land)

Purpose – Fresh Grant EC,
Proposed Production – 26,365 TPA

APPLIED LEASE AREA- 02-94-00 Hect, PROJECT COST – 9.45 Lacs

Detail of Existing Leases in 500 m Periphery (Cluster area):

| Sr. No. | Name of project | Area | Mauza /Mohal | Status of Lease in Cluster |
|---------|--|------------------------|---------------|----------------------------------|
| 1 | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher | 02-94-00 Ha., Pvt land | BAIN ATTARIAN | Applied |
| 2. | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher | 4-55-61 Ha. | BAIN ATTARIAN | Working |
| 3. | Shri Karan Singh Pathania, M/s K.K. Grit Udhyog | 02-96-23 Ha. | BAIN ATTARIAN | Ec not Obtaining/not operational |

CATEGORY- 'B1

APPLICANT

Shri Karan Singh Pathania M/S Jai Shree Hari Gram Udhyog Stone Crusher Village Mauza/Mohal Bain Attarian, tehsil Indora, district Kangra (H.P)

EIA CONSULTANT

M/S N.S. ENVIRO – TECH LABORATORIES & CONSULTANT

OFFICE ADDRESS – PLOT No. 51, GANETA HOUSE, SHIV VIHAR COLONY, NEAR PATRKAR COLONY ROAD, MANSAROVAR, JAIPUR- 302020. Mobile No- 9829930877



Quality Council of India



National Accreditation Board for Education & Training

CERTIFICATE OF ACCREDITATION

N. S. Envirotech Laboratories and Consultant, Jaipur

Plot. No.51, Ganeta House, Shiv Vihar, Near Patarkar Colony Road, Mansrovar, Jaipur-302020

The organization is accredited as Category-A under the QCI-NABET Scheme for Accreditation of EIA Consultant Organization, Version 3: for preparing EIA-EMP reports in the following Sectors –

| Sl. No. | Sector Description | Sector (as per) | | Cat. |
|---------|--|-----------------|-----------|------|
| | | NABET | MoEFCC | |
| 1. | Mining of minerals including opencast / underground mining | 1 | 1 (a) (i) | A |
| 2. | Highway | 34 | 7 (f) | A |
| 3. | Aerial ropeways | 35 | 7 (g) | A |

Note: Names of approved EIA Coordinators and Functional Area Experts are mentioned in RAAC minutes dated Sept 04, 2020 and supplementary MoM Jan 15, 2021 posted on QCI-NABET website.

The Accreditation shall remain in force subject to continued compliance to the terms and conditions mentioned in QCI-NABET's letter of accreditation bearing no. QCI/NABET/ENV/ACO/21/1611 dated Feb 01, 2021. The accreditation needs to be renewed before the expiry N. S. Envirotech Laboratories and Consultant following due process of assessment.

Sr. Director, NABET
Dated: Feb 01, 2021

Certificate No.
NABET/EIA/1922/RA 0173_Rev 01

Valid till
July 08, 2023

For the updated List of Accredited EIA Consultant Organizations with approved Sectors please refer to QCI-NABET website.

CONTENTS

| SL. NO. | PARTICULARS | PAGE NO. |
|---------------------------------------|--|----------|
| CHAPTER-1:INTRODUCTION | | |
| 1.1 | Purpose of the Project | 15-45 |
| 1.2 | Identification of Project & Project Proponent | |
| 1.3 | Brief Description of nature ,size, location of the Project and its Importance to the Country, Region | |
| 1.4 | Regulatory Compliances & Applicable Laws/Regulations | |
| 1.5 | Generic Structure of EIA Report | |
| 1.6 | Scope Of The Study | |
| CHAPTER-2: PROJECT DESCRIPTION | | |
| 2.0 | General | 46-60 |
| 2.1 | Type of Project | |
| 2.2 | Need For the Project | |
| 2.3 | Location Details | |
| 2.4 | Details Of the Lease area | |
| 2.5 | Geology | |
| 2.6 | Mining Methodology | |

| | | |
|--|---|--------|
| 2.7 | Geomorphology & soils | |
| 2.8 | Reclamation | |
| 2.9 | Mine Waste Disposal | |
| CHAPTER-3: DESCRIPTION OF ENVIRONMENT | | |
| 3.0 | Introduction | |
| 3.1 | Land Environment | 61-134 |
| 3.2 | Topography & Drainage of the Study Area | |
| 3.3 | Method of Monitoring | |
| 3.4 | Observations | |
| 3.5 | Hydrology and Physiography of the Structure | |
| 3.6 | Water Environment | |
| 3.7 | Soil Environment | |
| 3.8 | Noise Environment | |
| 3.9 | Traffic Study | |
| 3.10 | Biological Aspects | |
| 3.11 | Socio Economic Environment | |
| CHAPTER-4: IDENTIFICATION OF IMPACTS | | |
| 4.0 | General | |

| | | |
|---|--|---------|
| 4.1 | Land Environment | 135-162 |
| 4.2 | Water Environment | |
| 4.3 | Impacts on Air Environment | |
| 4.4 | Impacts on Noise Environment | |
| 4.5 | Impacts on Biological Environment | |
| 4.6 | Impacts of Solid waste generation & management | |
| 4.7 | Traffic analysis | |
| 4.8 | Socio economic Environment | |
| 4.9 | Occupational Health and Safety | |
| 4.10 | Mine Closure | |
| 4.11 | Statutory Requirements | |
| CHAPTER 5.ANALYSIS OF ALTERNATIVES | | 153 |
| 5.1 | Site Alternatives | |
| 5.2 | Technology Alternatives | |
| CHAPTER-6 : ENVIRONMENTAL MONITORING PROGRAM | | 154-160 |
| 6.0 | Introduction | |
| 6.1 | Environmental Monitoring And Reporting Procedure | |
| 6.2 | The Rey Aims of Environment Monitoring are | |

| | | |
|--------------------------------------|---|---------|
| 6.3 | Monitoring Methodologies and Parameters | |
| 6.4 | Monitoring Schedule | |
| 6.5 | Budget Allocations for Monitoring | |
| 6.6 | Reporting Schedules Of the Monitoring Data | |
| CHAPTER-7: ADDITIONAL STUDIES | | |
| 7.0 | Public Consultation along with proceedings | |
| 7.1 | Disaster Management And Risk Assessment | |
| 7.2 | Accident during Sand/ Mineral loading, Transportation and Dumping | 161-169 |
| 7.3 | Drawing | |
| 7.4 | Earthquakes | |
| 7.5 | Conclusion | |
| CHAPTER- 8: PROJECT BENEFITS | | |
| 8.0 | General | |
| 8.1 | Benefit of Mining | |
| 8.2 | Employment potential | 170-174 |
| 8.3 | Improvements in the Physical Infrastructure | |
| 8.4 | Health | |
| 8.5 | Corporate Social Responsibility | |

| | | |
|--|--|---------|
| CHAPTER- 9: ENVIRONMENT MANAGEMENT PLAN | | |
| 9.0 | Introduction | 175-181 |
| 9.1 | Environment Management Plan | |
| 9.2 | Environment Management Plan Implementation | |
| 9.3 | Proposed Setup | |
| 9.4 | Budget Allocation For EMP Implementation | |
| CHAPTER-10: EXECUTIVE SUMMARY | | |
| 10.1 | Introduction Of Project & Proponent | 182-195 |
| 10.2 | Location | |
| 10.3 | Mining | |
| 10.4 | Baseline Data | |
| 10.5 | Biological Environment | |
| 10.6 | Water Environment | |
| 10.7 | Impacts on Air Environment | |
| 10.8 | Impacts on Noise Environment | |
| 10.9 | Impacts on Biological Environment | |
| 10.10 | Impacts on Solid Waste Generation | |
| 10.11 | Environment Management Plan | |

| | | |
|---|--|---------|
| 10.12 | Environment Management Plan Implementation | |
| 10.13 | Benefits of Mining | |
| CHAPTER-11: DISCLOSURE OF CONSULTANT | | 196-199 |

Draft EIA/EMP REPORT OF Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, LOCATED Near Village- Mauza/Mohal Bain Attarian, TEHSIL – INDORA & DIST- Kangra (h.p)

| | | |
|--------------------------|---|---------|
| LIST OF ANNEXURES | | |
| ANNEXURE-I | LETTER OF INTENT | 200 |
| ANNEXURE-II | APPROVED MINE PLAN | 201-202 |
| ANNEXURE-III | JOINT INSPECTION REPORT WITH JAMABANDI & TATIMA | 203-212 |
| ANNEXURE-IV | AUTHENTICATED FLORA AND FAUNA LIST BY DFO | 213-217 |
| ANNEXURE-V | STANDARD TERMS OF REFERENCE | 218-219 |

Abbreviations

| | | |
|--------------|---|---|
| AAS/ICP A | : | Atomic Absorption Spectrophotometer/Inductively Coupled Plasma Analyzer |
| AAQ | : | Ambient Air Quality |
| AAQM | : | Ambient Air Quality Monitoring |
| AAQS | : | Ambient Air Quality Standards |
| ADM | : | Additional District Magistrate |
| AIS & LUS | : | All India Soil and Land Use Survey |
| AMSL | : | Above Mean Sea Level |
| ANFO | : | Ammonium Nitrate - Fuel Oil |
| APHA | : | American Public Health Association |
| BH | : | Business Head |
| BHs | : | Bore Holes |
| BIS | : | Bureau of Indian Standards |
| BGL | : | Below Ground Level |
| CAZRI | : | Central Arid Zone Research Institute |
| CC | : | Calcium Carbonate |
| CCA | : | Culturable Command Area |
| CFM | : | Cubic Feet per Minute |
| CWC | : | Central Water Commission |
| CPCB | : | Central Pollution Control Board |
| CCR | : | Central Control Room |
| CSR | : | Corporate Social Responsibility |
| CMO | : | Cement Manufacturing Officer |
| DFO | : | District Forest Officer |
| DGMS | : | Directorate General of Mines Safety |
| DMP | : | Disaster Management Plan |
| DMG | : | Department of Mines and Geology |
| DSB | : | Differential Sub Basin |
| DTH | : | Down the Hole |
| E | : | East |
| EAC | : | Expert Appraisal Committee |

| | | |
|-------|---|--|
| EC | : | Environmental Clearance |
| ECO | : | Emergency Coordinating Officer |
| EIA | : | Environmental Impact Assessment |
| EMC | : | Environment Management Cell |
| EMP | : | Environmental Management Plan |
| EMP | : | Environmental Monitoring Programme |
| ESE | : | East of South East |
| ENE | : | East of North East |
| EPA | : | Environmental Protection Act |
| ETP | : | Effluent Treatment Plant |
| ERDAS | : | Earth Resources Data Analysis System |
| EPO | : | Emergency planning officer |
| FPS | : | Fine Particulate Sampler |
| FCC | : | False Color Composite |
| Govt. | : | Government |
| GCP | : | Ground Control Points |
| GLC | : | Ground Level Concentration |
| GOI | : | Government of India |
| GPS | : | Global Positioning System |
| GSI | : | Geological Survey of India |
| GWEC | : | Ground Water Estimation Committee |
| Ha | : | Hectare |
| HIV | : | Human Immunodeficiency Virus |
| HEME | : | Heavy Earth Moving Equipment |
| HP | : | Horse Power |
| HOD | : | Head of Department |
| HSD | : | High Speed Diesel |
| IBM | : | Indian Bureau of Mines |
| IMD | : | India Meteorological Department |
| IS | : | Indian Standards |
| ISO | : | International Organization of Standardization |
| IUCN | : | International Union for Conservation of Nature |
| KLD | : | Kilo Liter Per Day |
| LOI | : | Letter of Intent |
| LUS | : | Land Use Study |
| LU/LC | : | Land Use / Land Cover |

| | | |
|--------|---|---|
| mRL | : | Meter Reduced Level |
| MC | : | Magnesium Carbonate |
| MHHS | : | Multi House Hold Survey |
| ML | : | Mining Lease |
| MoEF&C | : | Ministry of Environment , Forests& Climate Change |
| C | : | |
| MSK | : | Medvedev-Sponheur-Karnik Scale |
| MSL | : | Mean Sea Level |
| MT | : | Metric Tonnes |
| MTPA | : | Metric Tonnes Per Annum |
| N | : | North |
| NAAQS | : | National Ambient Air Quality Standards |
| NABET | : | National Accreditation Board for Education & Training |
| NATMO | : | National Atlas & Thematic Mapping Organization |
| NABL | : | National Accreditation Board for Testing and Calibration Laboratories |
| NDIR | : | Non Depressive Infrared Spectroscopy |
| NE | : | North East |
| NH | : | National Highway |
| NNE | : | North of North East |
| NGO | : | Non Governmental Organization |
| NNW | : | North of North West |
| NRBPT | : | National Registration Board for Personnel & Training |
| NRSA | : | National Remote Sensing Agency |
| NRSC | : | National Remote Sensing Centre |
| NW | : | North West |
| OB | : | Over Burden |
| OBC | : | Other Backward Classes |
| OHS | : | Occupational Health and Safety |
| OSHA | : | Occupational Safety and Health Administration |
| PETN | : | Penta Erythritol Tetra Nitrate |
| PFR | : | Pre Feasibility Report |
| pH | : | Potential of Hydrogen |
| PHCS | : | Public Health Centers |
| PM | : | Particulate Matter |
| PPE | : | Personal Protective Equipment |

APPLICANT- ,M/S JAI SHREE HARI GRAM UDHYOG STONE CRUSHER

| | | |
|--------------------------|---|---|
| PPV | : | Peak Particle Velocity |
| QCI | : | Quality Council of India |
| RSPM | : | Reparable Suspended Particulate Matter |
| SDO | : | Sub Divisional Officer |
| SC | : | Scheduled Caste |
| SE | : | South East |
| SEIAA | : | State Environmental Impact Assessment Authority |
| SHE | : | Safety, Health & Environment |
| SI | : | Sustainability initiatives |
| SIA | : | Social Impact Assessment |
| SOI | : | Survey of India |
| SPCB | : | State Pollution Control Board |
| SPM | : | Suspended Particulate Matter |
| SSW | : | South of South West |
| ST | : | Scheduled Tribe |
| SW | : | South West |
| TC | : | Total Carbonate |
| TDS | : | Total Dissolved Solids |
| TNT | : | Tri Nitro Toluene |
| ToR | : | Terms of Reference |
| TPD | : | Tonnes Per Day |
| TRC | : | Technical Research Cell |
| TW | : | Tube Well |
| UNFC | : | United Nations Framework Classification |
| UPA | : | Urban Planet Atlas |
| USDA | : | United States Department of Agriculture |
| USEPA | : | United States Environmental Protection Agency |
| VT | : | Vocational Training |
| RF | : | Reserved Forest |
| PF | : | Protected Forest |
| W | : | West |
| WNW | : | West of North West |
| WSW | : | West of South West |
| $\mu\text{g}/\text{m}^3$ | : | Micro gram per meter cube |
| μm | : | Micro Meter |
| cu. m | : | Cubic meter |

Draft EIA/EMP REPORT OF Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, LOCATED Near Village- Mauza/Mohal Bain Attarian, TEHSIL – INDORA & DIST- Kangra (h.p)

| | | |
|--------|---|----------------------|
| dB | : | Decibel |
| gm/sec | : | Gram per second |
| gm/cc | : | Gram per cubic meter |
| hr/day | : | Hour per day |
| kg | : | Kilogram |
| Kg/hr | : | Kilogram per hour |
| Kg/ha | : | Kilogram per hectare |
| km | : | Kilometer |
| m | : | Meter |
| mg/l | : | Milligram per Liter |
| mm | : | Millimeter |
| Sq.km | : | Square Kilometer |
| t/hr | : | Tonnes per hour |

APPLICANT- ,M/S JAI SHREE HARI GRAM UDHYOG STONE CRUSHER

N.S. ENVIROTECH LAB & CONSULTANT

CHEPTE- I INTRODUCTION AND BACKGROUND

1.0 PURPOSE OF THE REPORT

Environmental Impact Assessment (EIA) is one of the proven management tools for integrating environmental concerns in development process and for improved decision making. The growing awareness, over the years, on environmental protection and sustainable development, has given further emphasis to the implementation of sound environmental management practices for mitigating adverse impacts from developmental activities. EIA study plays a vital role in sustainable development of a country. Recognizing its importance, the Ministry of Environment and Forest, Government of India had formulated policies and procedures governing the industrial and other developmental activities to prevent indiscriminate exploitation of natural resources and to promote integration of environmental concern in project development.

Environmental Impact Assessment and Environment Management Plan report is prepared as per the Office Memorandum issued by Ministry of Environment, Forest & Climate Change as per Office Memorandum No. J-11013/41 /2006-1A- 1 1 (f) (Part) dated 29/08/2017 issued by MoEF & CC, Gol, the Standard Terms of Reference (TOR) which have been issued on 4 March 2023 for seeking environmental clearance for mining of Sand Stone and Bajri in the applied mining lease area measuring 02-94-00 hectares falling under category “B1” due to Cluster Situation. As per situation of Cluster, total 3 leases falls in this cluster. Out of which 2 leases and 1 is proposed applied LOI. The total cluster area is 02-94-00Ha. The lease area lies near Mauza/Mohal Bain Attarian, Tehsil-Indora, and District- Kangra, Himachal Pradesh (***Letter of Intent copy attached with the report as Annexure I.***)

The entire stretch of applied mining lease area is Private which is a part of terrace deposit besides Chhaunch Khadd. The proposed project is manual extraction and collection of Sand Stone and Bajri from bed of Chhanunch Khadd.

**APPLICANT- ,M/S JAI SHREE HARI GRAM UDHYOG STONE
CRUSHER**

N.S. ENVIROTECH LAB & CONSULTANT

- It has been proposed to extract around 26,365 TPA of Sand Stone and Bajri; the extracted materials will get replenished during every monsoon season.

1.2 IDENTIFICATION OF PROJECT & PROJECT PROPONENT

1.2.1 Identification of the Project:

As per vide letter Nos. Udyog-Bhu (Khani-4) Laghu-833/2020-7484 dated 17-12-2020, a letter of Intent has been granted to Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher R/O- Village- Mauza/Mohal- Bain Attarian, P.O Shivpur, Tehsil-Indora and District- Kangra (H.P) for one year The area comprises of Khasra No 177/1 (Private Land/ riverbed) 02-94-00 ha falling in Mohal and Mauza Bain Attarian, tehsil Indora and District Kangra(H.P).

Details of the Project Proponent:

The details of the project proponent are given below:

Table 1.1

| | |
|-----------------------------|---|
| Name of the applicant | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher |
| Name & Address of applicant | R/O- Village Bain Attarian P.O. Kandrori Tehsil Indora, District Kangra(H.P)) |
| Name of Mine | Sand Stone and Bajri Mining Project By Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher |
| Mineral | Sand Stone and Bajri |
| Area (ha) | 02-94-00 |
| Location | Mauza/Mohal- Bain Attarian , Tehsil-Indora, and District- Kangra(H.P). Himachal Pradesh |
| Status of Project | New |

| Sr. No. | Name of project | Area | Mauza /Mohal | Status of Lease in Cluster |
|---------|--|---------------------------|---------------|----------------------------------|
| 1 | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher | 02-94-00 Ha., Pvt land | BAIN ATTARIAN | Applied |
| 2. | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher | 4-55-61 Ha. | BAIN ATTARIAN | Working |
| 3. | Shri Karan Singh Pathania, M/s K.K. Grit Udhog | 02-96-23 Ha. | BAIN ATTARIAN | Ec not Obtaining/not operational |

Detail of Existing Leases in 500 m Periphery (Cluster area):

1.3 BRIEF DESCRIPTION OF PROJECT

Mining of Sand Stone and Bajri will be carried out only up to a depth of 1 m (3 feet) depth, using hand tools like shovel, pan etc only during the day time. The applicant intends to mine Sand Stone and Bajri from the lease area. Mining will be confined to the applied lease area lies in the bed of terrace deposit besides Chhaunch Khadd, a main tributary of Chhaunch river. No rotational mining is proposed, complete mineable area shall be explored every year. The applied mining lease area is 02-94-00 Ha. Situated in MAUZA/MOHAL- Bain Attarian, Tehsil-Indora, and District – Kangra(H.P). No drilling & blasting is proposed. The proposed capacity of collection of Sand Stone and Bajri will be 26,365 TPA.

1.3.1 Size

It has been proposed to extract around 26,365 tonnes per annum of Sand Stone and Bajri, the extracted materials will get replenished during every monsoon season. The area comprises of Khasra No. 177/1 (Private Land) measuring 02-94-00 hectare falling in Mauza/Mohal- Bain Attarian, Tehsil-Indora, and District – Kangra(H.P).

The entire stretch of mining lease area is Private land which is a part of bed of Chhaunch Khadd. The proposed project is manual extraction and collection of Sand Stone and Bajri from bed of Chhaunch Khadd up to one meter (3 feet) depth.

1.3.2 Location

Mining will be confined to the allotted lease area lies in the bed of the terrace deposit besides Chhaunch Khadd. The mining lease area is 02-94-00 hectare Situated Mauza/Mohal- Bain Attarian, Tehsil-Indora, and District – Kangra(H.P).


The lease area is connected to the nearest metalled road through un-metalled road at a distance of about 800m. *(Map showing pillar coordinates of applied lease area attached as Map no-IV).*

Latitude : $32^{\circ} 10' 25.75'' N$ - $32^{\circ} 10' 19.21'' N$

Longitude: $75^{\circ} 40' 38.44'' E$ - $75^{\circ} 40' 32.94'' E$

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

FIGURE 1.1: LOCATION MAP



APPLICANT- ,M/S JAI SHREE HARI GRAM UDHYOG STONE CRUSHER

N.S. ENVIROTECH LAB & CONSULTANT




Figure1.2 : Google Imagery of the Mining Lease

APPLICANT- ,M/S JAI SHREE HARI GRAM UDHYOG STONE CRUSHER

N.S. ENVIROTECH LAB & CONSULTANT

1.3.3 Connectivity Details

Table 1.2

| Connectivity Details | | Crow Fly Distance |
|-------------------------|--------------------------|------------------------------------|
| Nearest Railway Station | Kandrori Railway Station | About 1.31 km in NW direction. |
| Nearest Airport | Pathankot Airport | About 6.42 km away in NW direction |
| Nearest Highway | NH-42 | Approx. 1.77 km In E direction |

1.3.4 Project's importance to the country and the region

The demand of Sand Stone bajri and sand in the area is increasing day by day both for private construction activities and infrastructure development by the Government Agencies. The State Governments has launched several projects of road construction, road widening, bridge construction and buildings for offices, school and other social activities. Thus, the extracted mineral from the mining lease area contribute to the development of infrastructure and prosperity of the area/region.

1.4 REGULATORY COMPLIANCES & APPLICABLE LAWS/REGULATIONS

- a) There is no legal case against the project and project proponent.
- b) There is no 'wild life sanctuary, biosphere reserve, nation park etc. within ten kilometers of the mining lease except some protected forests.

1.4.1 **The Consultant** -The studies were undertaken by The Consultant namely, N.S. Enviro-Tech Laboratories & Consultant ('NSETLC'). NSETLC is a National Accreditation Board for Education and Training (NABET) Accredited Consultant Organization (ACO) and is qualified to prepare EIA reports for Project / Activity 1(a) (Mining of Minerals), a mandatory requirement for agencies submitting such studies to regulators for the purpose of seeking EC.

1.5 Generic Structure of EIA Report

The structure of this report follows the generic structure of Environment Impact Assessment document provided in Appendix III of EIA Notification, 2006. The report, complete with necessary tables, drawings and annexes is as follows:

List of Abbreviation

| | | |
|------------|---|---|
| Chapter-1 | : | Introduction and Background |
| Chapter-2 | : | Project Description |
| Chapter-3 | : | Description of Environment |
| Chapter-4 | : | Anticipated Environmental Impacts and Mitigation Measures |
| Chapter-5 | : | Analysis of Alternatives |
| Chapter-6 | : | Environmental Monitoring Program |
| Chapter-7 | : | Additional Studies |
| Chapter-8 | : | Project Benefits |
| Chapter-9 | : | Environmental Management Plan |
| Chapter-10 | : | Summary and Conclusion |
| Chapter-11 | : | Disclosure of Consultant Engaged |

1.6 SCOPE OF THE STUDY

The Standard Terms of Reference (TOR) which have been issued on 4 March. 2023 during by SEIAA, H.P. For seeking environmental clearance for mining of Sand Stone and Bajri in the applied mining lease area measuring 02-94-00 hectare falling under category “B1”. The lease area lies near MAUZA/MOHAL- Bain Attarian, Tehsil-Indora, and District- Kangra, Himachal Pradesh The points given in the TOR has been considered and its compliance is as under:-

Point Wise Compliance for TOR

Table 1.3

| S.No | TOR | Compliance | Reference in the EIA Report |
|------|--|---|---|
| 1 | Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994. | This is the new case hence no prior production was done. | Copy of Letter of Intent attached as Annexure II. |
| 2 | A copy of document in support of fact that the proponent is the rightful lessee of the mine should be given. | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher is the right full lessee of the proposed mine, reference document attached with this report. | Copy of Letter of Intent attached as Annexure II. |

| | | | |
|---|--|---|--|
| 3 | All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee. | The production figures, lease area, waste generation, mining technology in mine plan and EIA report are compatible with each other. For this project Public Hearing is Not Applicable. | Mentioned in Chapter 2, Working cum environment management plan. |
| 4 | All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone). | High resolution Imagery/ Toposheet with corner coordinates of the mine lease area has been incorporated in the chapter I of the report. | Given in chapter-I |
| 5 | Information should be provided in survey toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics. | Survey toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area attached with report | Buffer map will be attached with final report.. |
| 6 | Details about the land proposed for mining activities should be | Mining will be confined to the allotted lease area lies bed of | Copy of Letter of Intent |

| | | | |
|---|---|--|---------------------------------|
| | <p>given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.</p> | <p>the terrace deposite besides Chhaunch Khadd. The mining lease area is 002-94-00 hectare Situated in MAUZA/MOHAL- Bain Attarian, Tehsil-Indora, and District- Kangra(H.P).</p> | <p>attached as Annexure II.</p> |
| 7 | <p>It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders</p> | <p>Environment policy mentioned in the report.</p> <p>Yes, the policy is prescribed for all standard operating process/procedure.</p> | - |

| | | | |
|---|---|---|--|
| | or stakeholders at large, may also be detailed in the EIA Report. | | |
| 8 | Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided. | Mining will be carried manually. No blasting will be carried. | Proper personal protective Equipments will be provided to the workers. |
| 9 | The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period. | The 5 km area around the periphery of the lease Area has been taken as study area for the purpose of EIA. The data contained in the EIA Report is given for 5 years for which mine plan has been prepared. The Production generation details are given in the report. | 5km buffer map is attached in final report. |

| | | | |
|----|---|---|---|
| 10 | Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of Indora, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given. | Surface plan & Working of the lease area is attached with the EIA/EMP Report showing the pre-operational, operational and post-operational phases. | Surface plan & Working of the lease area is attached with the EIA/EMP Report as annexure VI & VIII along with working plan and also showing the pre-operational, operational and post-operational phases. |
| 11 | Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given. | Silt shall be generated as a waste which will be used for the maintenance of approach road of the crusher. However, it would be dumped in the adjoining private lands of the lease holder. <i>Source: Approved Mine Plan</i> | Surface plan & Working of the lease area is attached with the EIA/EMP Report as annexure X. |
| 12 | A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the | Project is lies on the bed of Bed of the Chhaunch Khadd which is not under possession of forest Department. | NOC slip attached as Annexure X . |

| | | | |
|----|---|---|--|
| | <p>event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.</p> | | |
| 13 | <p>Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.</p> | <p>Project is lies on the bed of Chhaunch Khadd which is not under possession of forest Department.</p> | <p>NOC slip attached as Annexure X.</p> |
| 14 | <p>Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.</p> | <p>Project is lies on the bed of Chhaunch Khadd which is not under possession of forest Department.</p> | <p>NOC slip attached as Annexure X.</p> |
| 15 | <p>The vegetation in the RF / PF areas in the study area, with</p> | <p>There are few reserved</p> | <p>Authenticated</p> |

| | | | |
|----|--|---|--|
| | necessary details, should be given. | forests present within the study area. Study for Flora and fauna has been done, List of vegetation in the RF/PF is incorporated in the report. | list of flora and fauna will be attached in final Report |
| 16 | A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted. | There is no wildlife or any protected area present within 10 km radius of the lease area. | Incorporated chapter IV |
| 17 | Location of National Parks, Sanctuaries, Biosphere Reserves, wildlife Corridors, Tiger/Elephant Reserves (existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated supported by a location map duly authenticated by Chief Wildlife Warden necessary clearance, if any, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above should be obtained from | There is no 'wild life sanctuary, biosphere reserve, nation park etc. within ten kilometers of the mining lease except some protected forests | 5km Google map attached |

| | | | |
|----|--|--|--|
| | the state Wildlife Department / Chief Wildlife Warden under the Wildlife (Protection) Act, 1972 and copy furnished. | | |
| 18 | A detailed biological study for the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out covering both terrestrial and aquatic flora and fauna. Details of flora and fauna, duly authenticated, separately for core and buffer zone should be furnished based on field survey clearly indicating the Schedule of the fauna present, in case of any schedule-I fauna found in the study area, the necessary plan for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished, Necessary/ allocation of funds for implementing the same should be made as part of project cost. | Detailed Biological study along with the list of flora & fauna is given in the report. There is no schedule I fauna found in the study area. | Authenticated list of flora and Fauna will be attached in final report |
| 19 | Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so | Proposed project is not located in the Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining | Coordinates of the proposed project mentioned. |

| | | | |
|----|---|--|---------------------------------|
| | required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered. | operations) | |
| 20 | Similarly, for coastal Projects, A CRZ map duly authenticated by one of the authorized agencies demarcating LTL, HTL, CRZ area, location of the mine lease w.r.t CRZ, coastal features such as mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority). | Proposed project is not located in the coastal zone | Not Applicable for this project |
| 21 | R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action | R&R Plan/compensation details for the Project Affected People (PAP) are not applicable for this project as this project is located on the bed of Chhaunch Khadd. | -- |

| | | | |
|----|--|--|---------------------------------------|
| | <p>programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.</p> | | |
| 22 | <p>One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season) ; December-February (winter season)] primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified</p> | <p>Base line study was done from Oct.'22-Dec.'22 and the details are given in Chapter III</p> <p>Site-specific meteorological data has been collected and shown in the report.</p> <p>Date wise collected baseline AAQ data is enclosed with the report.</p> <p>It has been ensured that at least one monitoring station is within 500 m of the mine lease in the pre-dominant downwind direction.</p> | <p>Chapter III</p> <p>Chapter III</p> |

| | | | |
|----|--|--|---|
| | keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given | | |
| 23 | Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicle for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any and the habitation. The wind rose showing pre-dominant wind direction may also be indicated on the map. | Monitoring details incorporated in the report | . |
| 24 | The water requirement for the project, its availability and source to be furnished. A detailed water balance should | Total water requirement for the project is 6.3 KLD, including 4.8 KLD for dust | |

| | | | |
|----|--|--|--|
| | also be provided. Fresh water requirement for the project should be indicated. | suppression and 0.8 KLD for plantation and 0.7 KLD for domestic purpose. Water Requirement. Water requirement for the proposed mining activities will be fulfilled which will be taken care by PP's own constructed borewell which will be situated at Khasra No. 177/1 situated at Crusher Site, Tehsil-Indora. | |
| 25 | No mechanized mining/blasting shall be carried out. | The mining shall be taken manually with the use of hand tools, shovels, Pans etc. The material will be extracted and loaded directly into tipper truck by the workers themselves. The operation will be done in day time only, so there is no power requirement for the mining activity. | Working cum environment management Plan attached as Annexure III |
| 26 | Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided. | No check dams are proposed as the adjoining land belongs to different private individuals. Moreover, the mining operations shall have no impact on the banks in any way. Source: Approved Mine Plan | Working plan Letter for 5 year attached as Annexure III. |

| | | | |
|----|---|--|--------------------------------|
| 27 | Impact of the project on the water quality should be assessed and necessary safeguard measures, if any required should be provided. | <p>The area being part of the River which receives annual rainfall, the mining area will get replenished during every rainy (monsoons) season. As abundant precaution, keeping in view the variation in rainfall particularly highest rainfall, which generally causes floods, the factor of eight cm annual replenishment is taken into consideration in general.</p> <p>Keeping in view of the replenishment factor, no rotational mining has been proposed. The complete mineable area shall be explored every year.</p> <p>Though the major mining activities will be under taken during the dry seasons and it proposed as per approved mining plan that mining will be carried out up to 1m bgl whichever comes first, hence no such impact will occur</p> <p><i>Source Approved mining Plan.</i></p> | Chapter IV. |
| 28 | Based on actual monitored data, it may clearly be shown whether working will intersect | The area being part of the River which receives annual rainfall, the mining area will | Approved mining plan Letter is |

| | | | |
|----|--|--|-------------------------------------|
| | <p>groundwater.</p> <p>Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.</p> | <p>get replenished during every rainy (monsoons) season. As abundant precaution, keeping in view the variation in rainfall particularly highest rainfall, which generally causes floods, the factor of eight cm annual replenishment is taken into consideration in general.</p> <p>The proposed project is manual extraction and collection of Sand Stone and Bajri from bed of Chhaunch Khadd up to 1 meter bgl whichever comes first.</p> | <p>attached with the report</p> |
| 29 | <p>Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.</p> | <p>The entire stretch of mining lease area is Private which is a part of bed of Chhaunch Khadd.</p> | |
| 30 | <p>Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.</p> | <p>Site Elevation Highest 300 m above MSL Lowest- 298.5 m above MSL</p> | <p>Source: Approved Mining Plan</p> |
| 31 | <p>A time bound Progressive</p> | <p>It is proposed to plant around</p> | <p>Details</p> |

| | | | |
|--|---|--|--------------------------------|
| | <p>Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.</p> | <p>100 trees every year for 5 years during monsoon season. The Site For Plantation shall be decided in consultation with local gram panchayat.</p> | <p>mentioned in Chapter II</p> |
|--|---|--|--------------------------------|

| | | | |
|----|---|--|--|
| 32 | <p>Impact on local transport infrastructure due to the Project should be indicated.</p> <p>Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.</p> | <p>There will be 23 trucks carrying the minerals per hour. The impact due to this has been detailed in the report.</p> | <p>There will be 23 trucks carrying the minerals per hour. The impact due to this has been detailed in the report.</p> <p>Maintenance of the roads will be carried out properly and alternative route pattern will be adopted in order to avoid any type of congestions.</p> |
| 33 | <p>Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.</p> | <p>Temporary rest shelters along with site services will be provided to the workers at mine site.</p> <p>Mine Office with. First aid station and Store for mining equipment.</p> | - |
| 34 | <p>Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of</p> | <p>The area being part of the River which receives annual rainfall, the mining area will get replenished during every rainy (monsoons) season. As</p> | Chapter IV. |

| | | | |
|----|--|--|-------------|
| | sections) should be given in the EIA report | abundant precaution, keeping in view the variation in rainfall particularly highest rainfall, which generally causes floods, the factor of eight cm annual replenishment is taken into consideration in general. | |
| 35 | Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed. | Each labour will undergo pre-placement medical examination. Thereafter they will be medically checked up half yearly for which tie up will be done with nearest PHC's. Impact on health is expected to be least for such mining projects. | Chapter VII |
| 36 | Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations. | The mining shall be taken manually with the use of hand tools Such impact will not occur due to project. | |
| 37 | Measures of socio economic | Socio-economic influence will be positive as there will be | Chapter VI |

| | | | |
|----|---|--|----------------|
| | significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation. | potential availability of employment, improvement of physical and social infrastructures etc. In addition CSR has also proposed. | Chapter VII |
| 38 | Detailed environmental management plan to mitigate the environmental impacts, specific safeguard measures to control PM10 as well as pollution due to transportation should be given. | Detailed environmental management plan to mitigate the environmental impacts are discussed in the report. Safeguard measures to control PM ₁₀ has also been given. | Chapter IV |
| 39 | Public hearing points raised and commitment of the project proponent on the same along with the time action plan to implement the same should be provided if applicable. | Public Hearing yet to be conducted. | -- |
| 40 | Details of litigation pending against the project, if any, with direction / order passed by any Court of Law against the project should be given. | There is no litigation pending against the project. | |
| 41 | The cost of project (capital cost and recurring cost) as well as the cost towards implementation of EMP should | Cost towards implementation of EMP is given in the report. | Chapter - VIII |

| | | | |
|--|---|---|-----------------------------|
| | clearly be spelt out. | | |
| 42 | A Disaster management Plan shall be prepared and included in the EIA/EMP Report | Mining of Sand Stone and Bajri will be carried out manually with the use of hand tools and shall be directly transported to the market as per demand. | As per approved mining plan |
| 43 | Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc. | There is large demand of Sand Stone and bajri for construction activities in the region. It is essential raw material for construction of buildings, roads, bridges; check dams, etc in the area. | |
| 44-Besides the above , the below mentioned general points should also be followed :- | | | |
| a | Executive Summary of the EIA/EMP Report | Executive Summary of the EIA/EMP Report is attached with the report. | complied |
| b | All documents to be properly referenced with index, page numbers and continuous page numbering. | Complied | |
| c | Where data are presented in the report especially in tables, the period in which the data were collected and the sources should be indicated | Relevant details have been mentioned in EIA-EMP Report. | |

| | | | |
|---|--|---|--|
| d | Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc using the MoEF & CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project. | Compiled | Monitoring has been carried out by the NABL approved lab only. |
| e | Where the documents provided are in a language other than English, an English translation should be provided. | Compiled | -- |
| f | The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted. | Enclosed | - |
| g | While preparing the EIA report, the instructions for the proponents and instructions for the consultants issued by MoEF from time to time should also be followed. | Instructions for the proponents and instructions for the consultants issued by MoEF from time to time has taken in consideration while preparing the EIA report and will be followed. | -- |

| | | | |
|---|--|----------|---|
| h | <p>Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF & CC with reasons For such changes and permission should be sought, as the TOR may also have to be altered.</p> <p>Post Public Hearing changes in structure and content of the draft EIA/EMP (other than Modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.</p> | Enclosed | Form1 and PFR attached with the report. |
| i | <p>As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of</p> | Noted | |

| | | | |
|--|---|----------------|----|
| | Environment, Forest and Climate Change, as may be applicable. | | |
| j | The EIA report should also include (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the Adjoining area. | Noted | -- |
| <p>Addition conditions are included given in standard Terms of References as published by MoEF&CC, Gol afresh for Mining of Minerals, for the purpose of preparing Environment Impact Assessment Report, EMP for obtaining prior Environment Clearance with public consultation.</p> | | | |
| 1. | The project proponent shall make provision to provide two plastic waste shredders, two plastic waste ULBs/PRIs as per the recommendations of Department of Environment, Science & Technology, GoH. | Agreed & Noted | |

| | | | |
|--|---|---------------------------|--|
| | <p>The project proponent shall also include to plant variety of wild fruit plants as may be suitable to the area viz. wild peach, pear, guava, shahtoot under the plantation plan to be proposed in EIA/EMP. The SEIAA secretarial shall monitor the plantation on yearly basis. The photo monitoring verification will be carried out by the SEIAA & SEAC by developing a suitable system.</p> | <p>Agreed & Noted</p> | |
| | <p>The project proponent shall include the detailed analysis of GLC-2.5 with air modeling and shall prepare the wind-rose diagram of the site to plan the installation of PCDs.</p> | | |
| | <p>The project proponent shall submit affidavit to ensure that, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc.</p> | <p>Agreed & Noted</p> | |

CHEPTEER-II PROJECT DESCRIPTION

2.0 GENERAL

As per Office Memorandum No. J-11013/41 /2006-1A- 1 1 (f) (Part) dated 29/08/2017 issued by MoEF & CC, Gol, the Standard Terms of Reference (TOR) which have been which have been issued on 4 March 2023 for the purpose of preparing Environment Impact Assessment Report, Environment Management Plan for obtaining prior Environment Clearance with public consultation, for mining of Sand Stone and Bajri in the applied mining lease area measuring 02-94-00 hectares from bed of Chhaunch Khadd falling under category “B1”. The lease area lies near Mauza / Mohal- Bain Attarian, Tehsil-Indora, and District- Kangra(H.P).

2.1 TYPE OF PROJECT

The proposed project is the river bed mining of Sand Stone Stone and *Bajri* from bed of Chhaunch Khadd located near Mauza/Mohal- Bain Attarian, Tehsil- Indora, and District- Kangra, Himachal Pradesh. The applied area comprises of Khasra No. 177/1 (Pvt. Land) measuring 02-94-00 hectares, Mauza/Mohal- Bain Attarian, Tehsil-Indora & District- Kangra (H.P). The lease has been sanctioned in favour of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher As per vide letter Nos. Udyog-Bhu (Khani-4) Laghu-833/2020-7484 dated 17-12-2020, a letter of Intent has been granted to Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher R/O- Village- Mauza/Mohal- Bain Attarian, P.O Kandrori, Tehsil-Indora and District- Kangra (H.P) for one year The area comprises of Khasra No 177/1 (Private Land/ riverbed) 02-94-00 ha falling in Mohal and Mauza Bain Attarian, tehsil Indora and District Kangra(H.P).

2.2 NEED FOR THE PROJECT

The demand of stone, sand & Bajri in the area is increasing day by day both for private construction activities and infrastructure development by the govt. agencies. The state govt. has launched several projects of road construction, road widening, bridge construction and building for office, school & other social activities. Thus, the extracted mineral from the mining lease area contribute to the development of infrastructure & prosperity of the area/region.

2.3 LOCATION DETAILS

Mining will be confined to the allotted lease area is private land which is a part of terrace deposit beside Chhaunch Khadd. The mining lease area is 02-94-00 hectare Situated in MAUZA/MOHAL- Bain Attarian, Tehsil-Indora, and District-Kangra(H.P). The lease area is connected to the nearest metalled road through unmetalled road at a distance of about 800m.

The lease area lies in the Bed of Chhaunch Khadd. The co-ordinates of the mine lease area are:

(Map showing pillar coordinates of applied lease area attached as Map no-IV.)

Latitude : $32^{\circ} 10'25.75'' N$ - $32^{\circ} 10'19.21'' N$

Longitude : $75^{\circ} 40'38.44'' E$ - $75^{\circ} 40' 32.94'' E$

Details of Applicant

Table No. 2.

| | |
|-----------------------------|---|
| Name of the applicant | Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher |
| Name & Address of applicant | R/o Village Nawada, P.O Kandrori, tehsil, Indora, district Kangra (H.P). |
| Name of Mine | Sand Stone, and Bajri Mining Project By Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher. |
| Mineral | Sand Stone and Bajri |
| Area (ha) | 02-94-00 Ha, |
| Location | Mauza / Mohal- Bain Attarian, Tehsil-Indora, & District- Kangra (H.P) |
| Status of Project | New |

2.4 DETAILS OF THE LEASE AREA

As per revenue record, the area is a Private land classified as Gair Mumkin Khadd.

Table No. 2.2

| Khasra Number | Owner of Land | Kism | Mauza/Mohal | Area (Ha) | Name of the Panchayat |
|---------------|---------------|-------------------|---------------|---------------|-----------------------|
| 177/1 | Private Land | Gair Mumkin Khadd | Bain Attarian | 02-94-00 Ha,. | Nawada |
| TOTAL | | | | | |

Source-Approved Mining Plan

2.5 GEOLOGY

REGIONAL GEOLOGY

The Shiwalik Group mainly represents the rocks of the district. In addition to this at few places the Newer Alluvium of Quaternary age are also present.

SIWALIK GROUP

The Siwalik deposits are one of the most comprehensively studied fluvial sequences in the world. They comprise mudstones, sandstones, and coarsely bedded conglomerates laid down when the region was a vast basin during Middle Miocene, to Upper Pleistocene times. The sediments were deposited by rivers flowing southwards from the Greater Himalayas, resulting in extensive multi-ordered drainage systems. Following this deposition, the sediments were uplifted through intense tectonic regimes (commencing in Upper Miocene times), subsequently resulting in a unique topographical entity-the Siwalik Hills. The Siwaliks are divided

stratigraphically into three major Subgroups-Lower, Middle, and Upper. These Subgroups are further divided into individual Formations that are all laterally and vertically exposed today in varying linear and random patterns.

Ongoing erosion and tectonic activity has greatly affected the topography of the Siwaliks. Their present-day morphology is comprised of hogback ridges, consequent, subsequent, obsequent, and resquent valleys of various orders, gullies, choes (seasonal streams), earth-pillars, rilled earth buttresses of conglomerate formations, semi-circular choe-divides, talus cones, colluvial cones, water-gaps, and choe terraces. Associated badlands features include the lack of vegetation, steep slopes, high drainage density, and rapid erosion

rates. In the advent of Neogene a depression was formed in front of the rising mountains (Proto- Himalaya). This depression becomes a repository of a thick sequence of molassic sediments of the Siwalik. The Siwalik Group comprising conglomerates friable micaceous sandstone, siltstone and claystone.

The conglomerates in general are poorly cemented but at places they are very hard. These consist mainly of pebbles and cobbles of quartzite. The stray pebbles of granite, limestone, sandstone, braccia and lumps of claystone are also observed at places. The conglomerates not only occur as regular band but also as lenticular bands alternative with micaceous sandstone and claybeds. The sediments were brought down 2 to 25 million years ago by the numerous fast flowing rivers issuing forth from rapidly Rising Mountain mass of the Himalaya, in the north.

The Siwalik Group is divisible into three sub-groups respectively the Lower, Middle and Upper based on the lithostratigraphy. The general lithostratigraphy of the area is as given below.

| Group | | Lithology | Age | |
|----------------|------------------|---|--|---------|
| Newer Alluvium | Channel Alluvium | Grey, fine to coarse micaceous sand and silts along with cobbles and pebbles of the fan and terrace alluvium. | Quaternary | |
| | Terrace Alluvium | Grey, micaceous, fine to coarse grained sand, silt, clays and cobble and pebbles. | | |
| | Fan Alluvium | Brownish grey clay, sand and gravel, white to grey coloured cobble and pebble sequence. | | |
| Older Alluvium | Dun Gravels | Multicyclic sequence of brown to grey silt, clay with kankar and reddish brown to grey micaceous sand with pebbles & cobbles. | | |
| Siwalik Group | Upper Siwalik | B | Predominantly massive conglomerate with red and orange clay as matrix and minor sandstone and earthy buff and brown claystone. | Neogene |
| | | A | Sandstone, clay and conglomerate alternation. | |
| | Middle Siwalik | B | Massive Sandstone with minor conglomerate and local variegated claystone. | |
| | | A | Predominantly medium to coarse-grained sandstone and red clay alternation, soft pebbly with subordinate claystone, locally thick prism of conglomerate. | |
| | Lower Siwalik | B | Alternation of fine to medium-grained sporadically pebbly sandstone, calcareous cement and prominent chocolate and medium maroon claystone in the middle part. | |

Geological Conditions of Catchment

The Kangra district lies between Siwalik and the Lesser Himalaya. The Lesser Himalayas are located in northwestern India in the States of Himachal Pradesh and Uttar Pradesh, in north-central India in the State of Sikkim. Range from 1500 meters to 5000 meters in height. The Kangra District covers an area of 5700 sq. kms in the west northwestern part of Himachal Himalaya, bordered by Punjab and Chamba, Kullu, Mandi, Hamirpur and Una in the north, east, south respectively. The elevation of the district above mean sea level (MSL) varies from 500 meters to more than 6000 meters. In the district where the Siwalik rocks are exposed, the topography represents a series of parallel hill ranges separated by longitudinal valleys. These valleys are very fertile. The high peaks where the altitude is more than 4000 meters above MSL remain covered with snow. Many streams that exist in the district are snow-fed and many get water from the rains.

Existing Land Use Pattern, Shortest Distances from Forests, Water Bodies and Eco-Sensitive Areas, Etc.

The mining lease area is situated in the bed of Chhaunch Khadd. The stream course is occupied with river-borne deposits which comprises of cobbles, pebbles, sands and silt/clay deposits forming channel deposits of annual deposition. The rock along the banks are terrace alluvium and fan alluvium and in higher reach of catchments Upper Siwalik formation. The land, in which the mining lease lies, is at present as per revenue record, the area is a private land classified as Gair Mumkink Khadd.

There is no forest land or agriculture land in the mine lease area. There is no eco-sensitive area within 15 km radius of mine lease area.

Existing Infrastructure

The site has no existing infrastructure, except for connecting road for transportation.

Geomorphology & Soils

Kangra district presents an intricate mosaic of mountain ranges, hills and valleys. It is primarily a hilly district, with altitudes ranging from 350 m amsl to 4880 m amsl in the hills of Dauladhar. Physiographically, the district can be divided into six units-viz. (i) high hills, which cover almost 60% of the district (ii) Fluvio glacial outwash terraces, which is located in the north eastern part of the district (iii) structural terraces, in the central part (iv) valleyfills (v) piedmont plain and (vi) flood plain. Six type of soils are observed in the district, they are :-

1. Histosols (Snow field, Peaty and Saline Peaty)
2. Ultisols (Brown red and yellow)
3. Alfisols (Sub Mountain)
4. Ardisols (Grey Brown)
5. Entisols (Younger alluvium)

(Central Ground Water Board, Kangra, Ministry of Water Resources, District Book 2007)

The district being hilly and mountainous with few valleys, traditional sources of ground water has played a major role since past. However, the ongoing civilization has emplaced some modern means for tapping the ground water. High hill ranges occupy more than 70 % of the area of the district. During the past years, the traditional ground water source has served the settlements. These include the nalla's, springs, Chasma's, khattris etc. In some of the areas, at present these are the only sources for the survival of the settlements. During the last 15-20 years of

development, Irrigation and Public Health Department has constructed number of small depth bore wells, fitted with hand pumps in these areas for ground water use. Large scale development for ground water is seen in the valley areas, particularly in the Indaura, Nurpur, Kangra and Palampur Valleys. There exists a wide scope to explore the potentialities of rest of the areas for ground water. It is also important to note that, the State agencies have established number of irrigation and water supply schemes on various major rivers, tributaries and khads. This has reduced the dependency of the people on ground water. The need, however is supported by shallow depth bore wells, fitted with hand pumps. The entire hilly area of the district is feasible for only drilling shallow to medium depth bore wells.

The Beas River: The entire drainage of the Beas River above Pandoh (Mandi) has been diverted to Govind Sagar (The Sutlej River). The river receives only regulated flows downstream of Pandoh and the flows contributed by the Uhl River, Neogal Khad and Binwa Khad along with the other minor seasonal rivers/Khads directly join the river Beas. Other important tributaries of Beas are Baker, Salagi, Nauli, Maili and Jangled Khads. In INDORA district's, INDORA and Man khads are the major streams. These along with other major khads join the Beas River.

INDORA Khad: INDORA is the most important tributary of the Beas River in the district. Major tributaries of this khad are Sukar, Jhaniari, Gasota, Hathali and Sukrala Khads. These khads are perennial and have floods during rainy season.

Man Khad: Man Khad is another perennial tributary of Beas River which originates near Deotsidh and flows towards NNW, to join Beas River to the west of Nadaun. Important tributaries of this khad are Haretta, Bambloo and Matwara Khads.

YAMUNA: Sukker and Sir Khads are the main khads joining the Sutlej River and Govind Sagar.

These occupy the southernmost part of the district and flow towards south to directly fall into the Govind Sagar. These are ephemeral in the upper parts and become perennial in the lower parts.

Sir Khad: Sir Khad is another important khad, which is draining the eastern most part and flows towards east. This khad is ephemeral in upper catchment area and becomes perennial in lower parts

2.6 MINING

The mining is confined to extraction of Sand Stone and *Bajri* from the proposed mine site. The extracted sand stone and bajri will be collected in its existing form. Mining of Stone, Sand and *Bajri* will be carried out only up to a depth of 1 m (3 feet) depth.

1. The mining shall be taken manually/mechanically with the help of tyre mounted excavator and to load materials into the tractors/tippers/trucks.
2. No blasting is required.
3. The area being part of the River which receives annual rainfall, the mining area will get replenished during every rainy (monsoons) season. As abundant precaution, keeping in view the variation in rainfall particularly highest rainfall, which generally causes floods, the factor of eight cm annual replenishment is taken into consideration in general.
4. Keeping in view of the replenishment factor, no rotational mining has been proposed. The complete mineable area shall be explored every year.
5. Though the major mining activities will be under taken during the dry seasons.
6. Thus effective mining will be only for 300 days in a year.
7. Mining activity will be done in day time only (9 AM-5 PM).

The area of the proposed mine is 02-94-00 ha. the proposed capacity of Stone and and Bajri will be 26,365 TPA. The Applicant intends to mine Stone, Sand and Bajri from the allotted lease area.

2.6.1 PRODUCTION PARAMETERS

The Mineral production target for the Next five years is given below:

Table Showing Year wise Production Programme

Table No. 2.6

| Year | Bench level in meter | Opening reserves of usable Stone/Sand/Bajri Of the bench (in M.T.) | Annual Production of usable Stone/Sand/Bajri Of the bench (in M.T.) | Closin reserve of the bench(M.T) |
|----------------------|----------------------|--|---|----------------------------------|
| 1 st Year | 300 | 89850 | 26365 | 63485 |
| 2 nd Year | 300 | 63485 | 26365 | 37120 |
| 3 rd Year | 300 | 37120 | 26365 | 10755 |
| 4 th Year | 300 | 101715 | 26365 | 76100 |
| 5 th Year | 298 | 76100 | 26365 | 49735 |

Source: - Approved mine Plan.

2.7.1 Climate & Rainfall

The climate of the district varies from sub-tropical to sub-humid. Winter varies from December to February and summer extends from March to June while July to September is rainy months. The average rainfall in the district occurs between July to September. The average rainfall in the district during 2005 was 1765.1 mm. Snow fall is received in the higher reaches of Dhauladhar ranges. Average minimum and maximum temperature of the area is 3°C and 45°C.

(Source: Ground Water Information Booklet, Central Ground Water Board, Ministry of Water Resources, District Kangra, Himachal Pradesh 2008).

Township

Since this mining is intermittent and labour employed would be mostly from adjoining areas, no colony is proposed.

2.7.2 POWER, WATER SUPPLY AND OTHER INFRASTRUCTURE REQUIREMENTS

The site has no existing infrastructure, except for connecting road for transportation

2.7.2.1 POWER

The mining shall be taken manually with the use of hand tools, shovels, Pans etc. The material will be extracted and loaded directly into tractor trolleys by the workers themselves. The operation will be done in day time only, so there is no power requirement for the mining activity.

2.7.2.2 WATER SUPPLY

Table No. 2.5

| Activity | Water Requirement (KLD) |
|------------------|-------------------------|
| Dust suppression | 4.8 |
| Plantation | 0.8 |
| Domestic purpose | 0.7 |
| Total | 6.3 |

Water Requirement for drinking purpose and for dust suppression will be fulfilled from private borewell situated at Crusher Site Village Bain Attarian, Tehsil-Indora (H.P)

2.7.2.3 Infrastructure:

- The site services like temporary rest shelters for workers working at the mine site.
- Facilities for sanitation-community toilets with septic tanks.
-

2.8 Reclamation:

2.9 Mine Waste Disposal:-

2.9.1 Waste –Disposal Arrangement

There is no waste will be generated.

(Source- Working cum Environment management Plan)

2.9.2 Reclamation Plan

The afforestation programme is the most important programme to improve the environment and ecological balance of the area. It is observed that there is no land available in the mine lease area where the plantation in the phased manner can be carried out. However plantation will be done along the haul road side.

The year wise area proposed for plantation is as under:

Table 2.7

| S.NO | Year | Area in Sq. m | NO OF PLANTS |
|-------------|----------------------|----------------------|---------------------|
| 1 | 1 st YEAR | 1000 | 100 |
| 2 | 2 nd YEAR | 1000 | 100 |
| 3 | 3 rd YEAR | 1000 | 100 |
| 4 | 4 th YEAR | 1000 | 100 |
| 5 | 5 th YEAR | 1000 | 100 |
| | Total | 5000 | 500 |

Flow Chart showing the operation:




Figure 0-1: STONE SAND & BAJRI Mining Process

2.10 PROJECT COST

Expected project cost is 9.45 Lacs.

2.11 PROJECT IMPLEMENTATION SCHEDULE

The mine is not working presently. We will operate the mine after getting Environment Clearance, Consent to Establish & Consent to operate.

CHAPTER III-DESCRIPTION OF ENVIRONMENT

3.0 INTRODUCTION

This section contains the description of baseline studies of the 10 km radius of the area surrounding Mauza/Mohal- Bain Attarian and District Kangra (H.P). The data collected has been used to understand the existing environment scenario around the proposed mining project against which the potential impacts of the project can be assessed.

It is necessary to study the present scenario of the area by collecting the information on following parameters:

- Land Environment
- Soil Environment
- Water Environment
- Air Environment
- Meteorology
- Noise Environment
- Biological Environment
- Socio-economic Environment

The relevant information and data (Both Primary & Secondary) were collected in core as well as buffer zone (10 km. distance from the lease boundary) during Post Monsoon of 2022 in accordance with the guidelines for preparation of EIA studies.

Secondary data were collected from Indian Meteorological Department (IMD), State Mines & Geology, Hydrology, Ecology, Socio-Economic from SOI, Water Resource, Forest, Census, Statistical departments etc.

Table 3-1: Environmental Setting of the Study Area

| Sr. No. | Particulars | Details |
|---------|---|---|
| A. | Nature of the Project | Sand Stone, and Bajri Mining Project By Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher(partners S/Shri Jahangir Ali, Jaibir Singh, Rajesh Gupta & Rohit Chowdhry) |
| B. | Size of the Project | |
| 1. | Applied Mine Area | 02-94-00 Ha. |
| 2. | Proposed Production capacity | 26,365 TPA (ROM) of Sand Stone & Bajri |
| C | Location Details | |
| 1. | Village | Mauza/Mohal- Bain Attarian |
| 2. | Tehsil | Indora |
| 3. | District | Kangra |
| 4. | State | H.P. |
| 5. | Latitude & Longitude | The Latitude & Longitude of Mining Lease Area is mentioned below- |
| | The Latitude & Longitude of Mining Lease Area | |
| | Latitude (N) | Longitude (E) |
| | 32° 10' 25.75" N | 75° 40'38.44" E |
| | 32° 10' 19.21" N | 75° 40'32.94" E |
| 6. | Toposheet No. | 43P/12 |
| D | Environmental Settings of the Area | |
| 1. | Ecological Sensitive Areas | Project lies on Chhaunch Khadd bed only |
| 2. | River / water body | Yamuna which is the tributary of Yamuna River Near village Bain Attarian |
| 3. | Nearest Town / City | Nearest Town- Nangal about 2.82 km in East direction. District Headquarter- Kangra |
| 4. | Nearest Railway Station | Kandrori Railway Station about 1.31 km |

Draft EIA/EMP REPORT OF Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mining Project, AREA IS- 02-94-00 HA, LOCATED NEAR VILLAGE- Mauza/Mohal Bain Attarian, TEHSIL – INDORA & DIST- Kangra (h.p)

| Sr. No. | Particulars | Details |
|---------|-----------------------------|--|
| 5. | Nearest Airport | Pathankot Airport Approx. 6.42 km away in NW direction |
| 6. | State Boundary | No state boundary touching the lease area. |
| 7. | Seismic Zone | Seismic zone – IV |
| D | Cost Details | |
| 1. | Total Project Cost | 9.45 Lakh |
| E | Requirements of The Project | |
| 1. | Proposed Water Requirement | 6.3 KLD |
| 2. | Fuel requirement | 0.5 KLD |
| 3. | Man Power Requirement | 15 (Skilled and unskilled persons) |

3.1 LAND ENVIRONMENT

The total land of the study area is divided into different categories.

- Built-up Area
- Cropped Land
- Fallow Land
- Vegetation
- Barren Land
- Water Body

3.1.1 Data Input

IRS LISS3 Multispectral digital FCC (False Color Composite) data from NRSC Bhuwan Portal has been used for preparation of Land use/ Land cover thematic map of study area. Project site mine plan map & Google maps and Toposheet has been used as a reference map for preparation of base layer map like road, rail network, project site boundary, landmarks point etc.

Satellite Image : IRS LISS3

Band Combination : 2, 3, 4

DIP Software : ERDAS Imagine 9.2 & Arc GIS 9

3.1.2 Methodology

Land use / Land cover map preparation, Base map creation; and Geometric correction of satellite image has been processed using ERDAS Imagine 9.2 Software. The methodology used for land use land cover study is as follows:

3.1.3 Geo Referencing of Topo Map

SOI Toposheet has been geo-referenced in geographic lat/long coordinate system using ERDAS Imagine Software.

3.1.4 Base Map Layer Creation

Base map has been prepared using ancillary Google maps as a reference map on 1:50000 scale. In base layer linear and point feature like road, rail, canal, village location and plant site have been created in vector data format


The land use of the study area is given in **Error! Reference source not found.**

Table 3.2: Existing Land use pattern of the Study Area

The land use of the study area is tabulated below:

| S. No. | Description | Area in Hectares | Percentage share in total area |
|--------------|------------------------|------------------|--------------------------------|
| 1 | Settlement | 864.76 | 10.94 |
| 2 | Forest | 834.40 | 10.56 |
| 3 | Open Scrub/ other Land | 1013.24 | 12.82 |
| 4 | Agriculture | 4157.08 | 52.59 |
| 5 | Water bodies | 1035.57 | 13.10 |
| Total | | 7905.05 | 100.00 |

The 5 km radius land use map is attached.




APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

3.2 Topography & Drainage of the study area

The applied area forms a part of the river bed confined by embankments and is replenished during monsoon floods. YAMUNA is a main tributary of Yamuna River. The river Yamuna forms dendritic type of drainage pattern during its flow course. YAMUNA originates from near village Kharapathar in Jubbal tehsil of the district Shimla at height of about 3270 mtrs.

Figure No. 3.1 Topographic Map



APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

3.3 METHODS FOR MONITORING

Table 3.3: Methods adopted for PM₁₀, PM 2.5, SO₂ and NO₂

| Parameters | Technique | Technical Protocol | Minimum Déetectable Limit |
|-------------------|--------------------|--------------------------------------|---------------------------|
| PM ₁₀ | Gravimetric method | IS 5182 (Part-XXIII) | 5 (µg/m ³) |
| Sulphur Dioxide | West and Gaeke | IS-5182 (Part-II) | 3 (µg/m ³) |
| Nitrogen Dioxide | Jacob & Hochheiser | IS-5182 (Part-VI) | 7 (µg/m ³) |
| PM _{2.5} | Gravimetric method | CPCB Guidelines - Volume-I, May 2011 | 5 (µg/m ³) |

3.3.1 BASELINE DATA

I Air environment

Ambient air quality monitoring stations were selected primarily on the basis of surface influence, demographic influence and meteorological influence. 24 hourly monitoring was carried out for SO₂, NO₂, and PM_{2.5} & PM₁₀ twice a week at each station. This study was done for a period of a month Oct. 2022 to Dec. 2022.

b. Method of monitoring

The Central Pollution Control Board (CPCB) has published comprehensive document on emission testing regulations (“Emission Regulations Part-3, 1985”). Those procedures relevant to the particulate monitoring are summarized below:


I. Particulate Matter (PM):-

The CPCB method and IS 5182 (Part-XXIII) adopt a very similar approach to particulate sampling. There are some differences in the expressions used, but they are generally of no practical significance. It is recommended that CPCB method is adapted.

ii. Equipment Calibration:

For accurate testing of emission sources, the components of the sampling train is calibrated by outsource and supplier (Master Calibrator) standards and solutions are used, calibrated under certified reference material. The Ambient air quality monitoring locations are marked in **Map**.

Figure No. 3.2 Air Monitoring Station Map



APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
 STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
 CONSULTANT

The ambient air quality data were collected to find the existing GLC. The data is given in Table No. 3.3 (ii).

Table 3.3 (i) Ambient air quality monitoring stations

| S. No. | Location | Station Name | Approx Distance (KM) | Direction |
|--------|----------|--------------|----------------------|-----------|
| 1. | AQ1 | Project Site | -- | -- |
| 2. | AQ2 | 500 M | 0.05 | N |
| 3. | AQ3 | Bain Attrain | 1.20 | N |
| 4 | AQ4 | Naswar | 2.72 | NE |
| 5 | AQ5 | Indora | 3.60 | S |
| 6 | AQ6 | Jindri | 2.70 | W |
| 7 | AQ7 | Gheba | 3.60 | SW |
| 8 | AQ8 | Khubbar | 1.75 | SE |

Table 3.3 (ii): Ambient Air Quality Status

| S. No. | Pollutant | Location | No. of observation | Minimum | Maximum | Average | 98 th Percentile | CPCB Standards |
|--------|---|----------|--------------------|---------|---------|---------|-----------------------------|----------------|
| 1. | SO ₂ (µg/m ³) | AQ1 | 8 | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | 80.0 |
| | | AQ2 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| | | AQ3 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| | | AQ4 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| | | AQ5 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| | | AQ6 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| | | AQ7 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| | | AQ8 | | BDL<6.0 | BDL<6.0 | BDL<6.0 | -- | |
| 2. | NO ₂ (µg/m ³) | AQ1 | 8 | 13.3 | 16.5 | 14.9 | 14.6 | 80.0 |
| | | AQ2 | | 13.5 | 16.0 | 14.7 | 14.5 | |
| | | AQ3 | | 13.7 | 16.8 | 15.2 | 14.9 | |
| | | AQ4 | | 13.5 | 16.8 | 15.15 | 14.8 | |
| | | AQ5 | | 13.3 | 16.5 | 14.9 | 14.6 | |
| | | AQ6 | | 13.9 | 17.2 | 15.5 | 15.2 | |
| | | AQ7 | | 13.6 | 16.8 | 15.2 | 14.9 | |
| | | AQ8 | | 13.6 | 16.7 | 15.1 | 14.8 | |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | | | | |
|----|---|-----|---|------|------|------|------|-------|
| 3. | PM ₁₀ (µg/m ³) | AQ1 | 8 | 65.8 | 80.5 | 73.1 | 71.7 | 100.0 |
| | | AQ2 | | 65.3 | 80.8 | 73.0 | 71.6 | |
| | | AQ3 | | 66.5 | 78.7 | 72.6 | 71.1 | |
| | | AQ4 | | 65.6 | 78.3 | 71.9 | 70.5 | |
| | | AQ5 | | 66.8 | 78.2 | 72.5 | 71.1 | |
| | | AQ6 | | 65.4 | 77.5 | 71.4 | 70.0 | |
| | | AQ7 | | 65.5 | 79.9 | 72.7 | 71.2 | |
| | | AQ8 | | 65.5 | 80.1 | 72.8 | 71.3 | |
| 4. | PM _{2.5} (µg/m ³) | AQ1 | 8 | 36.3 | 42.2 | 39.2 | 38.5 | 60.0 |
| | | AQ2 | | 36.2 | 42.0 | 39.1 | 38.3 | |
| | | AQ3 | | 37.8 | 42.6 | 40.2 | 39.4 | |
| | | AQ4 | | 36.5 | 41.8 | 39.1 | 38.4 | |
| | | AQ5 | | 35.4 | 41.5 | 38.4 | 37.7 | |
| | | AQ6 | | 36.5 | 41.6 | 39.0 | 38.3 | |
| | | AQ7 | | 36.3 | 42.6 | 39.4 | 38.7 | |
| | | AQ8 | | 36.3 | 42.1 | 39.2 | 38.4 | |

BDL: Below Detectable Level

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

3.4 Observations:


Ambient Air Quality Monitoring reveals that the minimum & maximum concentrations of PM₁₀ amongst all the 8 AQ monitoring stations were found to be 65.3 µg/m³ at AQ2 and 80.8 µg/m³ at AQ2, respectively. This dust concentration will get considerably reduced the moment measures are taken for dust control at the crusher itself, like the wet crushing, or extraction of dust laden air and cleaning of dust thereof.

As far as the gaseous pollutants SO₂ and NO₂ are concerned, the prescribed CPCB limit of 80 µg/m³ for residential and rural areas has never surpassed at any station. The minimum concentrations of SO₂ are BDL < 6.0 µg/m³. The minimum & maximum concentrations of NO₂ were found to be 13.3 µg/m³ at AQ1 and AQ5 & 17.2 µg/m³ at AQ6 respectively

3.5 Hydrology and Physiography of the Study Area

3.5.1 Hydrogeology

The rock formations occupying the district range from pre-Cambrian to Quaternary



period. The generalized geological succession in the district is given below.

The Hydrogeological frame work of the district is essentially controlled by the geological setting, distribution of rainfall, snow fall, which facilitates circulation and movement of water through inter-connected primary and secondary porosity of the rocks

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
CONSULTANT**

constituting the aquifers. Based on the geological diversities and relative ground water potentialities of different

geological formations, the district can broadly be divided into two Hydrogeological units

i. Fissured formations

ii. Porous formations

i. Fissured Formations:

Fissured formations comprise hard rocks belonging to Jutogh, Shali limestones, Chails, Chandpurs, Kangra-Darla volcanic, Subathus, Dharamsala and Siwaliks. These formations consist of schist, quartzite, slates, phyllites, limestones, granites, gneisses, sandstones, conglomerates and shales. These rocks are generally massive and consolidated, devoid of primary porosity and permeability's. Secondary porosity and permeability has developed due to the tectonic activities along the fractured joints and fault zones. Weathered zone rarely form an aquifer because of less thickness of the weathered mantle. In this hard rock terrain ground water occurs either, along structurally weak zones, viz. fracture zones, faults, joints or along the contacts of different formations. The ground water in such areas is discharged through the springs in the topographically favourable areas. The thrust zones (Main boundary Fault/Palampur Thrust) and other faults at lower topography are the important areas for ground water development. Springs located along the thrust zone in Dharamsala and Palampur areas are having a discharge of more than 40 lps, indicative of their high potentialities. In Siwalik formations, the contact zones of various formations and fault zones

form potential ground water horizons, especially between Nadaun in the east and Nurpur in the west. Important springs at Trilokpur (30 lps) and Nagni (25 lps) are located at the intersection of Jawalamukhi thrust and north-south trending faults. Compact conglomeratic formations are generally devoid of water, but hand pumps have been successfully installed in low topography area and along fractured zones. The boreholes drilled for installing handpumps have yielded from less than 1 lps to about 20 lps. Discharge is generally higher in Jawalamukhi area along the thrust zone. Depth to water varies from free flowing condition at Darshanpur(Trilokpur) to about 30 m in the bored wells. Depth to water in shallow zones (dugwells-NHS), generally varies from less than 1 m to 15.44 m. Water level is shallower in topographic lows.

ii Porous Formations:

Quaternary sediments as fluvio-glacial and fluvatile deposits occur as valley fill deposits, overlying the older rocks. Morainic and fluvio-glacial deposits are distributed in Kangra Palampur valley and in the higher altitude areas, while fluvatile deposits occur either along Beas River or its tributaries in low altitude areas.





Figure No. 3.3 geology Map

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
CONSULTANT**

3.5.2 Physiography

Figure No. 3.4 Physiography and Drainage Map



APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT


3.5.2 Relief

The lease area is valley plain surface having Chhaunch Khadd Bed.

3.6 Water environment

Water samples were collected from the study area. The physico-chemical analysis of the water samples is given in the Table 3.3 (IV).

The Ground water sampling locations are marked in Map



**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Table 3.3 (iii) Ground water sampling locations

| Station No. | Location | Approx. Distance | Direction |
|-------------|--------------|------------------|-----------|
| GW1 | Project Site | -- | -- |
| GW2 | 500 M | 0.05 | N |
| GW3 | Bain Attrain | 1.20 | N |
| GW4 | Naswar | 2.72 | NE |
| GW5 | Indora | 3.60 | S |
| GW6 | Jindri | 2.70 | W |
| GW7 | Gheba | 3.60 | SW |
| GW8 | Khubbar | 1.75 | SE |

Table 3.3 (iv) Physico-chemical properties of ground water Study Period – October'22-December'22

| S. N O | Parameter | Unit | Requirement (Desirable Limit) (As per BIS 10500:2012) | Permissible limit in the Absence of Alternate source (As per BIS 10500:2012) | Location and Source of Water Sample | | | | | | | |
|--------|---|-------|---|--|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|
| | | | | | GW1 | GW2 | GW3 | GW4 | GW5 | GW6 | GW7 | GW8 |
| 1 | pH | NA | 6.5 to 8.5 | NR | 8.15 | 8.13 | 7.99 | 7.88 | 7.08 | 7.63 | 7.72 | 7.08 |
| 2 | Turbidity | NTU | 1.0 | 5.0 | 1.2 | 1.3 | 1.2 | 1.5 | 1.2 | 1.4 | < 1.0 | 1.2 |
| 3 | Conductivity | µS/cm | -- | -- | 610.00 | 333.33 | 370.00 | 520.00 | 380.00 | 393.33 | 458.32 | 398.00 |
| 4 | Temperature | °C | -- | -- | 18.3 | 19.0 | 18.6 | 18.8 | 18.5 | 18.9 | 19.2 | 18.7 |
| 5 | Total Alkalinity as CaCO ₃ | mg/l | 200.00 | 600.00 | 105.00 | 45.00 | 65.00 | 90.00 | 95.00 | 55.00 | 120.00 | 95.00 |
| 6 | Total Suspended Solids | mg/l | -- | -- | 8.00 | 7.00 | 9.00 | 6.00 | 8.00 | 22.00 | 5.00 | 8.00 |
| 7 | Total Dissolved Solids | mg/l | 500.00 | 2000.00 | 385.00 | 200.00 | 222.00 | 312.00 | 228.00 | 258.00 | 297.91 | 259.00 |
| 8 | Total Hardness as CaCO ₃ | mg/l | 200.00 | 600.00 | 92.07 | 60.04 | 92.07 | 172.13 | 132.10 | 124.10 | 180.14 | 132.10 |
| 9 | Calcium Hardness as Ca ²⁺ | mg/l | 75.00 | 200.00 | 20.84 | 14.42 | 20.84 | 35.27 | 27.25 | 32.06 | 51.03 | 27.25 |
| 10 | Magnesium Hardness as Mg ²⁺ | mg/l | 30.00 | 100.00 | 9.86 | 5.82 | 9.86 | 20.40 | 15.54 | 10.69 | 12.64 | 15.54 |
| 11 | Chloride as Cl ⁻ | mg/l | 250.00 | 1000.00 | 67.35 | 38.99 | 35.45 | 42.54 | 24.81 | 46.08 | 56.72 | 24.81 |
| 12 | Fluoride as F ⁻ | mg/l | 1.00 | 1.50 | 0.54 | 0.31 | 0.36 | 0.52 | 0.38 | 0.41 | 0.39 | 0.38 |
| 13 | Nitrate as NO ₃ ⁻ | mg/l | 45.00 | NR | 8.58 | 3.58 | 4.58 | 3.69 | 5.21 | 0.11 | 5.45 | 5.21 |
| 14 | Sulphate as SO ₄ ²⁻ | mg/l | 200.00 | 400.00 | 14.91 | 7.47 | 7.91 | 9.87 | 12.22 | 19.25 | 14.78 | 12.22 |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog
Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located
Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| S. N O | Parameter | Unit | Requirement (Desirable Limit) (As per BIS 10500:2012) | Permissible limit in the Absence of Alternate source (As per BIS 10500:2012) | Location and Source of Water Sample | | | | | | | |
|--------|---|------|---|--|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|
| | | | | | GW1 | GW2 | GW3 | GW4 | GW5 | GW6 | GW7 | GW8 |
| 15 | Chemical Oxygen Demand(COD) | mg/l | -- | -- | 10.00 | 8.00 | 8.00 | 8.00 | 8.00 | 12.00 | 8.00 | 12.00 |
| 16 | Dissolved Oxygen | mg/l | -- | -- | 4.05 | 4.40 | 4.35 | 3.90 | 4.80 | 4.90 | 4.10 | 4.80 |
| 17 | Sodium as | mg/l | -- | -- | 14.87 | 8.36 | 7.82 | 9.35 | 5.45 | 6.13 | 13.20 | 5.45 |
| 18 | Potassium as K | mg/l | -- | -- | 1.78 | 1.05 | 0.92 | 1.12 | 0.65 | 1.21 | 1.34 | 0.65 |
| 19 | Iron as Fe | mg/l | 0.30 | NR | 0.14 | 0.12 | 0.13 | 0.15 | 0.12 | 0.13 | 0.13 | 0.14 |
| 20 | Phosphorus as PO ₄ ³⁻ | mg/l | -- | -- | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Part-B

3.6.1 Observation:

Analysis results of ground water reveal the following: -

- PH varies from 7.08 at GW5 to 8.15 at GW1.
- Total hardness varies from 60.04mg/l at GW2 to 180.14 mg/l at GW7.
- Total dissolved solids vary from 200.0 mg/l at GW2 to 385.0 mg/l at GW1.

The ground water from all sources remains suitable for drinking purposes as all the constituents are within the limits prescribed by drinking water standards promulgated by Indian Standards IS: 10500.

Fluorides and nitrates are within the permissible limits. Most of the parameter in ground water sources is well within the permissible limits as per IS: 10500-1991, Drinking Water Standards.

3.6.2 Surface water

Two water samples were collected from the river Upstream & Downstream area. The Surface water sampling locations map attached as **Annexure XIV**. The physico-chemical analysis of the water samples is given in the Table 3.3 (vi).

Table 3.3 (vi)

Surface water sampling locations

| Station No. | Location | Approx. Distance | Direction |
|-------------|----------------------------|------------------|-----------|
| SW1 | Chhaunchh River Upstream | 3.0 | NW |
| SW2 | Chhaunchh River Downstream | 3.40 | SW |

SW1- Chhaunchh River Upstream

| S.No | Parameter | Test Method | Results | Units | Tolerance Limit as per IS:2296 | | | | |
|------|--|------------------|---------|--------|--------------------------------|---------|---------|---------|---------|
| | | | | | Class A | Class B | Class C | Class D | Class E |
| 1 | pH | IS:3025(Part-11) | 7.77 | - | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 |
| 2 | Temperature | IS:3025(Part-09) | 18.5 | °C | - | - | - | - | - |
| 3 | Turbidity | IS:3025(Part-10) | 9.5 | NTU | - | - | - | - | - |
| 4 | Conductivity @25°C | IS:3025(Part-14) | 408.33 | µs/cm. | - | - | - | 1000 | 2250 |
| 5 | Total Suspended Solid | IS:3025(Part-17) | 21.00 | mg/l | - | - | - | - | - |
| 6 | Total Alkalinity (as CaCO ₃) | IS:3025(Part-23) | 55.00 | mg/l | - | - | - | - | - |
| 7 | Dissolved Oxygen (as O ₂) Min. | IS:3025(Part-38) | 4.90 | mg/l | 6 | 5 | 4 | 4 | - |
| 8 | Calcium Hardness (as Ca ²⁺) | IS:3025(Part-40) | 20.84 | mg/l | 80 | - | - | - | - |
| 9 | Magnesium Hardness (as Mg ²⁺) | IS:3025(Part-46) | 9.71 | mg/l | 24 | - | - | - | - |
| 10 | Chloride (as Cl), Max | IS:3025(Part-32) | 60.26 | mg/l | 250 | - | - | - | 600 |
| 11 | Iron (as Fe), Max | IS:3025(Part- | 0.11 | mg/l | 0.3 | - | 50 | - | - |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
CONSULTANT**

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog
Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located
Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | | | | | |
|----|---|--------------------|--------|------|-----|-----|------|---|------|
| | | 53) | | | | | | | |
| 12 | Fluoride(as F),Max | IS:3025(Part-60) | 0.31 | mg/l | 1.5 | 1.5 | 1.5 | - | - |
| 13 | Total Dissolved Solid | IS:3025(Part-16) | 245.00 | mg/l | 500 | - | 1500 | - | 2100 |
| 14 | Total Hardness (as CaCO ₃) | IS:3025(Part-21) | 92.07 | mg/l | 300 | - | - | - | - |
| 15 | Sulphate (as SO ₄)Max | IS:3025(Part-24) | 7.78 | mg/l | 400 | - | 400 | - | 1000 |
| 16 | Phosphorous (as PO ₄ ³⁻) | IS:3025(Part-31) | <0.05 | mg/l | - | - | - | - | - |
| 17 | Sodium (as Na) | IS:3025(Part-45) | 13.20 | mg/l | - | - | - | - | - |
| 18 | Potassium (as K) | IS:3025(Part-45) | | mg/l | - | - | - | - | - |
| 19 | Nitrate (as NO ₃),Max | IS: 3025 (Part-34) | | mg/l | 20 | - | 50 | - | - |
| 20 | Chemical Oxygen Demand (asCOD) | IS-3025(Part-58) | | mg/l | - | - | - | - | - |

Remarks:-

Class A-Drinking water without conventional treatment but after disinfection.

Class B-Water for outdoor bathing.

Class C-Drinking water with conventional treatment followed by disinfection.

Class D-Water for fish culture and wild life propagation.

Class E-Water for irrigation, industrial cooling and control waste disposal.

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

SW2- Chhaunchh River Downstream

| RESULTS | | | | | | | | | |
|---------|--|------------------|---------|--------|--------------------------------|---------|---------|---------|---------|
| S.No | Parameter | Test Method | Results | Units | Tolerance Limit as per IS:2296 | | | | |
| | | | | | Class A | Class B | Class C | Class D | Class E |
| 1 | pH | IS:3025(Part-11) | 7.83 | - | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 |
| 2 | Temperature | IS:3025(Part-09) | 18.7 | °C | - | - | - | - | - |
| 3 | Turbidity | IS:3025(Part-10) | 9.2 | NTU | - | - | - | - | - |
| 4 | Conductivity @25°C | IS:3025(Part-14) | 445.0 | µs/cm. | - | - | - | 1000 | 2250 |
| 5 | Total Suspended Solid | IS:3025(Part-17) | 8.0 | mg/l | - | - | - | - | - |
| 6 | Total Alkalinity (as CaCO ₃) | IS:3025(Part-23) | 45.0 | mg/l | - | - | - | - | - |
| 7 | Dissolved Oxygen (as O ₂) Min. | IS:3025(Part-38) | 4.95 | mg/l | 6 | 5 | 4 | 4 | - |
| 8 | Calcium(as Ca) | IS:3025(Part-40) | 14.42 | mg/l | 80 | - | - | - | - |
| 9 | Magnesium(as Mg) | IS:3025(Part-46) | 5.82 | mg/l | 24 | - | - | - | - |
| 10 | Chloride(as Cl),Max | IS:3025(Part-32) | 38.99 | mg/l | 250 | - | - | - | 600 |
| 11 | Iron(as Fe),Max | IS:3025(Part-53) | 0.12 | mg/l | 0.3 | - | 50 | - | - |
| 12 | Fluoride(as F),Max | IS:3025(Part-60) | 0.33 | mg/l | 1.5 | 1.5 | 1.5 | - | - |
| 13 | Total Dissolved Solid | IS:3025(Part-16) | 267.0 | mg/l | 500 | - | 1500 | - | 2100 |
| 14 | Total Hardness (as CaCO ₃) | IS:3025(Part-21) | 60.04 | mg/l | 300 | - | - | - | - |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | | | | | | | | |
|----|-----------------------------------|--------------------|-------|------|-----|---|-----|---|------|
| 15 | Sulphate (as SO ₄)Max | IS:3025(Part-24) | 17.47 | mg/l | 400 | - | 400 | - | 1000 |
| 16 | Phosphate (as P) | IS:3025(Part-31) | <0.05 | mg/l | - | - | - | - | - |
| 17 | Sodium (as Na) | IS:3025(Part-45) | 8.36 | mg/l | - | - | - | - | - |
| 18 | Potassium (as K) | IS:3025(Part-45) | 0.99 | mg/l | - | - | - | - | - |
| 19 | Nitrate (as NO ₃),Max | IS: 3025 (Part-34) | 3.58 | mg/l | 20 | - | 50 | - | - |
| 20 | Chemical Oxygen Demand (COD) | IS-3025(Part-58) | 8.0 | mg/l | - | - | - | - | - |

Remarks:-

Class A-Drinking water without conventional treatment but after disinfection.

Class B-Water for outdoor bathing.

Class C-Drinking water with conventional treatment followed by disinfecation.


Class D-Water for fish culture and wild life propagation.

Class E-Water for irrigation, industrial cooling and control waste disposal.

3.7 Soil environment

Soil may be defined as a thin layer of earth's crust, a medium for the growth of plants. The soil characteristics include both physical and chemical properties. The soil survey and soil sample were carried out / collected to assess the soil characteristics of the study area. Soil samples were collected from 8 locations (1 core zone & 7 Buffer zone) and analyzed as per CPCB norms. The soil sampling locations map.

The Soil sampling locations are marked in Map



The physico-chemical characteristic of these soil samples is given in Table No. 3.3 (viii). **Table No. 3.3 (VI) Description of soil sampling locations**

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
 STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
 CONSULTANT

| Station No. | Location | Approx. Distance | Direction |
|-------------|--------------|------------------|-----------|
| SQ 1 | Project Site | -- | -- |
| SQ 2 | 500 M | 0.05 | N |
| SQ3 | Bain Attrain | 1.20 | N |
| SQ4 | Naswar | 2.72 | NE |
| SQ5 | Indora | 3.60 | S |
| SQ6 | Jindri | 2.70 | W |
| SQ7 | Gheba | 3.60 | SW |
| SQ8 | Khubbar | 1.75 | SE |

Table 3.3 (vii)

| S. No | Parameter | Unit | S1 | S2 | S3 | S4 | S5 | S6 | S7 | S8 |
|-------|-------------------------|-------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | pH | NA | 8.15 | 8.12 | 7.89 | 7.92 | 8.09 | 7.90 | 7.89 | 7.95 |
| 2 | Electrical Conductivity | mS/cm | 0.32 | 0.26 | 0.26 | 0.26 | 0.34 | 0.28 | 0.35 | 0.32 |
| 3 | Sodium as Na | % | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 |
| 4 | Potassium as K | % | 0.02 | 0.03 | 0.02 | 0.03 | 0.04 | 0.03 | 0.03 | 0.02 |
| 5 | Organic Matter | % | 0.98 | 1.02 | 1.12 | 1.04 | 1.33 | 1.24 | 1.41 | 1.12 |
| 6 | Organic Carbon | % | 0.57 | 0.60 | 0.65 | 0.60 | 0.77 | 0.72 | 0.82 | 0.65 |
| 7 | Water Holding capacity | % | 32.42 | 35.26 | 37.84 | 38.25 | 35.11 | 38.25 | 39.66 | 37.72 |
| 8 | Available Phosphorous | Kg/ha | 66.45 | 71.66 | 68.24 | 69.64 | 74.63 | 70.54 | 70.24 | 68.24 |
| 9 | Bulk Density | gm/cc | 1.45 | 1.39 | 1.43 | 1.39 | 1.38 | 1.35 | 1.36 | 1.45 |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| S. No | Parameter | Unit | S1 | S2 | S3 | S4 | S5 | S6 | S7 | S8 |
|-------|--|-------|------------|------------|------------|------------|------------|------------|------------|------------|
| 10 | Available Chloride | mg/Kg | 35.12 | 40.21 | 38.15 | 40.99 | 36.21 | 37.22 | 35.47 | 38.15 |
| 11 | Total Nitrogen | % | 0.02 | 0.03 | 0.04 | 0.04 | 0.02 | 0.03 | 0.02 | 0.04 |
| 12 | Calcium Carbonate as CaCO ₃ | % | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 |
| 13 | Texture | - | Slity loam | Slity loam | Slity loam | Slity loam | Slity loam | Slity loam | Slity loam | Slity loam |

Physico-chemical properties of soil

3.7.1 Observations:


Samples collected from identified locations indicate the soil is Slit Loamy type and the pH value ranging from 7.89 to 8.15, which shows that the soil moderately alkaline in nature. The water holding capacity is found in between 32.42 % to 39.66 %.

3.8 Noise environment

The noise levels within the study area were recorded using Sound Level Meter and noise monitoring results were compared with the Ambient Noise Quality Standard notified under Environment Protection Act, 1986. The levels recorded are as stated in Table 3.3 (x). The analysis reveals that the noise is well within permissible ranges. The noise level monitoring locations map.

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mining Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

The Noise sampling locations are marked in Map.



**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
 STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
 CONSULTANT**

Table 3.3 (viii)

Noise quality monitoring stations

| S. No. | Location | Station Name | Approx. Distance | Direction |
|---------------|-----------------|---------------------|-------------------------|------------------|
| 1. | NQ1 | Project Site | -- | -- |
| 2. | NQ 2 | 500 M | 0.05 | N |
| 3. | NQ 3 | Bain Attrain | 1.20 | N |
| 4 | NQ4 | Naswar | 2.72 | NE |
| 5 | NQ5 | Indora | 3.60 | S |
| 6 | NQ6 | Jindri | 2.70 | W |
| 7 | NQ7 | Gheba | 3.60 | SW |
| 8 | NQ8 | Khubbar | 1.75 | SE |

Table No. 3.3 (ix) Noise level status

| S. No. | Project Site | Leq Value monitored, in dB(A) | |
|--------|--------------|-------------------------------|--------|
| | | DAY* | NIGHT* |
| 1 | NQ1 | 54.2 | 43.9 |
| 2 | NQ2 | 53.3 | 42.4 |
| 3 | NQ3 | 52.4 | 43.0 |
| 4 | NQ4 | 54.3 | 43.1 |
| 5 | NQ5 | 53.6 | 41.8 |
| 6 | NQ6 | 53.4 | 40.8 |
| 7 | NQ7 | 54.3 | 42.6 |
| 8 | NQ8 | 54.6 | 42.6 |

* Day Time

* Night Time

3.8.1 Results

Noise monitoring reveals that the minimum & maximum noise levels at day time were recorded as 52.4 dB(A) at NQ-3 & 54.6 dB(A) at NQ8 respectively. The minimum & maximum noise levels at night time were found to be 40.8dB (A) at NQ6 & 43.9 dB(A) at NQ1 respectively.

There are several other sources in the 10 km radius of study area, which contributes to the local noise level of the area. Traffic activities as well as

activities in nearby villages and agricultural fields add to the ambient noise level of the area.

3.9 TRAFFIC STUDY

The lease area is about 1.81 km away from the nearest matelled road.

3.9.1 During mine operation

Proposed Capacity of mine/annum : 26,365 TPA

No. of working days : 300 days

Proposed Capacity of mine/day : 88 TPD

Tipper truck Capacity : 9 tonnes

No. of tipper truck deployed/day : 9 tipper truck

The additional load on the carrying capacity of the concerned roads is not likely to have any adverse effect due to the proposed project.

3.10 BIOLOGICAL ENVIRONMENT

Biological diversity comprises the variability of species, genus and ecosystems and is very crucial for maintaining the basic processes on which the life depends. Broadly it can be divided in to two types i.e. the floral diversity and faunal diversity. Conservation of the biodiversity is essential for the sustainable development as it not only provides the food, fodder and medicine but also contribute in improvement of essential environmental attributes like air, water, soil, etc.

Before starting any Environmental Impact Assessment study, it is necessary to identify the baseline of relevant environmental parameters which are likely to be affected as a result of operation of the proposed project. A similar approach has been adopted for conducting the study

on Biological Environment for this Project. Both terrestrial and aquatic ecosystems have been studied to understand the biological environment.

3.10.1 PHYSICAL ENVIRONMENT OF THE STUDY AREA:

District Kangra is located in outer Himalayas which are commonly known as Shivalik range. This district is bounded by district Shimla in North, Uttar Pradesh in East, Haryana in South and District Solan in North-West. Like other parts of Himachal Pradesh, it has beautiful landscapes, bracing climate, big and small game and legendary temples which hold abiding attraction for the tourists. The river Yamuna is the biggest river in the district which originates from Kotkhai/Jubbal Tehsil of Shimla district and flows down in the south-east direction. It ultimately joins the river Yamuna near Indora. Lot of tributaries join this river in its long course, most important of them being Jalal River which originates from Dharthi range near Pachhad and joins the Bed of Yamuna river at Dadahu from the right side. The river Yamuna is very useful as it a big source of livelihood fishermen in this district. Another important river which forms the eastern border of the Sirmour district is the river Tons.

3.10.2 FORESTS COVER IN INDORA DISTRICT:

The forest cover in the Himachal Pradesh state, based on interpretation of satellite data of October-November 2008 mentioned in the India State of Forest Report 2011, is 26.37% of the state's geographical area. In terms of forest canopy density classes, the state has 3224 km² area under very dense forest, 6381 km² area under moderately dense forest and 5074 km² area under open forest. Out of 2825 km² total area of Kangra

district, 130 km² areas is under very dense forest, 568 km² fall under moderately dense forest and 687 km² area is open forest.

3.10.3 STUDY PERIOD AND METHODOLOGY

Detailed survey was conducted to evaluate floral and faunal composition of the study area. Primary data on floral and faunal composition was recorded during site visit and secondary data was collected from the Forest department and published relevant literature. Inventory of flora and fauna has been prepared on the basis of collected data.

3.10.3.1 FIELD STUDY PERIOD: The ecological survey has been conducted for one season. All data were collected in pre-monsoon period in order to reduce metrological biasness. The details are given as below:

Post-monsoon: Oct.-2022 to Dec. - 2022

Core zone : At the project site along Bed of Chhaunch Khadd

Buffer zone : Around the project site in 10 km radius.

3.10.3.2 Methodology:

Table No: 3.4 Mode of data collection & parameters considered during the survey

| Aspect | Data | Mode of data collection | Parameters monitored |
|---------------------|---------------------------|--|--|
| Terrestrial Ecology | Primary data collection | By conducting field survey | Floral and Faunal diversity |
| | Secondary data collection | From authentic sources like Forests Department of Kangra and Forest Department of Dehradun (Being border of Dehradun District) and available | Floral and Faunal diversity and study of vegetation, forest type, importance |

| | | | |
|-----------------|---------------------------|--|---|
| | | published literatures | etc. |
| Aquatic Ecology | Primary data collection | By conducting field survey | Floral and Faunal diversity |
| | Secondary data collection | From authentic sources like Forests Department of Kangra and Forest Department of Dehradun and available published literatures | Floral and Faunal diversity and study of vegetation, forest type, importance etc. |

3.10.4 GENERAL VEGETATION STUDY OF THE AREA:

Area supports moderately healthy vegetation, the main forest species are along the Shivalik foothills. These Terai plains support the species of Sisam, Arjuna, Kanji, Khair, Saagaun, Subabul, Neem, Eucalyptus, Babul etc. Ground vegetation mainly consists of grasses and small shrubs. Useful fodder grasses, *Cynodondactylon*, *Eleusineindica*, *Trifoliumalexandrinum*, etc. can be seen growing in the area. The large weeds which infest uncultivated tracts are aak (*Calotropisprocera*), castor (*Ricinuscommunis*), dhatura (*Daturametel*) and thorn (*Opuntiastricta*). Other noxious weeds and those which appear in crops are Pohlior Thistle (*Carthamusoxyacantha*), shialkanta (*Argemonemexicana*), kandyari (*Solanumxanthocarpum*), *Partheniumhysterophorus* and Bhang (*Cannabis sativa*).

3.10.4.1 FLORA OF THE CORE ZONE

The core zone comprises of Chhaunch Khadd bed, where mining operation is proposed. This area consists of riparian vegetation in which aquatic and marshland plants are the main component. Most among them are weeds. No ecologically sensitive plant species has been reported from this

area. Riparian vegetation is found along the river side. In stagnant water growth of hydrophytes likes *Hydroleazeylanica*, *Ipomoea carnea*, *Ludwigia adscendens*, *Sagittaria sagittifolia*, *Spilanthes paniculata*, *Typhalatifolia*, etc. can be commonly observed. The river bank supports the growth of poplar and algal bloom.

3.10.4.2 FLORA OF THE BUFFER ZONE:

Buffer zone of the proposed project is Terai and foothills of Shivalik. Many tree species are planted in the area because of their usefulness, economic and aesthetic values. The tree species observed in the area are, Aam (*Mangifera indica*), Jamun (*Syzygium cumini*), Bail (*Aegle marmelos*), Bakain (*Melia azedarach*), Bargad (*Ficus bengalensis*), Neem (*Azadirachta indica*), Peepal (*Ficus religiosa*), Popular (*Populus deltoides*), Safeda (*Eucalyptus sp.*), Sisam (*Dalbergia sissoo*), *Bauhinia variegata*, *Celtis australis*, *Bombax ceiba*, *Grewia optiva*, etc.

In agricultural waste land and along the road side, growth of weeds like *Argemone mexicana*, *Cannabis sativa*, *Cenchrus ciliaris*, *Heteropogon contortus*, *Lantana camara*, *Parthenium hysterophorus*, etc. are very common. These weeds are affecting the agricultural productivity of the region due to fast growth, short life cycle and enormous production of seeds.

3.10.4.3 WASTE LAND:

Most of the areas nearby the Core zone are waste land. Commonly seen plant species in such areas are *Cannabis sativa*, *Lantana camara*, *Ipomea carnea*, *Calotropis procera*, *Cassia tora*, *Parthenium hysterophorus*, *Ziziphussp*, *Heteropogon contortus*, *Argemone Mexicana*, etc. These weeds

are affecting the agricultural productivity of the region due to fast growth, short life cycle and enormous production of seeds.

3.10.4.4 VEGETATION IN AND AROUND HUMAN SETTLEMENT:

Vegetation pattern in villages and surrounding areas are slightly different from the rest of the areas. The common species grown near villages are mostly edible or useful plants such as *Mangifera indica*, *Syzygium cumini*, *Azadirachta indica*, *Albizia lebeck*, *Delonix regia*, *Tamarindus indica*, *Ficus religiosa*, *Bauhinia variegata*, *Celtis australis*, *Bombax ceiba*, *Grewia optiva*, etc.

A list of flora of the study area is enclosed as **Table: 3.6(i) & 3.6(ii)**.

Table: 3.6(i) FLORA OF THE CORE ZONE

| Sl. No. | Species | Family | Habit |
|---------|---|----------------|-------|
| 1 | <i>Ageratum conyzoides</i> L. | Asteraceae | Herb |
| 2 | <i>Amaranthus spinosus</i> L. | Amaranthaceae | Herb |
| 3 | <i>Calotropis procera</i> (Aiton) R.Br. | Asclepiadaceae | Shrub |
| 4 | <i>Cannabis sativa</i> L. | Canabaceae | Herb |
| 7 | <i>Chenopodium album</i> L. | Chenopodiaceae | Herb |
| 8 | <i>Datura innoxia</i> Mill. | Solanaceae | Shrub |
| 9 | <i>Hydrolea zeylanica</i> (L.) Vahl | Hydrophylaceae | Herb |
| 10 | <i>Ipomoea carnea</i> Jacq. | Convolvulaceae | Shrub |
| 13 | <i>Dalbergia sissoo</i> | Fabaceae | Tree |
| 14 | <i>Bombax ceiba</i> | Bombacaceae | Tree |

Note: Trees are near the banks of the river (Periphery of the leased area)

Table: 3.6(ii) FLORA OF THE BUFFER ZONE

| Sl.No. | Species | Family | Habit |
|--------|-------------------------------------|---------------|-------|
| 1 | <i>Alternanthera paronychioides</i> | Amaranthaceae | Herb |
| 2 | <i>Alternanthera pungens</i> | Amaranthaceae | Herb |

| Sl.No. | Species | Family | Habit |
|---------------|----------------------------------|----------------|--------------|
| 3 | <i>Amaranthus spinosus</i> | Amaranthaceae | Herb |
| 4 | <i>Colocasia esculenta</i> | Araceae | Herb |
| 5 | <i>Ageratum conyzoides</i> | Asteraceae | Herb |
| 6 | <i>Grangea maderaspatana</i> | Asteraceae | Herb |
| 7 | <i>Parthenium hysterophorus</i> | Asteraceae | Herb |
| 8 | <i>Cassia tora</i> | Fabaceae | Herb |
| 9 | <i>Cannabis sativa</i> | Cannabaceae | Herb |
| 10 | <i>Chenopodium album</i> | Chenopodiaceae | Herb |
| 11 | <i>Argemone mexicana</i> | Papaveraceae | Herb |
| 12 | <i>Brachiaria ramosa</i> | Poaceae | Herb |
| 13 | <i>Cynodon dactylon</i> | Poaceae | Herb |
| 14 | <i>Eleusine indica</i> | Poaceae | Herb |
| 15 | <i>Eragrostis tenella</i> | Poaceae | Herb |
| 16 | <i>Imperata cylindrica</i> | Poaceae | Herb |
| 17 | <i>Saccharum spontaneum</i> | Poaceae | Herb |
| 18 | <i>Physalis minima</i> | Solanaceae | Herb |
| 19 | <i>Calotropis procera</i> | Asclepiadaceae | Shrub |
| 20 | <i>Cassia occidentalis</i> | Fabaceae | Shrub |
| 21 | <i>Croton bonplandianum</i> | Euphorbiaceae | Shrub |
| 22 | <i>Abutilon indicum</i> | Malvaceae | Shrub |
| 23 | <i>Bougainvillea spectabilis</i> | Nyctaginaceae | Shrub |
| 24 | <i>Ziziphus mauritiana</i> | Rhamnaceae | Shrub |
| 25 | <i>Datura innoxia</i> | Solanaceae | Shrub |
| 26 | <i>Solanum virginianum</i> | Solanaceae | Shrub |
| 27 | <i>Lantana camara</i> | Verbenaceae | Shrub |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| Sl.No. | Species | Family | Habit |
|---------------|--------------------------------|---------------|--------------|
| 28 | <i>Berberis vulgaris</i> | Berberidaceae | Shrub |
| 29 | <i>Mangifera indica</i> | Anacardiaceae | Tree |
| 30 | <i>Polyalthia longifolia</i> | Annonaceae | Tree |
| 31 | <i>Ficus racemosa</i> | Moraceae | Tree |
| 32 | <i>Cassia fistula</i> | Fabaceae | Tree |
| 33 | <i>Ricinus communis</i> | Euphorbiaceae | Tree |
| 34 | <i>Albizia lebeck</i> | Fabaceae | Tree |
| 35 | <i>Bauhinia acuminata</i> | Fabaceae | Tree |
| 36 | <i>Butea monosperma</i> | Fabaceae | Tree |
| 37 | <i>Dalbergia sissoo</i> | Fabaceae | Tree |
| 38 | <i>Bombax ceiba</i> | Malvaceae | Tree |
| 39 | <i>Azadirachta indica</i> | Meliaceae | Tree |
| 40 | <i>Melia azedarach</i> | Meliaceae | Tree |
| 41 | <i>Lucentula leucocephala</i> | Fabaceae | Tree |
| 42 | <i>Bauhinia variegata</i> | Fabaceae | Tree |
| 43 | <i>Terminalia bellerica</i> | Combretaceae | Tree |
| 44 | <i>Terminalia chebula</i> | Combretaceae | Tree |
| 45 | <i>Morus alba</i> | Moraceae | Tree |
| 46 | <i>Delonix regia</i> | Fabaceae | Tree |
| 47 | <i>Pinus roxburgii</i> | Pinaceae | Tree |
| 48 | <i>Celtis australis</i> | Cannabaceae | Tree |
| 49 | <i>Grewia optiva</i> | Tiliaceae | Tree |
| 50 | <i>Holoptelea integrifolia</i> | Ulmaceae | Tree |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

3.10.5 WILD LIFE AND AVIFAUNA OF THE STUDY AREA:

Core zone of project area comprises of Asan Conservation Reserve, and supports healthy aquatic bird population. But area does not support any significant wild mammalian species. No wild mammalian species encountered during the field visit to study area, while livestock of local people are significantly using the area.

There are many river channels present in the buffer zone of study area which are the major attraction sites for avifauna. Asan barrage is famous for winter migratory birds, almost 140 bird species were identified during the field work, majority of these are migratory aquatic birds. As far as the reptile community was concerned, rat snake and house lizard are reported from the study area. Area does not support any healthy wild mammalian species and after a potential search, neither any direct sighting nor the indirect evidences were found in whole study area. A list of wild fauna of the study area has been prepared on the basis of local inquiry from the village people and from the available published literatures. The conservation value at regional level of identified fauna was gathered from the Wildlife protection Act, 1972, moreover, global conservation status of species was estimated from Red data book of IUCN. No established habitats of any mammals or birds are noticed in river bed and along the banks of the core zone area.

The fauna of study area can be grouped in to aquatic and terrestrial as the core area mostly comprises of aquatic fauna and the buffer area provides shelter to the terrestrial animals.

3.10.5.1 AQUATIC FAINDORA:

Aquatic fauna mostly comprises of Avifauna, Amphibians & Fish which cannot survive without water. Detail list of aquatic birds is shown in tabular form.

3.10.5.2 TERRESTRIAL FAINDORA:

A) MAMMALS: Area is not rich in wild mammals, but many domesticated mammal species are reported from buffer zone during the field survey. Common grazing animals like buffalo, cow, goat etc. can be noticed in open grass fields. Small mammals like Indian palm squirrel (*Funambuluspalmarum*) and field mouse (*Apodemussylvaticus*) are noticed in vicinity of village. Inquiry from village people regarding wild animals reveals that Rhesus macaque (*Macacamulatta*), Indian hare (*Lepusnigricollis*), fruits bat (*Pteropusconspicillatus*), etc. are often seen in the area.

B) AVIFAINDORA: Water birds like White-breasted Water hen, Northern Pintail, Northern Shoveler, Common Teal, Falcated Duck, Eurasian Wigeon, Mallard, Spot-billed Duck, Gadwall, Cormorant and Bar Headed Goose are of common occurrence.

C) REPTILES: The reptilians species commonly reported are Agama (*Laudakiatuberculata*) in settlement area, Garden lizard (*Calotesversicolor*) and *Eutropismacularia* along shady places in agricultural field or where growth of bushes is noticed. Among non poisonous snakes rat snakes (*Ptyasmucosus*) are commonly noticed in field, followed by poisonous snakes like King Cobra (*Najanaaja*) and Banded krait (*Bungarusmulticinctus*) are reported to be seen by farmers.

D) AMPHIBIAN: Amphibians are commonly found at the places along the margin of aquatic and terrestrial systems. Due to presence of water bodies like river, nalas, etc. the study area is providing shelter to many amphibian species. Some of the commonly reported species are *Bufo melanostictus* (common Indian toad), *Euphlyctis cyanophlyctis* (Indian skipper frog), *Hoplobatrachus tigerinus* (Indian bull frog) etc.

E) FISH: The fish species which are commonly found in the proposed site are *Labiobata* (Bhangan or Bata), *Gudusiachapara* (Chappera or Palla), *Laborohita* (Dumra or Dhambra), *Notopterus notopterus* (Pari or Battu), *Catlacatla* (Theila), *Clarius batrachus* (mangur), etc.

A list of Fauna of the study area is presented in **Table 3.6(iii)** and **Table 3.6(iv)**.

TABLE: 3.6(III) FAUNA OF THE CORE ZONE

| S. No. | Common Name | Scientific Name | Wildlife schedule | IUCN Red List Status |
|----------------------------|------------------|----------------------------------|-------------------|----------------------|
| Avian fauna (Bird): | | | | |
| 1 | Common Myna | <i>Acridothera tristis</i> | IV | LC |
| 2 | Indian Cormorant | <i>Phalacrocorax fuscicollis</i> | IV | VU |
| 3 | House Crow | <i>Corvus splendens</i> | V | LC |
| 4 | Ashy Drongo | <i>Dicrurus leucophaeus</i> | IV | LC |
| 5 | Koel | <i>Eudynamis scolopacea</i> | IV | NA |
| 6 | Sparrow | <i>Passer domesticus</i> | IV | LC |
| 7 | Oriental turtle | <i>Streptopelia orientalis</i> | IV | LC |

| | | | | |
|-------------------|----------------------|----------------------------------|----|----|
| | Dove | | | |
| 8 | Rock Pigeon | <i>Columba livia</i> | IV | LC |
| 9 | Rose ringed Parakeet | <i>Psittaculakrameri</i> | IV | LC |
| 10 | Red vented bulbul | <i>Pycnonotuscafer</i> | IV | LC |
| Mammals | | | | |
| 1 | Squirrel | <i>Funambulus pennant</i> | IV | DD |
| 2 | Rat | <i>Rattusrattus</i> | V | LC |
| Amphibians | | | | |
| 1 | Common Indian toad | <i>Duttaphrynusmelanostictus</i> | IV | NA |
| 2 | Indian skipper frog | <i>Euphlyctiscyanophlyctis</i> | IV | NA |
| 3 | Indian bull frog | <i>Hoplobatrachustigerinus</i> | IV | NA |
| Fishes | | | | |
| 1 | Bhangan or Bata | <i>Labeobata</i> | | NA |
| 2 | Chappera or Palla | <i>Gudusiachapara</i> | | DD |
| 3 | Dumra or Dhambra | <i>Labeorohita</i> | | NA |
| 4 | Pari or Battu | <i>Notopterusnotopterus</i> | | NA |

| | | | | |
|---|--------|-------------------------|--|----|
| 5 | Theila | <i>Catlacatla</i> | | NA |
| 6 | mangur | <i>Clariusbatrachus</i> | | |

LC: Least Concern, VU: Vulnerable, NA: Not Assessed, DD: Data deficient.

Table: 3.6(iv) Fauna of the Buffer zone

| S.No. | Common Name | Scientific name | Wildlife Schedule | IUCN Red Category |
|----------------------------------|-------------------|----------------------------------|-------------------|-------------------|
| Wild Animals (Mammals) | | | | |
| 1 | Squirrel | <i>Funambulus pennant</i> | IV | DD |
| 2 | Rat | <i>Rattusrattus</i> | V | LC |
| 3 | Wild pig | <i>Susscrofa</i> | III | LC |
| 4 | Indian Hare | <i>Lepusnigricollis</i> | V | LC |
| 5 | Fruit Bat | <i>Rousettusleschenaultii</i> | V | LC |
| 6 | Crested porcupine | <i>Hystrixindica</i> | IV | LC |
| Reptiles & Amphibians | | | | |
| 1 | Common Toad | <i>Duttaphrynusmelanostictus</i> | IV | NA |
| 2 | India bull frog | <i>Ranatigrina</i> | IV | DD |
| 3 | Indian tree frog | <i>Polypedatesmaculatus</i> | IV | NA |
| 4 | Skipping frog | <i>Bufostomaticus</i> | IV | NA |
| 5 | Garden lizard | <i>Calotesversicolor</i> | | NA |
| 6 | House lizard | <i>Hemidactylussp</i> | IV | NA |
| Avians (Birds) | | | | |
| S.No. | Common Name | Scientific name | IWPA | IUCN |
| 1. | Jungle Myna | <i>Acridotheresfuscus</i> | IV | LC |

| | | | | |
|-----|-----------------------------|--------------------------------|----|----|
| 2. | Bank Myna | <i>Acridotheresginginianus</i> | IV | LC |
| 3. | Common Myna | <i>Acridotherestrictis</i> | IV | LC |
| 4. | Blyth's Reed Warbler | <i>Acrocephalusdumetorum</i> | IV | LC |
| 5. | Clamorous Reed Warbler | <i>Acrocephalusstentoreus</i> | IV | LC |
| 6. | Common Sandpiper | <i>Actitishypoleucos</i> | IV | LC |
| 7. | Common Iora | <i>Aegithinatiphia</i> | IV | LC |
| 8. | Crimson Sunbird | <i>Aethopygasiparaja</i> | IV | LC |
| 9. | Common Kingfisher | <i>Alcedoatthis</i> | IV | LC |
| 10. | Red Avadavat | <i>Amandavaamandava</i> | IV | LC |
| 11. | White-breasted Waterhen | <i>Amaurornisphoenicurus</i> | IV | LC |
| 12. | Northern Pintail | <i>Anasacuta</i> | IV | LC |
| 13. | Northern Shoveler | <i>Anasclypeata</i> | IV | LC |
| 14. | Common Teal | <i>Anascrecca</i> | IV | LC |
| 15. | Falcated Duck | <i>Anasfalcata</i> | IV | LC |
| 16. | Eurasian Wigeon | <i>Anaspenelope</i> | IV | LC |
| 17. | Mallard | <i>Anasplatyrhynchos</i> | IV | LC |
| 18. | Spot-billed Duck | <i>Anaspoecilorhyncha</i> | IV | LC |
| 19. | Gadwall | <i>Anasstrepera</i> | IV | LC |
| 20. | Darter | <i>Anhinga melanogaster</i> | IV | LC |
| 21. | Greater White-fronted Goose | <i>Anseralbifrons</i> | IV | LC |
| 22. | Greylag Goose | <i>Anseranser</i> | IV | LC |
| 23. | Lesser White-fronted Goose | <i>Ansererythropus</i> | IV | LC |
| 24. | Bar-headed Goose | <i>Anserindicus</i> | IV | LC |
| 25. | Rosy Pipit | <i>Anthusroseatus</i> | IV | LC |
| 26. | Water Pipit | <i>Anthusspinoletta</i> | IV | LC |
| 27. | Tree Pipit | <i>Anthustrivialis</i> | IV | LC |
| 28. | House Swift | <i>Apusaffinis</i> | IV | LC |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | | | |
|-----|-----------------------------|-----------------------------------|----|----|
| 29. | Common Swift | <i>Apusapus</i> | IV | LC |
| 30. | Grey Heron | <i>Ardeacinerea</i> | IV | LC |
| 31. | Purple Heron | <i>Ardeapurpurea</i> | IV | LC |
| 32. | Indian Pond Heron | <i>Ardeolagrayii</i> | IV | LC |
| 33. | Spotted Owlet | <i>Athenebrama</i> | IV | LC |
| 34. | Baer's Pochard | <i>Aythyaabaeri</i> | IV | LC |
| 35. | Common Pochard | <i>Aythyaferina</i> | IV | LC |
| 36. | Tufted Duck | <i>Aythyafuligula</i> | IV | LC |
| 37. | Ferruginous Pochard | <i>Aythyanyroca</i> | IV | LC |
| 38. | Cattle Egret | <i>Bubulcus ibis</i> | IV | LC |
| 39. | Yellow-breasted Greenfinch | <i>Carduelisspinoides</i> | IV | LC |
| 40. | Common Rosefinch | <i>Carpodacuserythrinus</i> | IV | LC |
| 41. | Greater Coucal | <i>Centropussinensis</i> | IV | LC |
| 42. | Pied Kingfisher | <i>Cerylerudis</i> | IV | LC |
| 43. | White-capped Water Redstart | <i>Chaimarrornisleucocephalus</i> | IV | LC |
| 44. | Long-tailed Duck | <i>Clangulahyemalis</i> | IV | LC |
| 45. | Rock pigeon | <i>Columba livia</i> | IV | LC |
| 46. | Oriental Magpie Robin | <i>Copsychussaularis</i> | IV | LC |
| 47. | Indian Roller | <i>Coraciasbenghalensis</i> | IV | LC |
| 48. | HouseCrow | <i>Corvussplendens</i> | IV | LC |
| 49. | Northern House Martin | <i>Delichonurbica</i> | IV | LC |
| 50. | RufousTreepie | <i>Dendrocittavagabunda</i> | IV | LC |
| 51. | Yellow-crowned Woodpecker | <i>Dendrocoposmahrattensis</i> | IV | LC |
| 52. | Lesser Whistling Duck | <i>Dendrocygnajavanica</i> | IV | LC |
| 53. | Ashy Drongo | <i>Dicrurusleucophaeus</i> | IV | LC |
| 54. | Black Drongo | <i>Dicrurusmacrocerus</i> | IV | LC |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | | | |
|-----|---------------------------|------------------------------------|----|----|
| 55. | Black-rumped Flameback | <i>Dinopium benghalense</i> | IV | LC |
| 56. | Little Egret | <i>Egretta garzetta</i> | IV | LC |
| 57. | Great Thick-knee | <i>Esacus recurvirostris</i> | | LC |
| 58. | Asian Koel | <i>Eudynamis scolopacea</i> | IV | LC |
| 59. | Verditer Flycatcher | <i>Eumyias thalassina</i> | IV | LC |
| 60. | Common Coot | <i>Fulica atra</i> | IV | LC |
| 61. | Common Moorhen | <i>Gallinula chloropus</i> | IV | LC |
| 62. | Jungle Owlet | <i>Glaucidium radiatum</i> | IV | LC |
| 63. | Himalayan Griffon | <i>Gyps himalayensis</i> | IV | LC |
| 64. | White-throated Kingfisher | <i>Halcyon smyrnensis</i> | IV | LC |
| 65. | Common Hawk Cuckoo | <i>Hierococcyx varius</i> | IV | LC |
| 66. | Black-winged Stilt | <i>Himantopus himantopus</i> | IV | LC |
| 67. | Red-rumped Swallow | <i>Hirundo daurica</i> | IV | LC |
| 68. | Streak-throated Swallow | <i>Hirundo fluvicola</i> | IV | LC |
| 69. | Pheasant-tailed Jacana | <i>Hydrophasianus chirurgus</i> | IV | LC |
| 70. | Brown-headed Gull | <i>Larus brunnicephalus</i> | IV | LC |
| 71. | Pallas's Gull | <i>Larus ichthyaetus</i> | IV | LC |
| 72. | Black-headed Gull | <i>Larus ridibundus</i> | IV | LC |
| 73. | Black-tailed Godwit | <i>Limosa limosa</i> | IV | LC |
| 74. | Indian Silverbill | <i>Lonchura malabarica</i> | IV | LC |
| 75. | Scaly-breasted Munia | <i>Lonchura punctulata</i> | IV | LC |
| 76. | Marbled Duck | <i>Marmaronetta angustirostris</i> | IV | LC |
| 77. | Crested Kingfisher | <i>Megaceryle lugubris</i> | IV | LC |
| 78. | Coppersmith Barbet | <i>Megalaima haemacephala</i> | IV | LC |
| 79. | Lineated Barbet | <i>Megalaima lineata</i> | IV | LC |
| 80. | Brown-headed | <i>Megalaima zeylanica</i> | IV | LC |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | | | |
|------|-------------------------|----------------------------------|----|----|
| | Barbet | | | |
| 81. | Crested Bunting | <i>Melophus lathamii</i> | IV | LC |
| 82. | Green Bee-eater | <i>Merops orientalis</i> | IV | LC |
| 83. | Blue-tailed Bee-eater | <i>Merops philippinus</i> | IV | LC |
| 84. | Black Kite | <i>Milvus migrans</i> | IV | LC |
| 85. | Blue-capped Rock Thrush | <i>Monticola cinclorhynchus</i> | IV | LC |
| 86. | Blue Rock Thrush | <i>Monticola solitarius</i> | IV | LC |
| 87. | White Wagtail | <i>Motacilla alba</i> | IV | LC |
| 88. | Grey Wagtail | <i>Motacilla cinerea</i> | IV | LC |
| 89. | Painted Stork | <i>Mycteria leucocephala</i> | IV | LC |
| 90. | Purple Sunbird | <i>Nectarinia asiatica</i> | IV | LC |
| 91. | Red-crested Pochard | <i>Nettion rufina</i> | IV | LC |
| 92. | Cotton Pygmy-goose | <i>Nettion coromandelianus</i> | IV | LC |
| 93. | Eurasian Curlew | <i>Numenius arquata</i> | IV | LC |
| 94. | House Sparrow | <i>Passer domesticus</i> | IV | LC |
| 95. | Scarlet Minivet | <i>Pericrocotus flammeus</i> | IV | LC |
| 96. | Great Cormorant | <i>Phalacrocorax carbo</i> | IV | LC |
| 97. | Indian Cormorant | <i>Phalacrocorax fuscicollis</i> | IV | LC |
| 98. | Little Cormorant | <i>Phalacrocorax niger</i> | IV | LC |
| 99. | Tickell's Leaf Warbler | <i>Phylloscopus affinis</i> | IV | LC |
| 100. | Lemon-rumped Warbler | <i>Phylloscopus chloronotus</i> | IV | LC |
| 101. | Hume's Warbler | <i>Phylloscopus humei</i> | IV | LC |
| 102. | Greenish Warbler | <i>Phylloscopus trochiloides</i> | IV | LC |
| 103. | Grey-headed Woodpecker | <i>Picus canus</i> | IV | LC |
| 104. | Baya Weaver | <i>Ploceus philippinus</i> | IV | LC |
| 105. | Plain Prinia | <i>Prinia inornata</i> | IV | LC |
| 106. | Black Ibis | <i>Pseudibis papillosa</i> | IV | LC |
| 107. | Plum-headed Parakeet | <i>Psittacula cyanocephala</i> | IV | LC |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | | | |
|------|---------------------------|----------------------------------|----|----|
| 108. | Alexandrine Parakeet | <i>Psittaculaeupatria</i> | IV | LC |
| 109. | Rose-ringed Parakeet | <i>Psittaculakrameri</i> | IV | LC |
| 110. | Red-vented Bulbul | <i>Pycnonotuscafer</i> | IV | LC |
| 111. | Himalayan Bulbul | <i>Pycnonotusleucogenys</i> | IV | LC |
| 112. | Pied Avocet | <i>Recurvirostraavosetta</i> | IV | LC |
| 113. | Plumbeous Water Redstart | <i>Rhyacornisfuliginosus</i> | IV | LC |
| 114. | Plain Martin | <i>Ripariapaludicola</i> | IV | LC |
| 115. | Sand Martin | <i>Ripariariparia</i> | IV | LC |
| 116. | Grey Bushchat | <i>Saxicolaferrea</i> | IV | LC |
| 117. | Common Stonechat | <i>Saxicolatorquata</i> | IV | LC |
| 118. | River Tern | <i>Sterna aurantia</i> | IV | LC |
| 119. | Spotted Dove | <i>Streptopeliachinensis</i> | IV | LC |
| 120. | Asian Pied Starling | <i>Sturnus contra</i> | IV | LC |
| 121. | Brahminy Starling | <i>Sturnuspagodarum</i> | IV | LC |
| 122. | Little Grebe | <i>Tachybaptusruficollis</i> | IV | LC |
| 123. | Ruddy Shelduck | <i>Tadornaferruginea</i> | IV | LC |
| 124. | Common Shelduck | <i>Tadornatadorna</i> | IV | LC |
| 125. | Common Wood shrike | <i>Tephrodornispondicerianus</i> | IV | LC |
| 126. | Asian Paradise-flycatcher | <i>Terpsiphoneparadisi</i> | IV | LC |
| 127. | Spotted Redshank | <i>Tringaerythropus</i> | IV | LC |
| 128. | Marsh Sandpiper | <i>Tringastagnatilis</i> | IV | LC |
| 129. | Common Redshank | <i>Tringatotanus</i> | IV | LC |
| 130. | Common Babbler | <i>Turdoidescaudatus</i> | IV | LC |
| 131. | Jungle Babbler | <i>Turdoidesstriatus</i> | IV | LC |
| 132. | Barred Buttonquail | <i>Turnixsuscitator</i> | IV | LC |
| 133. | Common Hoopoe | <i>Upupaepops</i> | IV | LC |
| 134. | River Lapwing | <i>Vanellusduvaucelii</i> | IV | LC |
| 135. | Red-wattled Lapwing | <i>Vanellusindicus</i> | IV | LC |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | | | |
|------|--------------------|----------------------------|----|----|
| 136. | Oriental White-eye | <i>Zosterospalpebrosus</i> | IV | LC |
|------|--------------------|----------------------------|----|----|

LC: Least Concern, NA: Not Assessed, DD: Data deficient.

3.10.5.2 CROPPING PATTERN

The climatic conditions of a region affect the agricultural cropping pattern and different areas, thus, produce different crops. Amongst a host of climatic factors, rainfall, temperature, humidity, wind velocity and duration of sunshine etc. affect the cropping pattern in a significant way.

Kharif Crop: Makka, Udad (Dal), Mung, Choula, Tawar Dal, Arandi, Mirchi, Soff, Rabbi Bajara, Jawar, Gawar. Crops: Wheat, Chhana, Rai, Dhaniya, Lahsun, Rajka etc. Bajara, Jawar, Gawar

3.11. SOCIO ECONOMIC ENVIRONMENT

3.11.1 INTRODUCTION.

The aesthetic component of environmental study refers to the scenic value if any in the study area, tourist attraction, details about forest, wildlife, historic and cultural monuments. The study of these parameters helps in identification, prediction and evaluation of likely impact on socioeconomics and parameters of human interest due to proposed project.

3.11.2 RECONNAISSANCE.

The site for environmental impact assessment for proposed River Bed mining project of Mineral Sand, Bajri & Stone near village Mauza and Mohal Bain Attarian at Tehsil-Indora, District Kangra State Himachal Pradesh. The study of socio-economic environment includes demographic structure and availability of basic amenities viz. Housing education, health and medical

services, water supply, sanitation, transportation, communication and power supply.

3.11.3 BASELINE STATUS.

Baseline information is collected in order to delineate and apply the socio-economic profile of the study area. The process related database thus generated includes.

- Demographic structure.
- Infrastructure base in the area.
- Economic structure.
- Health structure.
- Cultural attributes.
- Socio economic status in relation to quality of life.
- Public awareness and their concern about the project.

The primary socio economic data was collected through field survey in sample villages in study area as well as the observations by the survey team. It has been substantiated with relevant socioeconomic data from secondary sources of various official records. viz., census records, district statistical abstract, district health office, district industry centre tourism office etc. The list of sampling villages identified for socioeconomic survey **in the study area is shown below Table No. (3.01) and the study map given.**

Table No. (3.01)Villages for Socio-Economic Survey

| Sr. No. | villages | Direction | Distance |
|---------|-----------------------|-----------|----------|
| 1. | Bain -Attarian | 1.20 | N |
| 2. | Khubar | 1.75 | SE |
| 3. | Jindri | 2.70 | W |
| 4. | Raja Khas | 3.0 | E |
| 5. | Bhapoo | 2.45 | SE |
| 6. | Chanaur | 2.63 | SE |
| 7. | Tanda | 8.25 | SE |

3.11.4 DEMOGRAPHIC STRUCTURE.

The details concerning the demographic structure of the study were collected from census record of Kangra District. Study area covers Indora Tehsil. The details regarding the demographic structure of the study area were collected from census record of Kangra District. Himachal Pradesh study area comprises total 37 villages.

Demographic details such as number of persons per household, sex ratio, percentage of SC & ST population and employment pattern is described in Table and while the summarized information is presented in Table No. 3.11(ii) the salient features are as follows:

Table No. (3.02) DEMOGRAPHIC STRUCTURE IN THE STUDY AREA

| Sr . N o | village | hous ehol d | Population | | | SC | ST | liter acy | Main worke r | Margi nal worke r | Non work er |
|-----------------------------------|----------------|-------------------|------------|------|------|------|-----|--------------|--------------------|----------------------------|-------------------|
| | | | TP | TM | TF | | | | | | |
| Kangra Dist. Indora Tehsil | | | | | | | | | | | |
| 1 | Bain -Attarian | 150 | 730 | 379 | 351 | 226 | 0 | 556 | 190 | 6 | 534 |
| 2 | Kandrori | 411 | 1959 | 1147 | 812 | 301 | 1 | 1682 | 667 | 8 | 1284 |
| 3 | Khubar | 109 | 535 | 268 | 267 | 199 | 0 | 376 | 145 | 109 | 281 |
| 4 | Mohtli | 577 | 2924 | 1543 | 1381 | 1371 | 254 | 2010 | 830 | 149 | 1945 |
| 5 | Jindri | 46 | 213 | 104 | 109 | 63 | 0 | 158 | 43 | 0 | 170 |
| 6 | Malot | 193 | 926 | 488 | 438 | 163 | 9 | 730 | 252 | 128 | 546 |
| 7 | Balkhor | 36 | 170 | 85 | 85 | 1 | 0 | 154 | 54 | 2 | 114 |
| 8 | Kulara | 240 | 1075 | 557 | 518 | 128 | 0 | 879 | 273 | 166 | 636 |
| 9 | Dah | 231 | 1074 | 544 | 530 | 390 | 0 | 908 | 296 | 245 | 533 |
| 10 | Raja Khas | 445 | 2201 | 1129 | 1072 | 390 | 76 | 1633 | 562 | 159 | 1480 |
| 11 | Jhagrara | 94 | 510 | 290 | 220 | 341 | 0 | 393 | 163 | 99 | 248 |
| 12 | Bhapoo | 484 | 2400 | 1248 | 1152 | 649 | 0 | 1928 | 413 | 350 | 1637 |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog
Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located
Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | | | | | | | |
|----|--------------|-----|------|------|------|------|-----|------|-----|-----|------|
| 13 | Chanaur | 343 | 1708 | 889 | 819 | 930 | 69 | 1319 | 362 | 268 | 1078 |
| 14 | Chuharpur | 187 | 964 | 503 | 461 | 525 | 8 | 740 | 233 | 103 | 628 |
| 15 | Kursan | 163 | 826 | 435 | 391 | 235 | 141 | 587 | 44 | 238 | 544 |
| 16 | Samun | 86 | 391 | 202 | 189 | 195 | 74 | 272 | 69 | 40 | 282 |
| 17 | Bhagnal | 11 | 49 | 23 | 26 | 49 | 0 | 40 | 7 | 20 | 22 |
| 18 | Kathgarh | 199 | 1061 | 549 | 512 | 420 | 147 | 726 | 333 | 34 | 694 |
| 19 | Tanda | 84 | 438 | 230 | 208 | 254 | 82 | 313 | 117 | 21 | 300 |
| 20 | Sanor | 309 | 1456 | 752 | 704 | 276 | 40 | 1130 | 389 | 222 | 845 |
| 21 | Indpur | 646 | 3270 | 1704 | 1566 | 1168 | 142 | 2429 | 635 | 450 | 2185 |
| 22 | Dhantol | 70 | 358 | 190 | 168 | 7 | 0 | 256 | 74 | 11 | 273 |
| 23 | Paniala | 130 | 657 | 332 | 325 | 93 | 24 | 517 | 212 | 196 | 249 |
| 24 | Upparli Band | 233 | 1243 | 629 | 614 | 365 | 14 | 870 | 299 | 275 | 669 |
| 25 | Mijhli Band | 26 | 130 | 71 | 59 | 1 | 17 | 95 | 39 | 26 | 65 |
| 26 | Ghandran | 389 | 1756 | 903 | 853 | 345 | 247 | 1271 | 447 | 28 | 1281 |
| 27 | Ghagwan | 148 | 739 | 379 | 360 | 305 | 0 | 553 | 33 | 199 | 507 |
| 28 | Bela | 2 | 12 | 11 | 1 | 0 | 0 | 11 | 2 | 0 | 10 |

APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog
Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located
Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | | | | | | | |
|--------------------|----------------|-------------|--------------|--------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|
| 29 | Malahri | 225 | 1059 | 563 | 496 | 273 | 12 | 827 | 223 | 46 | 790 |
| 30 | Kukrala | 8 | 39 | 23 | 16 | 0 | 0 | 30 | 14 | 0 | 25 |
| 31 | Jamgal | 20 | 103 | 53 | 50 | 0 | 0 | 81 | 11 | 12 | 80 |
| 32 | Matohli | 68 | 292 | 155 | 137 | 0 | 0 | 209 | 23 | 42 | 227 |
| 33 | Bilwan | 25 | 125 | 67 | 58 | 0 | 0 | 86 | 7 | 28 | 90 |
| 34 | Salhana | 61 | 293 | 131 | 162 | 0 | 0 | 192 | 23 | 58 | 212 |
| 35 | Khanpur | 40 | 181 | 98 | 83 | 16 | 0 | 111 | 41 | 19 | 121 |
| 36 | Manjwan | 129 | 731 | 380 | 351 | 33 | 135 | 440 | 203 | 136 | 392 |
| 37 | Miani | 135 | 733 | 366 | 367 | 122 | 202 | 487 | 129 | 279 | 325 |
| Grand Total | | 6753 | 33331 | 17420 | 15911 | 9834 | 1694 | 24999 | 7857 | 4172 | 21302 |

Source : Primary Census Abstract : CD – 2011, Kangra Dist. Himachal Pradesh State.

TP : Total Population.

TM : Total Male.

TF : Total Female.

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Total populations of region as per 2011 census is out of 33331 which is 17420 male and 15911 is female sex ratio (number of male per thousand female) in the region is 913 this show that male population is higher in the region as compared with female population.

Out of the total population Scheduled Cast 9834 and scheduled tribe population is 1694 respectively. Total main worker population is 7857 , 4172 come under marginal worker category and 21302 belong to non-workers category. Literacy rate of the population in the study area is 24999 (75.0%) literacy rate.

3.11.5 INFRASTRUCTURE RESOURCE BASE.

The infrastructure resource base of the study area with reference education, medical facility, water supply, post and telegraph, transportation and communication facility and power supply etc is presented in table the infrastructure resources details have been abstracted from Housing, Household Amenities and Assets CD 2011 of Kangra District, State Himachal Pradesh are described below:

3.11.5.1 EDUCATION.

Classes up to class 7th included in primary school. Classes from 8th to 10th included in Higher Secondary School classes 11th and 12th are included in senior secondary school. There is no middle school in the study area. As per 2011 village directory record, all villages having education facility in the form of primary school.

3.11.5.2 WATER FACILITY.

Almost all villages having water facility in the record of census 2011. Main source of water is tap water, tube well, well hand pump, rivers, and others. Sources are tank water transportation and communication. Transportation is good in study area. Most of the villages having communication facility in the form of post office and telephone connection. The entire region is connecting with bus facility and some villages are using navigable waterway.

3.11.5.3 POWER SUPPLY.

Electric power is one of the basic and key infrastructures in the growing economy. It occupies a distinct role in the development of industry and agriculture. It is also a key factor in the socio –economic transformation in rural areas. In the study area almost all villages use electricity for all purposes.

3.11.5.4 MEDICAL/PRIMARY HEALTH CARE.

Medical facilities in terms of community health workers are available in all the villages. Medical facilities exist in villages as stated below:

- ❖ Primary Health Centre
- ❖ Sub Centres
- ❖ Community Health Centre

Table. No. (3.03)Infrastructure Resources Base of The Study Area.

| Sr.No | village | Educational | Medical Facility | Water Facility | Communication | Transportation | Road Condition | Power |
|----------------------------------|-----------|-------------|------------------|----------------|---------------|----------------|----------------|--------|
| Kangra Dist. Poanta sahib Tehsil | | | | | | | | |
| 1 | Mohtli | | PHC | W,HP | TP,PH | | | |
| 2 | Kandrori | P | PHC | W,HP | TP,PH | BS | MR,FP | EA |
| 3 | Raja Khas | P | .PHC | T,W,HP | TP | BS | MR,FP | EA |
| 4 | Kunja | P,AC.O | PHC | W,TK,HP | TP | BS | PR,MR,FP | ED,EAG |
| 5 | Bhapoo | P,M | | W,TK,HP,R | .TP | | MR | ED,EAG |
| 6 | Chanaur | P | | W,TK,HP | PH | BS | MR,FP | EA |
| 7 | Sanor | P,AC | | W,HP | PH | BS | | EA |
| 8 | Indpur | P,M,AC | PHC,CHC | W,HP | PO | | MR,FP | EA |
| 9 | Malahri | P,M,AC | HC,C | T,W, | PO,TO,PTO, | | PR,MR, | EA |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

| | | C | HC | TK,T W,HP | PH | | FP | |
|----|---------------------|-------------|-----|----------------------|-------|----|--------------|------------|
| 10 | Ghandran | PM,S, AC | PHC | T,W, TK,T W,HP | PO,PH | BS | PR,MR, FP | ED,E AG |
| 11 | Bhagan Ghandrani | P | PHC | W,TK ,TW, HP | TP | BS | MR,FP | EA |

3.11.6 ECONOMIC ATTRIBUTES.

Economic resource base of any region mainly depends upon its economically active group i.e. the working populations involved in mining work. Work-work may be defined, as participation in any economically productive activity. Such participation may be physical or mental in nature. Work involves not actual work but also effective supervision and direction of work. It also includes unpaid work on farm or in family enterprise.


There are different types of workers that may be classified as – those persons who had worked for at least 6 months or 183 days are treated to be main workers, on the other hand if person categorized as workers has participated in any economic or productive activity for less than 6 months or 183 days during the last one year are treated as marginal workers and non-workers are those who have not worked any time at all in the year preceding the enumeration.

The workers coming under the main and marginal workers category are ; cultivators, agricultural labours, live-stock, forestry, fishing, hunting, and plantations, orchards and allied activities, mining and quarrying, manufacturing, processing, servicing and repairs in household industry, construction trade and commerce, transport, storage and communication, other services.

All persons who had not worked at all during the last year were recorded as non-workers and it includes persons engaged in household duties, dependents, retired persons, beggars are some of the categories grouped as non-work.

The employment pattern of workers and main worker the study area is described below and presented in Graf. Main worker population in the study area is 7857. Majority of the worker i.e. 4662 are engaged as main other workers and cultivator workers are 2308. There are 702 and 185 workers as agriculture and household workers. Total marginal worker in the study area are 4172

Unemployment level is high in the region as non-workers population account for more than half of the total population in the region i.e. 21302 non worker population includes student, household duties, dependent, pensioner, beggar and others.



Employment Pattern of working population in the study area.

Fig No (3.04)




Fig No (3.05)

Main workers employment pattern of working population in the study area

MAIN_CL_P- Main Cultivator Worker.

MAIN_AL_P- Main Agriculture Worker.

MAIN_HH_P- Main Household Worker.

MAIN_OT_P- Main Other Worker.

Table No. (3.06) Main Worker Employment Pattern

| Sr.NO. | village | Main cultivator | Main Agriculture | Main house Hold | Main other Worker |
|----------------------------------|--------------------|-----------------|------------------|-----------------|-------------------|
| Kangra Dist. Poanta sahib Tehsil | | | | | |
| 1 | Ban -Attarian (28) | 38 | 57 | 4 | 91 |
| 2 | Kandrori (27) | 9 | 0 | 2 | 656 |
| 3 | Khubar (31) | 23 | 26 | 19 | 77 |
| 4 | Mohtli (15) | 62 | 7 | 10 | 751 |
| 5 | Jindri (19) | 23 | 19 | 0 | 1 |
| 6 | Malot (20) | 107 | 74 | 1 | 70 |
| 7 | Balkhor (21) | 42 | 0 | 1 | 11 |
| 8 | Kulara (22) | 160 | 36 | 9 | 68 |
| 9 | Dah (23) | 139 | 22 | 4 | 131 |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
CONSULTANT**

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | |
|----|-------------------|-----|-----|----|-----|
| 10 | Raja Khas (29) | 138 | 20 | 28 | 376 |
| 11 | Jhagrara (30) | 44 | 56 | 0 | 63 |
| 12 | Bhapoo (32) | 154 | 32 | 13 | 214 |
| 13 | Chanaur (39) | 84 | 3 | 10 | 265 |
| 14 | Chuharpur (40) | 43 | 61 | 0 | 129 |
| 15 | Kursan (41) | 3 | 0 | 1 | 40 |
| 16 | Samun (8) | 0 | 14 | 1 | 54 |
| 17 | Bhagnal (9) | 0 | 2 | 0 | 5 |
| 18 | Kathgarh (45) | 129 | 20 | 3 | 181 |
| 19 | Tanda (44) | 48 | 0 | 13 | 56 |
| 20 | Sanor (37) | 158 | 27 | 3 | 201 |
| 21 | Indpur (33) | 192 | 141 | 1 | 301 |
| 22 | Dhantol (34) | 38 | 9 | 14 | 13 |
| 23 | Paniala (35) | 159 | 2 | 2 | 49 |
| 24 | Upparli Band (78) | 151 | 2 | 6 | 140 |
| 25 | Mijhli Band (79) | 22 | 0 | 1 | 16 |
| 26 | Ghandran (36) | 172 | 36 | 7 | 232 |

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | |
|----|---------------|----|----|----|-----|
| 27 | Ghagwan (81) | 2 | 0 | 1 | 30 |
| 28 | Bela (80) | 2 | 0 | 0 | 0 |
| 29 | Malahri (82) | 77 | 9 | 18 | 119 |
| 30 | Kukrala (83) | 12 | 0 | 0 | 2 |
| 31 | Jamgal (96) | 0 | 3 | 0 | 8 |
| 32 | Matohli (97) | 0 | 0 | 1 | 22 |
| 33 | Bilwan (99) | 3 | 0 | 1 | 3 |
| 34 | Salhana (102) | 0 | 0 | 0 | 23 |
| 35 | Khanpur (47) | 21 | 1 | 0 | 19 |
| 36 | Manjwan 54) | 20 | 7 | 7 | 169 |
| 37 | Miani (46) | 33 | 16 | 4 | 76 |

MAIN_CL_P- Main Cultivator Worker

MAIN_AL_P- Main Agriculture Worker

MAIN_HH_P- Main Household Worker

MAIN_OT_P- Main Other Worker

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
CONSULTANT**

3.11.6 HEALTH STATUS.

Health of the people is not only a desirable goal, but it is also an essential investment in human resources. As per the National Health Policy (1983), Primary Health Care has been accepted as main instrument for achieving this goal of development and strengthening rural Health Infrastructure through a three-tier system, viz., primary health centre (PHCs), Sub Centres and Community Health Centre which have been established.

Lack of building, shortage of manpower and inadequate provision of drug supplies are hampering The operationalization of these of units. The standards to be met according to National Health Policy are given below:

3.11.6.1 RURAL HEALTH CARE SYSTEM IN INDIA

| population | Infrastructure | Personnel |
|------------------------|-----------------------|--|
| 3,000 – 5,000 | 1Sub Centre | 1 (ANM) Auxiliary Nurse Midwife |
| 25,000 – 30,000 | 1PHC,6Beds | 2Medical Officers |
| 1,00,000 | Rural | Medical Superintendent |

Source: National Health Policy, Year 2005-06

During discussion with the medical officer at Dahej PHC, it was revealed that general prevailing diseases in the project region are malaria, diarrhea and viral fever. The Health problems as reported could be attributed to

improper sanitation, mosquito nuisance and water logging in the villages as well as mining population.

3.11.6.2 CULTURAL AND AESTHETIC ATTRIBUTES.

No Cultural and Aesthetically important place is coming within the study area, so there will be no impact on such important places.

3.11.7 SOCIO- ECONOMIC SURVEY.

Sampling Method – The methodology, which is applied for primary source of data collection i.e. gathering data through field survey for socio-economic environment, is depicted below:

3.11.7.1 SAMPLING METHOD.

A judgmental and purposive sampling method was used for choosing respondents of various section of the society i.e. sarpanch, adult males and females, teachers, medical practitioners, businessmen, agriculture labourers, fisherman, unemployed group etc. Judgmental and purposive sampling method includes the right cases from the total population that helps to fulfill the purpose of research needs.

3.11.7.2 DATA COLLECTION METHOD.

In order to assess and evaluate the likely impact arising out of any developmental project on socio-economic environment, it is necessary to gauge the apprehension of the people in the project area. For the process of data collection through primary and secondary sources certain methods are used among that are.

(a) FIELD SURVEY AND OBSERVATIONS.

Field survey and observations is made at each sampling villages and the quality of life of that region is studied. Visits are made at hospital, primary health centres and sub-centres to know the health status of the region. Various governmental organizations such as statistical department, department of census operations are visited to collect the population details of the region.

(b) INTERVIEW METHOD

Structured interview method is used to collect data regarding the awareness and opinion from the sample selected of the various socio-economic section of the community Structured.

Alternative question. The questionnaire mainly highlights the parameters such as income, employment and working conditions, housing, food, clothing, water supply, sanitation, health, energy, transportation and communication, education, environment and pollution to assess the quality of life of that particular region and general awareness and opinion of the respondents about the project.

The interview method has the advantage that almost all perfect sample of the general population can be reached and respond to the approach. Interview method helps to collect more correct and accurate information as the interviewer is present during the field survey.

Socio-economic survey was conducted in 12 villages within the study area located in all directions with reference to the project site.

The respondents were asked for their awareness/opinion about the project and of their opinion about the impact of the project, which is an important aspect of socio-economic environment, viz. Job opportunities, education, health care, transportation facility and economic status.

3.11.7.8 THE SALIENT OBSERVATIONS RECORDED DURING SURVEY IN THE STUDY AREA:

- Educations facilities are available in the form of primary and middle schools in region.
- Most of the people are engaged in labour work in the nearby River Bed mining of Mineral Sand, Bajri & Stone project and some people are engaged in farming production of different fruits, yield of wheat (rabi), yield of maize (karif), rice, tomato the main crops of Kangra District.
- Most of the respondents stated that electricity supply is satisfactory in the region but in summary power cut problem is creating.
- LPG Gas mainly used as fuel for cooking.
- Due to the mining activity, the study area is developing in terms of transportation, communication, service requirement etc.
- Road in the surveyed villages are in good condition, people are satisfied with the transportation facility.

3.11.8 AWARENESS AND OPINION.

For assessing the awareness and opinion about the project activity socio-economic survey was conducted in the sampling villages. The salient observation drawn through survey is described below:

Awareness regarding the proposed project is very poor but the awareness regarding minor mineral Sand Stone, Bajri project.

When informed, maximum people gave favorable opinion about the proposed expansion project as they are aware that Chhaunch Khadd Mining project of Minor Mineral Sand Stone, Bajri, Stone will work for improvement of their basic necessities i.e. drinking water, health services and other developmental activities like school etc.

DEMOGRAPHIC SUMMARY

TABLE NO. 3.07

| Demographic parameters | Details |
|--|---------|
| No. of District | 1 |
| No. of village | 37 |
| Total no. of household | 6753 |
| Total population | 33331 |
| Population density | 1.13 |
| Sex ratio (NO. of female\1000 males) | 913 |
| Scheduled castes | 9834 |
| Scheduled tribes | 1694 |
| Literate | 24999 |
| Main worker | 7857 |
| Marginal worker | 4172 |
| Non – workers | 21302 |

Source: Primary Census Abstract 2011 (PCA), INDORA Dist. Himachal Pradesh State.

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

3.11.8.1 CONCLUSION

The implementation of MAUZA/MOHAL- Bain Attarian, Sand Stone and *bajri* mining project on bed of Chhaunch Khadd in district Kangra, Himachal Pradesh will throw opportunities to local people for both direct and indirect employment. It will reduce flooding of river banks, destruction of standing crops, land and also prevent the siltation. The project will also provide impetus to industrialization of the area. It is likely the intending entrepreneurs will venture to set up micro and small scale units in the near future making the area a mixed society, dependent on industry, trade and business. It is expected that same will improve to a great extent due to proposed mining project and associated industrial and business activities. It is therefore suggested that extraction of minerals should be taken up on regular basis during the post monsoon period. This will dredge the river bed on regular basis, regulate the course of the river and check flooding of the catchment area.

CHAPTER IV - ANTICIPATED ENVIRONMENTAL IMPACT AND MITIGATION MEASURE

4.0 GENERAL

All industrial and/or development projects are likely to have an impact on the natural set up of the environment. This impact may be beneficial or adverse, depending on the improvement or the deterioration it brings about change in the status of air, water, land, ecology, natural systems, socio-cultural life styles and economics of the population. Depending on the nature of activities and baseline environment status, the impacts are assessed for their importance. On the basis of the impact analysis, the mitigating action and future monitoring requirement are paid attention to in the Environmental Management Plan for countering or minimizing the impacts.

Keeping in mind, the environmental baseline scenario as detailed in Chapter III and the proposed mining activity described in Chapter II, it is attempted to assess the likely impact and its extent on various environmental parameters and likely mitigation measures to be adopted.

4.1 LAND ENVIRONMENT

4.1.1 IMPACTS ON LAND ENVIRONMENT

The mining activities involved the extraction of Sand Stone Stone & Bajri. The proposed project is the riverbed mining of Sand Stone Stone and Bajri from bed of Chhaunch Khadd located near Mauza/Mohal- Bain Attarian in Tehsil-Indora, District- Kangra, and Himachal Pradesh. The applied area comprises of Khasra No. 177/1 (Pvt. Land) measuring 02-94-00 hectares, falling in MAUZA/MOHAL- Bain Attarian, Tehsil Indora, and District- Kangra(H.P).The lease has been sanctioned in favour of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher R/O- BAin Attarian

village, Tehsil-Indora and District- Kangra (H.P) and the extension of L.O.I dated 1-10-2021 for one year, W.E.F 04-03-2020 the leased block is part of river bed of Chhaunch Khadd, a main tributary of River Yamuna. The area comprises of Khasra No. 177/1 (Pvt. Land) measuring 02-94-00 Ha. falling in Mauza/Mohal- Bain Attarian, Tehsil-Indora, and District- Kangra(H.P).

Activity may cause a few environmental degradations and the most anticipated are detailed here under :-

- River bank cutting and erosion
- Upstream erosion as a result of an increase in channel slope and changes in flow velocity
- Downstream changes in patterns of deposition.
- Changes in channel bed and habitat type

4.1.2 MITIGATION MEASURES

Minerals which are to be extracted will get replenished in every monsoon season so the Project will not change the existing land use pattern. In order to prevent the environmental degradation of leased mine area and its surroundings, the following

Measures shall be taken,

- No mining near the banks up to 1/10th of its width, i.e. from 5 to 6 meters shall be resorted to.
- Mining shall be undertaken to a depth of one meter only.
- Minimum damage to the flora standing on the river bank

Movement of the vehicles on the road will be increased; however, non-metalled road leading to minerals from mining area will be sprinkled with

water at regular intervals. In addition to prevent spillage by tractor trolley, over loading should be controlled along with speed limit.

The applied area comprises of Khasra No. 177/1 (Pvt. Land) measuring 02-94-00 hectares.

4.2 WATER ENVIRONMENT

4.2.1 IMPACTS ON WATER ENVIRONMENT

Mining of Sand Stone & *Bajri* from Bed of Chhaunch Khadd bed has no permanent and direct impact on the physico-chemical characteristics. These characteristics includes in stream roughness elements, depth, velocity, turbidity, sediment transport and stream discharge. Altering these characteristics can have negative impacts on both in-stream biota and associated riparian habitat. The mining will confine to central part of river bed, away from banks.

Thus mining would channelize the river flow.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

- i. Alteration of flow patterns resulting from modification of the river bed.
- ii. An excess of suspended sediment.
- iii. Damage to riparian vegetation and in-stream habitat.

4.2.2 MITIGATION MEASURES

The major source of surface water pollution due to mining is negligible, however, the following measures shall be undertaken to prevent water pollution.

A: SURFACE WATER

- Drains and their Catchments will be constructed just beside the access roads so that the storm water gets settled before flowing to the river.
- The washing of trucks and tipper truck in the river will be avoided and disposal of domestic waste in the water body will be prevented.

B: GROUND WATER

There would not be any adverse effect on the ground water quality. The mineral formation does not contain any harmful element, which could percolate into the ground and pollute the ground water. Mining will be done up to the depth of 1 meter bgl or below ground water table whichever comes first. It ensured that the project will not intercept the ground water.

4.3 IMPACTS ON AIR ENVIRONMENT

Emission of fugitive dust is envisaged due to:

- I. Mining Activities includes extraction of minerals. No blasting material is to be used. Therefore the dust generated is likely to be insignificant as compared to other mining processes.
- II. Transportation of minerals will be done by road using trucks. Fugitive dust emission is expected from the transportation of trucks on the haul roads. The mining will be undertaken during dry seasons.

The major source of dust generation is the transport of material by trucks and tipper truck. Adequate control measures shall be taken during mining operations as well as transportation of minerals.

The following steps shall be adopted to prevent air pollution due to airborne dust.

The only air pollution sources are the road transport network of the trucks. The dust suppression measures like water sprinkling will be done on the unmetalled part of the haul road.

Utmost care will be taken to prevent spillage of Sand Stone & Bajri from the trucks and materials will be covered with tarpaulin sheet.

Overloading will be prevented.

Plantation activities in consultation with local competent authority along the roads will also reduce the impact of dust in the nearby villages.

4.3.1 IMPACT ON AIR QUALITY

4.3.2 IMPACT DURING CONSTRUCTION PHASE

There will be no impacts on ambient air quality as no construction stage is involved in this project.

4.3.3 IMPACT DURING OPERATION PHASE

The major impact on ambient air quality in river bed mining is due to dust generation by various mining activities especially due to movement of dumpers/trucks on haul roads. The other activities which are responsible for dust generation are loading and unloading of Stone bajri, sand, etc. However, the dust generation due to these activities is for short duration and localized in nature. Other atmospheric pollutants viz. SO₂ and NO₂ are not expected to have considerable variation due to mining activities of proposed project. As the dust generation from mine haul road is the major contributor towards

deterioration of air quality, Air Quality Modeling for PM10 emission from haul road is carried out using ISCST3 to assess the severity of impact.

4.3.3.1 EMISSION CHARACTERISTICS FOR MINING OPERATIONS

Dust emission rate from the Mining area, based on the following empirical formula.

a) DUST EMISSION DUE TO EXCAVATION:

$$\text{Dust emission (DE)} = \frac{\text{Pa} \times 23.6}{\text{Wd} \times \text{Wh} \times 1000}$$

- DE = Dust emission in kg/hr
- Pa = Annual Excavation in Tonnes
- Wd = No. of days of operation in a year
- Wh = Effective working hrs in a day

23.6 Quantity of dust emitted in kg/for 1000 tonnes of excavation

$$\text{Dust emission rate} = 26,365 \times 23.6 / 300 \times 8 \times 1000 = 0.25925 \text{ kg/hr}$$

The above mentioned emission rate is without adoption of dust control measures. The literature suggests that dust control measures reduce the emissions and effective emission rate is one third of the computed emission. Accordingly emission rate to be in the modeling is (0.25925/3) i.e. 0.08641 kg/hr.

4.3.3.2 MINE DIMENSIONS

The mine dimensions are as follows:

Area = 02-94-00 hectare,.

4.3.3.3 METEOROLOGICAL DATA

On site hourly meteorological data for Post Monsoon (Oct. 2022 to Dec. 2022) in respect of wind speed, wind direction, temperature and cloud amount are utilized in this study. The data was put in model format. The mixing heights have been extracted from CPCB publications.

4.3.4 MODELING PROCEDURE

4.3.4.1 METHODOLOGY:

Prediction of ground level concentrations (glc's) due to mining has been made by **Industrial Source Complex, Short Term (ISCST3)** as per **CPCB** guidelines. ISCST3 is US-EPA approved model to predict the air quality. The model uses rural dispersion and regulatory defaults options as per guidelines on air quality models (PROBES/70/1997-1998). The model assumes receptors on undulating and hilly. This model is capable of handling point, area, and line sources simultaneously.

Meteorological inputs required are hourly wind speed and direction ambient temperature, stability class, mixing height and wind exponents. The model details follow.

4.3.4.2 Ambient Air Quality Standards and Background Concentrations Ambient Air Quality Standards

Ambient air quality standards promulgated by Central Pollution Control Board (CPCB) for all type of land uses for the relevant air quality parameters are as follows:

| Concentration ($\mu\text{g}/\text{m}^3$) | | |
|--|-----------------|-----------------|
| PM10 | SO ₂ | NO _x |
| 100 | 80 | 80 |

The above standards are for a sampling period of 24 hours.

4.3.4.3 BACKGROUND CONCENTRATION LEVELS

The background measured concentrations at various ambient air quality monitoring stations are as given below:

4.3.5 PLAN AND FRAME WORK OF COMPUTATIONS SELECTION OF LOCATIONS

The locations have been selected around the mining area covering an area of 10 km radius from the centre of mining. The entire area has been put on grid network and grid spacing has been taken as 500 m.

4.3.5.1 PLAN OF COMPUTATION

The emission rate, dispersion coefficients and other input data being now available; it was planned to compute the following:

The 24 hourly averaged incremental concentration with hourly data.

The identification of grid point is having peak concentration for the incremental values & Preparation of isopleths for various pollutants.

4.3.5.1 MITIGATION MEASURES

The proposed mining operations are not anticipated to raise the concentration of the pollutants beyond prescribed limits. However, the following measures are suggested to mitigate any harmful impacts of pollutants -

- Plantation of trees along haul roads, specially near settlements, to help to reduce the impact of dust on the nearby villages;
- Planning transportation routes of mined material so as to reach the nearest paved roads by shortest route. (minimize transportation over unpaved road);
- Dust mask shall be provided to the workers engaged at dust generation points like excavations and loading points;
- Regular water sprinkling on unpaved roads to avoid dust generation during transportation;
- Transportation of material shall be carried out during day time only;
- The speed of trucks plying on the haul road should be limited to avoid generation of dust;
- Haul road shall be covered with gravels; and

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

- Covering of material during transportation on trucks to prevent spillage of sand from the trucks. The trucks shall be covered by tarpaulin. Overloading shall be avoided.

4.4 IMPACTS ON NOISE ENVIRONMENT

The proposed mining activity is manual in nature. No drilling & blasting is proposed for this mining activity. Hence the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals. About 40 to 42 truck trips/hr would be required for transporting mined material per working day from mining area.

4.4.1 MITIGATION MEASURES

The following control measures shall be taken to keep the ambient noise levels well within limits:

- Minimum use of horns and speed limit is 10 kms in the village area.
- Only PUC certified vehicles will be used for transportation purpose.
- The dedicated tipper truck would be properly and regularly undergo maintenance so as to create minimum noise.
- Special care would be taken to properly maintain the silencers of the vehicles.

4.5 IMPACTS ON BIOLOGICAL ENVIRONMENT

The mining activity will have insignificant effect on the existing flora and fauna. The purpose of the project itself is to save the flora around the project area from river widening, excessive erosion and floods. It was found that the mining activity will not have any significant impact on the biological environment of the region.

4.5.1 MITIGATION MEASURES

There is a requirement to establish a stable ecosystem with both ecological and economic returns.

It is proposed to plant around 100 trees every year along the haul road.

TABLE NO. 4.5 MITIGATION MEASURES

| S.NO | Year | Area in Sq.m | NO OF PLANTS |
|------|----------------------|--------------|--------------|
| 1 | 1 st YEAR | 1000 | 100 |
| 2 | 2 nd YEAR | 1000 | 100 |
| 3 | 3 rd YEAR | 1000 | 100 |
| 4 | 4 th YEAR | 1000 | 100 |
| 5 | 5 th YEAR | 1000 | 100 |
| | Total | 5000 | 500 |

4.6 IMPACTS OF SOLID WASTE GENERATION

Nominal amount of domestic waste will be generated at the mine site by the workers which will be disposed-off by municipal way no plantation is possible within this area. However, plantation can be taken up along the haul road. No solid waste generation is expected from the mining operation. However, only silt/clay will be generated as waste which will be further use for leveling and plantation purpose.


The entire mining lease area falls within river course and gets flooded during monsoons; therefore, no plantation is possible within this area.

4.7 TRAFFIC ANALYSIS

Traffic analysis is carried out by understanding the existing carrying capacity of the roads near to the project site and the connecting main roads in the area. The excavated mineral will be transported through kaccha road, the lease area is connected to the nearest metalled road unmetalled road at a distance of about 600m.

Then depending on the capacity of the mine, the number of tipper truck that will be added to the present scenario will be compared to the carrying capacity.

Figure No. 4.1 Transportation Route Map



APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER

N.S. ENVIROTECH LABORATORIES &
CONSULTANT

Table 4.4 (i): EXISTING TRAFFIC SCENARIO & LOS

| Road | V | C | Existing V/C Ratio | LOS |
|-----------------------|-----|------|--------------------|-----|
| Indora-Pathankot Road | 400 | 2000 | 0.20 | B |

Source: Capacity as per IRC: 64-1990

V= Volume of Vehicles in PCU's/day & C= Capacity of Highway in PCU's/day

The existing Level of Service (LOS) is "A" i.e. excellent.

| V/C | LOS | Performance |
|-----------|-----|-----------------------|
| 0.0 - 0.2 | A | Excellent |
| 0.2 - 0.4 | B | Very Good |
| 0.4 - 0.6 | C | Good / Average / Fair |
| 0.6 - 0.8 | D | Poor |
| 0.8 - 1.0 | E | Very Poor |

Reference: ENVIS Technical Report, IISc, Bangalore

4.7.1 DURING MINE OPERATION

Proposed Capacity of mine/annum : 26,365 TPA(including wastage)

No. of working days : 300 days

Proposed Capacity of mine/day : 87 TPD

Tipper truck Capacity : 9 tonnes

No. of tipper truck deployed/day : 9 tipper truck

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

Table 4.4 (ii): MODIFIED TRAFFIC SCENARIO & LOS

| Road | V | C | Modified V/C Ratio | LOS |
|------------------------|-----|------|--------------------|-----|
| Indora- Pathankot Road | 415 | 2000 | 0.2075 | B |

4.7.2 RESULTS

From the above analysis it can be seen that the V/C ratio is likely to change to 0.20 & 0.2075 with LOS being changed to “B” which is ‘Very Good’ respectively, as per classification. So the additional load on the carrying capacity of the concerned roads is not likely to have any adverse affect. If required alternate route pattern will adopt to avoid any type of road congestion.

4.8 SOCIO ECONOMIC ENVIRONMENT

The mining activities in the proposed area will definitely help in the improvement of socio-economic status of the people around the mine area by generating direct or indirect employment opportunities. The project will also attract ancillary and related small-scale industries in the adjoining areas.

Continued mining activities will benefit the local people due to provision of more infrastructural facilities provided by local industry as mining industry will boost up the local market.

Since, the extraction of the reserves of this mineral is economically viable, their proper utilization will improve the economic status of the people nearby and the country as a whole.

The social welfare activities will be handled by a full time team of village development officials, who will monitor the programme and give necessary back-up support. The programs will be made broad based by involvement of local groups and government agencies to the maximum extent possible.

4.8.1 MEASURE TO IMPROVE SOCIO ECONOMIC STATUS

With mining activities, local people will have a lot of direct and indirect employment avenues opened up. There will be direct employment opportunities in the mine and also the secondary employment by providing services to the employed manpower. Thus the local people will enjoy the economic upliftment. The following activities will be followed: -

- Rural/village & Community welfare,
- Healthcare of local population,
- Free medical camps,
- Literacy awareness, supports to schools etc.,
- Environment protection and Environment awareness activities like Environment awareness camps, plantation etc.
- Social awareness program.
- Thus the socio-economic status of the area will be improved.

4.9 OCCUPATIONAL HEALTH AND SAFETY

Occupational health and safety (OHS) is a cross-disciplinary area concerned with protecting the safety, health and welfare of people engaged in work or employment. The goal of all occupational health and safety programs is to foster a safe work environment.

4.9.1 OCCUPATIONAL HEALTH HAZARDS AT MINE SITE:

Mining activity experiences risk of a number of hazards. Some examples of such hazards are as under:

- Exposure to dust
- Noise exposure;
- Physical Hazards;

4.9.2 VEHICULAR MOVEMENTS AND RELATED ACCIDENTS.

These mainly impact on those working within the mine although health hazards can also impact on local communities. Therefore, protective measures are required for health and safety of the employed persons. The health of workers and the persons around the lease area will be regularly monitored. All the personal protective equipment's will be provided to employed persons. The mining in the area will be got done with all safety measures.

4.9.3 IMPLEMENTATION OF OCCUPATIONAL HEALTH AND SAFETY MEASURES:

Occupational Health & Safety measures result in improving the conditions under which workers are employed and work. It improves not only their physical efficiency, but also provides protection to their life and limb. Lessee will implement the following safety measures:

- Safety clauses in contract order
- Inspection and maintenance of equipment's and accessories
- Pre placement and periodic health check up
- Removal of unsafe conditions and prevention of unsafe acts
- Detailed analysis of each and every incident
- To provide standard PPEs and ensure their uses
- Celebrations of various safety events for awareness
- An effective and clearly audible means of giving warning, in case of fire, to every person shall be provided at the site. A free passage-way giving

access to each means of escape in case of fire shall be maintained for the use of all workers in the mine.

- Medical facilities & first aid boxes will be established in the mine premises.
- Pits, Sumps, openings in floor etc. which may be a source of danger, shall be either securely covered or securely fenced. Securely fencing a pit means covering or fencing it in such a way that it ceases to be a source of danger.

4.9.4 PRE-PLACEMENT MEDICAL EXAMINATION AND PERIODICAL MEDICAL EXAMINATION SCHEDULES

- The fresh employees when inducted will be thoroughly medically examined under initial medical examination and thereafter during continuation of employment; the periodic medical examination will be conducted.
- The examination will include apart from the general observation the Chest X-ray, Lung function Test, Spirometry, Audiometry and the record of the same will be maintained and submitted to the concerned authorities.

4.10 MINE CLOSURE

Mine closure plan is the most important environmental requirement in mineral mining projects. The mine closure plan should cover technical, environmental, social, legal and financial aspects dealing with progressive and post closure activities. The primary aim is to ensure that the following broad objectives along with the abandonment of the mine can be successfully achieved:

- To minimize environmental damage.
- To conserve valuable attributes and aesthetics.
- To overcome adverse socio-economic impacts.
- To create a productive and sustainable after use for the site, acceptable to mine owner, regulatory agencies and the public.

- To protect public health and safety of surrounding habitation.

4.10.1 MINE CLOSURE CRITERIA

The criterion involved in mine closure is defined in relation to following key issues.

- Compatibility with agreed post –mining land use
- Physical stability
- Low risk to biota
- Physical stability

4.11 STATUTORY REQUIREMENTS

It is accepted that effective resource management cannot be done in isolation. The Department therefore vigorously pursues approaches towards coordination and integration where possible, so as to lead to coordinated regulatory systems.

A regulatory system consists of both statutory and non-statutory components. In the Sectoral-specific strategy for prospecting and mining, the Department participates within an integrated environmental management system which is administered in terms of the Acts and Rules. Other Acts dealing with matters relating to the conservation and protection of the environment and which a holder of a mining authorization must also take cognizance of include inter alia, the following.

- The Mines Act, 1952
- The Mines and Mineral (Development and Regulation) Act, 1957
- Mines Rules, 1955
- Mineral Concession Rules, 1960
- Mineral Conservation and Development Rules, 1988
- State Minor Mineral Concession Rules, U.P., 1963

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mining Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

- The Water (Prevention and Control of Pollution) Act, 1974
- The Air (Prevention and Control of Pollution) Act, 1981
- The Environment (Protection) Act, 1986
- The Forest (Conservation) Act, 1980

**APPLICANT- M/S JAI SHREE HARI GRAM UDHYOG
STONE CRUSHER**

**N.S. ENVIROTECH LABORATORIES &
CONSULTANT**

CHAPTER-V

ANALYSIS OF ALTERNATIVES

The proposed Sand Stone & Bajri Mine is an applied mine area in past. Analysis of alternatives based on site technology is given below:

5.1 SITE ALTERNATIVES

As per vide letter Nos. Udyog-Bhu (Khani-4) Laghu-833/2020-7484 dated 17-12-2020, a letter of Intent has been granted to Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher R/O- Village- Mauza/Mohal- Bain Attarian, P.O Kandrori, Tehsil-Indora and District- Kangra (H.P) for one year and the area comprises of Khasra No 177/1 (Private Land/ riverbed) 02-94-00 ha falling in Mohal and Mauza Bain Attarian, tehsil Indora and District Kangra(H.P).

5.2 TECHNOLOGY ALTERNATIVES

The proposed manual opencast method of mine will continue to be used as it is most appropriate and approved in mining plan due to nature of terrain and volume of activities.

CHAPTER VI- ENVIRONMENTAL MONITORING PROGRAMME

6.0 INTRODUCTION

Regular monitoring of the various environmental parameters is necessary to evaluate the effectiveness of the management programme so that the necessary corrective measures can be taken in case there are some drawbacks in the proposed programme. Since environmental quality parameters at work zone and surrounding areas are important for maintaining sound operating practices of the project in conformity with environmental regulations, the post project monitoring work forms part of Environmental Monitoring Program.

Environmental Monitoring Program will be implemented once the project activity commences. Environmental monitoring program includes (i) environmental surveillance, (ii) analysis & interpretation of data, (iii) preparation of reports to support environmental management system and (iv) organizational set up responsible for the implementation of the programme.

6.1 ENVIRONMENTAL MONITORING AND REPORTING PROCEDURE

Monitoring shall confirm that commitments are being met. This may take the form of direct measurement and recording of quantitative information, such as amounts and concentrations of discharges and wastes, for measurement against corporate or statutory standards, consent limits or targets. It may also require measurement of ambient environmental quality in the vicinity of a site using ecological / biological, physical and chemical indicators.

Monitoring may include socio-economic interaction, through local liaison activities or even assessment of complaints.

The preventive approach to environment management may also require monitoring of process inputs, for example, type and method used, resource consumption, equipment and pollution control performance etc.

6.2 THE KEY AIMS OF ENVIRONMENT MONITORING ARE:

To ensure that results / conditions are as forecast during the planning stage, and where they are not, to pinpoint the cause and implement action to remedy the situation.

To verify the evaluations made during the planning process, in particular with risk and impact assessments and standard & target setting and to measure operational and process efficiency.

Monitoring will also be required to meet compliance with statutory and corporate requirements.

Finally, monitoring results provide the basis for auditing i.e. to identify unexpected changes.

6.3.1 MONITORING METHODOLOGIES AND PARAMETERS

6.3.2 AIR QUALITY MONITORING

Air Quality monitoring is essential for evaluation of the effectiveness of abatement Programmes and to develop appropriate control measures. Suspended Particulate Matter (SPM), Sulphur Dioxide (SO₂) and Nitrogen Dioxide (NO₂) will be monitored at the workplace i.e. core zone. The methodology proposed for is shown below:

| Parameters | Technique | Technical Protocol |
|-------------------|-----------------------------|--|
| PM _{2.5} | Gravimetric method | CPCB Guideline Vol. I May' 2011 |
| PM ₁₀ | Gravimetric method | IS 5182 (Part-XXIII) |
| Sulphur Dioxide | Improved West and Gaeke | IS-5182 (Part-II) |
| Nitrogen Dioxide | Modified Jacob & Hochheiser | IS-5182 (Part-VI) |

6.3.3 WATER QUALITY MONITORING

Water quality monitoring involves periodical assessment of quality of surface water and the ground water near the mining project.

Surface water samples will be analyzed for all the parameters as per EPA, 1986.

Ground water samples will be analyzed for all the parameters as per IS-10500.

6.3.4 SOIL QUALITY MONITORING

The soil quality monitoring is carried out to assess the soil characteristic. The soil quality will be analyzed as per CPCB norms.

6.3.5 NOISE LEVEL MONITORING

Noise level monitoring will be done for achieving the following objectives:

To compare sound levels with the values specified in noise regulations

To determine the need and extent of noise control of various noise generating sources

Noise level monitoring will be done at the work zone to assess the occupational noise exposure levels. Noise levels will also be monitored at the noise generating sources like mineral handling arrangements, vehicle movements and also at the nearest village for studying the impact due to higher noise levels for taking necessary control measures at the source.

6.3.6 SOCIO-ECONOMIC SURVEY

Socio economic condition will be monitored to assess the demographic particulars of the area including the impacts on the social & economical condition on the residents nearby.

6.3.7 PLANTATION MONITORING PROGRAMME

Plantation monitoring will be done to ensure survival & growth rate of plantations.

6.4 MONITORING SCHEDULE

The schedule has been shown below for the parameters proposed for monitoring.

Table No. 6.1 Monitoring Schedule

| S. No. | Description of Parameters | Schedule and Duration of Monitoring |
|--------|--|--|
| 1 | Air Quality: a) In the vicinity of the mine b) In the vicinity of the transportation network | 24 hourly samples twice a week for one month in each season except monsoon |

| | | |
|---|---|---|
| | c) dust suppression d) Scraping of road to keep it levelled | Regularly till dust remains airborne Fortnightly |
| 2 | Water Quality a) Surface water b) Groundwater around the site | Once a season for 4 seasons in a year |
| 3 | Ambient Noise Level | Twice a year for first two years & then once a year |
| 4 | Soil Quality | Once in two years on project area |
| 5 | Reclamation works a) Plantation b) Check Dam | Once in two years on project monitoring area |
| 6 | Socio-economic condition of local, population, physical survey | Once in 3 years |

6.4.1 MONITORING SCHEDULE - IMPLEMENTATION

An implementation programme has been prepared as it serves no purpose if it is not implemented in letter and spirit.

The major attributes of environment are not confined to the mining site alone. Implementation of proposed control measures and monitoring programme has an implication on the surrounding area as well as for the region. Therefore, mine management should strengthen the existing control measures as elaborated earlier in this report and monitor the efficacy of the

control measures implemented within the mining area relating to the following specific areas:

- Collection of air and water samples at strategic locations with frequency suggested and by analyzing thereof. If the parameters exceed the permissible tolerance limits, corrective regulation measure will be taken.
- Collection of soil samples at strategic locations once every two years and analysis thereof with regard to deleterious constituents, if any.
- Measurement of water level fluctuations in the nearby ponds dug wells and bore wells and to assess if mining has got any impact on it or not.
- Measurement of noise levels at mine site, stationary and mobile sources, and adjacent villages will be done twice a year for first two years and thereafter once a year.
- Post plantation, the area will be regularly monitored in every season for evaluation of success rate. For selection of plant species local people should also be involved.

An Environmental Management Cell (EMC) is envisaged which will be responsible for monitoring EMP and its implementation. EMC members should meet periodically to assess the progress and analyze the data collected during the month.

6.5 BUDGET ALLOCATION FOR MONITORING

The EMC will be responsible to carry on the monitoring. Budget allotment has also been proposed for the same:

Table No. 6.2 Budget Allocation for Monitoring

| S. No. | Description | Cost to be incurred (in lakh /annum) |
|---------------|---------------------------------------|---|
| 1 | Air Quality | 0.5 LACS |
| 2 | Water Quality (Surface & Groundwater) | |
| 3 | Soil Quality | |
| 4 | Noise Level | |
| 5 | Socio-economic Condition | |
| 6 | Plantation monitoring | |
| TOTAL | | 0.5 |

6.6 REPORTING SCHEDULES OF THE MONITORING DATA

It is proposed that voluntary reporting of environmental performance with reference to the EMP should be undertaken. The environmental monitoring cell shall co-ordinate all monitoring programmes at site to furnish the data to the State regulatory agencies regularly in respect of the stipulated prior environmental clearance terms and conditions.

The proponent shall prominently advertise in the newspapers indicating that the project has been accorded environmental clearance and also the details of website where it is displayed.

.....

CHAPTER VII- ADDITIONAL STUDIES

7.0 PUBLIC CONSULTATION

Public hearing yet to be conducted by PP .

7.2 DISASTER MANAGEMENT AND RISK ASSESSMENT

The mining lease area part of Riverbed which is prone to some risk hazards but there will not be any major risk hazard associated with the process.

RISK ANALYSIS: A systematic use of available information to determine how often specified events may occur and the magnitude of their likely consequences.

THE DIFFERENT STEPS OF RISK ASSESSMENT PROCEDURE ARE AS GIVEN BELOW:

Step I: HAZARD IDENTIFICATION

The purpose of hazard identification is to identify and develop a list of hazards for each job in the organization that are reasonably likely to expose people to injury, illness or disease if not effectively controlled. Workers can then be informed of these hazards and controls put in place to protect workers prior to them being exposed to the actual hazard.

Step II: RISK ASSESSMENT

Risk assessment is the process used to determine the likelihood that people exposed to injury, illness or disease in the workplace arising from any situation identified during the hazard identification process prior to

consideration or implementation of control measures.

Risk occurs when a person is exposed to a hazard. Risk is the likelihood that exposure to a hazard will lead to injury or health issues. It is a measure of probability and potential severity of harm or loss.

Step III: RISK CONTROL

Risk control is the process used to identify, develop, implement and continually review all practicable measures for eliminating or reducing the likelihood of an injury, illness or diseases in the workplace.

Step IV: IMPLEMENTATION OF RISK CONTROLS

All hazards that have been assessed should be dealt in order of priority in one or more of the following hierarchy of controls

The most effective methods of control are:

- i. Elimination of hazards
- ii. Substitute something safer
- iii. Use engineering/design controls
- iv. Use administrative controls such as safe work procedures
- v. Protect the workers i.e. by ensuring competence through supervision and training, etc.

Each measure must have a designated person and date assigned for the implementation of controls. This ensures that all required safety measures will be completed.

Step V: MONITOR AND REVIEW

Hazard identification, risk assessment and control are an on-going process. Therefore regularly review the effectiveness of your hazard assessment and control measures. Make sure that you undertake a hazard and risk assessment when there is change to the workplace including when work systems, tools, machinery or equipment changes. Provide additional supervision when the new employees with reduced skill levels or knowledge are introduced to the workplace.

A) RISK ANALYSIS

The risk assessment portion of the process involves three levels of site evaluation:

- a) Initial Site Evaluation,
- b) Detailed Site Evaluation,
- c) Priority Site Investigations and Recommendations.

The risk assessment criteria used for all levels of site evaluation take into account two basic factors:

- The existing site conditions
- The level of the travelling public's exposure to those conditions.

The Initial Site Evaluation and Detailed Site Evaluation both apply weighted criteria to the existing information and information obtained from one site visit. The Initial Site Evaluation subdivides the initial inventory listing of sites into 5 risk assessment site groups. The Detailed Site Evaluation risk assessment is then performed on each of the three highest risk site groups in order of the group priority level of risk. The result of the Detailed Site

Evaluation process is a prioritized listing of the sites within each of the three highest risk site groups.

RISK ANALYSIS IS DONE FOR:

- Forecasting any unwanted situation
- Estimating damage potential of such situation
- Decision making to control such situation
- Evaluating effectiveness of control measures

C) ACCEPTABLE RISK

Risk that is acceptable to regulatory agency and also to the public is called acceptable risk. There are no formally recognized regulatory criteria for risk to personnel in the mining industry. Individual organizations have developed criteria for employee risk and the concepts originally arising from chemical process industries and oil and gas industries. Because of the uncertainties linked with probabilistic risk analysis used for quantification of the risk levels the general guiding principle is that the risk be reduced to a level considered As Low as Reasonably Practicable (ALARP). The risk acceptability criteria are given in following Table. It can be seen that there are three tiers:

- 1) A tolerable region where risk has been shown to be negligible and comparable with everyday risks such as travel to work.
- 2) A middle level where it is shown the risk has been reduced to As Low As Reasonably Practicable level and that further risk reduction is either

impracticable or the cost is grossly disproportionate to the improvement gained. This is referred as the ALARP region.

- 3) An intolerable region where risk cannot be justified on any grounds. The ALARP region is kept sufficiently extensive to allow for flexibility in decision making and allow for the positive management initiatives which may not be quantifiable in terms of risk reduction.

Table No. 7.1 The risk acceptability criteria are given in following table:

| | | |
|----------|---|--|
| | Risk unacceptance and must be reduced. The actions may include equipments and people or procedural measures. If risk cannot be reduced to ALARP level, operating philosophy must be fundamentally reviewed by the management. | Intolerable Region |
| 2 | Efforts must be made to reduce risk further and to as low as reasonably practicable, without expenditure that is grossly disproportionate to the benefit gained | ALARP Region (As Low as Reasonably Practicable) |
| 3 | Risk level is so low as to not require actions to reduce its magnitude further. | Tolerable Region |

The possible scenarios selected for this project are as below:

- Accident during mineral loading, transportation and dumping

- Inundation/Flooding
- Drowning
- Accident due to vehicular movement
- Earthquakes

7.2. ACCIDENT DURING SAND/MINERAL LOADING, TRANSPORTATION AND DUMPING

The consequences of this scenario are minor which may be taken care with first aid care.

- a. The minerals are loaded in the trucks using hand shovels. There is possibility of injury in the hands during loading with shovels
- b. Trained drivers will be appointed for the working of JCB machineries for excavation purpose.
- c. There is possibility that the workers standing on the other side of loading may get injury due to over thrown sand with pebbles.
- d. There is possibility of workers getting injured during opening of side covers to facilitate loading.
- e. There are chances of falling of cattle/children into pits by overlooking of fenced area near worksite or improper supervision.

7.2.2 ACCIDENT DUE TO VEHICULAR MOVEMENT

It is possible event with moderate consequences as frequency of this operation is more but the predicted/assumed intensity (Based on experience) is less like minor cuts, bodily injury due to reckless or untrained driver. However, a strict controls to

be exercised to deploy trained drivers with valid driving license with a helper. A strict supervision/control is to be exercised to avoid drunken driving or driving by Kangra authorized person to bring under ALARP ZONE.

The minerals loaded in trucks are being sent to through public roads.

- a. All possibilities of road accidents are possible due to rash driving.
- b. Accident may also occur during movement in the mine, in case pathway is not compacted suitably or movement is at the embankment.
- c. There are possibilities that due to overloading. Some pebbles or big may injure the passerby public. In case Traffic & vehicle load bearing licensed capacity is neglected.
- d. Proper turning of vehicles will be ensured to avoid any congestion during entry or exit.

1.2.3 DROWNING

There are no possibilities of drowning in the river as project is on riverbed, since mining operations is stopped during monsoon.

1.2.4 EARTHQUAKES

The mining operations are open cast pit mining. The mining pits will be only of one meter depth. There won't be any structure in the area likely to cause risk to workers. The workers rest sheds, store building and toilets will be constructed.

7.4 ADDITIONAL MITIGATION MEASURES TO BRING HAZARDS UNDER "ALARP" ZONE

7.4.1 MEASURES TO PREVENT ACCIDENTS DURING LOADING

1. The truck should be brought to a lower level so that the loading operation suits to the ergonomic condition of the workers.
2. The loading should be done from one side of the truck only.
3. The workers should be provided with gloves and safety shoes during loading.
4. Opening of the side covers (pattas) should be done carefully and with warning to prevent injury to the loaders.
5. Operations during daylight only.
6. No foreign material should be allowed to remain/spill.

7.4.2 MEASURES TO PREVENT ACCIDENTS DURING TRANSPORTATION

1. All transportation within the main working should be carried out directly under the supervision and control of the management.
2. The Vehicles must be maintained in good repairs and checked thoroughly at least once a week by the competent person authorized for the purpose by the Management.
3. The truck drivers with proper driving license would only be employed.
4. Generally, overloading should not be permitted.
5. The truck should be covered and maintained to prevent any spillage.
6. The maximum permissible speed limit should be ensured.
7. To avoid danger of accident roads and ramp near embankment should be properly maintained.

7.4.3 MEASURES TO PREVENT INUNDATION/FLOODING/DROWNING

- Being on riverbed there should not be any mining operation during monsoon or rainy day.

- Formation of deep pits should not be allowed. Mining will be carried out as per mining scheme only.
- Whenever there is any alert of flooding the workers will be moved to safer area along the banks.

7.4.5 EMERGENCY PLAN

On realizing anything serious happened anywhere in the mine, the foreman or the mate will immediately inform the nearest mining official & the manager of mines.

On receiving information of emergency, Shift in-charge will ensure that all the materials and transport system to deal with emergency situation is kept under readiness.

First aid facilities are to be kept ready to receive the cases.

7.5 SOCIAL IMPACT ASSESSMENT, REHABILITATION & RESETTLEMENT (R&R) ACTION PLAN

There will be no resettlement or rehabilitation involved in the project being on meandering course of the river. However, a detailed Socio Economic Assessment has been performed, which is given below:

CHAPTER VIII-PROJECT BENEFITS

8.0 GENERAL

The execution of the project i.e. removal of sediments will protect against widening of the river channel and flooding of adjoining areas, bring overall improvement in the locality, neighborhood and the State by bringing industry, roads, water supply, electricity, employment, living standard and economic growth.

8.1 BENEFITS OF MINING

- i. Controlling river channel
- ii. Protecting banks
- iii. Prevent Siltation
- iv. Reducing submergence of adjoining agricultural lands due to flooding.
- v. Reducing aggradation of river level.
- vi. Protection of crops being cultivated along the river bank
- vii. Generating useful economic resource for construction.
- viii. Improvement in the general health status of the local people.
- ix. Generating employment
- x. Improvement of socio economic conditions of nearby habitats.
- xi. A check on illegal mining activity.

8.2 EMPLOYMENT

The socio-economic conditions of the surrounding villages indicate that employment generation is seasonal. The occupational activities are agriculture, cattle rearing and employment in mines but on daily wages. The mining activity will provide employment to local people which will increase

socio-economic status of the area. The proposed project will provide the direct employment to the 10 to 15 Person.

8.3 IMPROVEMENTS IN PHYSICAL AND SOCIAL INFRASTRUCTURE

The opening of the proposed project will enhance the socio-economic activities in the adjoining areas. This will result in following benefits:-

- a. Improvements in physical infrastructure.
- b. Improvements in Social Infrastructure.
- c. Increase in Employment Potential
- d. Prevention of illegal mining.
- e. During and Post-mining enhancement of green cover.

8.3(a) IMPROVEMENTS IN PHYSICAL INFRASTRUCTURE

The opening of the proposed project will improve the physical infrastructure of the adjoining areas. This will include the following:-

- i. Improved road communication due to opening of the proposed project.
- ii. Strengthening of existing community facilities through the Community Development Programme.
- iii. Creation of community assets (infrastructure) like provision for drinking water, construction of school buildings, village roads/ linked roads, dispensary & health centre, community centre, market place etc.
- iv. Awareness program and community activities, like health camps, medical aids, family welfare programs, immunization camp sports & cultural activities, plantation etc.

8.3(b) IMPROVEMENTS IN SOCIAL INFRASTRUCTURE

There will be some obvious changes in various environmental parameters due to mining activity. There will be positive impact in socio-economic area due to increased economic activities, creation of new employment opportunities, infrastructural development and better educational and health facilities. Lessee will also undertake awareness program and community activities like health camps, medical aids, family welfare camps etc.

8.3(c) INCREASE IN EMPLOYMENT POTENTIAL: - There is a possibility of creation of direct and indirect employment opportunities due to working of this mine.

8.3(d) ENHANCEMENT OF GREEN COVERS

As per mining plan the entire mining lease area falls within river course. The entire mining area falls within river course and gets flooded during monsoons; therefore, no plantation is possible within this area. However, plantation can be taken up along the haul roads.

It is proposed to plant around 100 trees every year along the haul road.

Table No. 8.1 ENHANCEMENT OF GREEN COVERS

| S.NO | Year | Area in Sq.m | NO OF PLANTS |
|-------------|----------------------|---------------------|---------------------|
| 1 | 1 st YEAR | 1000 | 100 |
| 2 | 2 nd YEAR | 1000 | 100 |
| 3 | 3 rd YEAR | 1000 | 100 |
| 4 | 4 th YEAR | 1000 | 100 |
| 5 | 5 th YEAR | 1000 | 100 |
| | Total | 5000 | 500 |

8.4 HEALTH

Pre-placement medical examination and Periodic medical checkups will be done half-yearly and other social development and promotional activities will be undertaken. All this will lift the general health status of the residents of the area around mine.

8.5 UNDER CSR THE FOLLOWING MEASURES WILL BE TAKEN
Table No. 8.2 Budget Proposed for Corporate Social responsibilities Activities

| Budget for <i>Social Corporate Responsibility</i> | | |
|---|--------------------------|-----------------------------------|
| Item | Capital (In Lac.) | Recurring Cost/year (Lacs) |
| Contribution to the local area under <i>Social Corporate Responsibility</i>– <ul style="list-style-type: none"> • will provide 2 plastic shredders, 2 compactores and 2 plastic waste will be donated to department of Environment, Shimla and will also donate 4 solar lights to the department of Environment, Shimla. | 2.5 | -- |
| Total cost | 2.5 | - |
| Total cost in five years Rs.2.5 Lac (Within 6 months after getting Environmental Clearance) | | |

- Awareness program will be conducted for labours to sensitize them about importance of biological environment.
- Villagers will be encouraged to plant trees for which free saplings will be provided to them.
- Provide employment to the nearby villagers for better living standards.
- Regular medical health check-up for workers will be organized annually.
- Distribution of school bags, books and uniforms to the children.
- Awareness programs will be organized for the Promotion of Girl child education

CHAPTER IX-ENVIRONMENT MANAGEMENT PLAN

9.0 INTRODUCTION

To mitigate the adverse impact which is likely to be caused due to the mining operation and overall scientific development of local habitat, Environmental Management Plan (EMP) has been formulated and integrated with the mine planning. The details of the anticipated impacts and mitigative measures have been discussed in Chapter IV of this report, based on the results of present environmental conditions and environmental impact assessment. The EMP has therefore been made considering implementation and monitoring of environmental protection measures during and after mining operations.

The mitigation measures which reduce the impact have already been identified earlier in this report in Chapter IV. To minimize the adverse impact, certain additional EMP measures are enumerated below for implementation.

9.1 ENVIRONMENTAL MANAGEMENT PLAN (EMP)

Proper environmental management plan are proposed for “Sand Stone & *Bajri*” mining project to mitigate the impact during the mining operation.

- No labour camps will be established on river bed.
- No cooking, or burning of woods will be allowed in the nearby area.
- Prior to commencement of mining, a short awareness program will be conducted for labours to make them aware of way of working and various precautions to be taken while at work. Such program will be repeated occasionally.

- In the event of any some causality or injury to any animal occurs, proper treatment will be given.
- No tree cutting, chopping, lumbering, uprooting of shrubs and herbs will be allowed.
- Corridor movement of wild animals, if exists mining operations will be avoided in the area.
- It will be ensured that noise produced due to vehicles movement while carrying sand is within the permissible noise level.
- No piling of River Bed Material will be done in adjoining area.

9.2 ENVIRONMENTAL MANAGEMENT PLAN - IMPLEMENTATION

Environmental Management Plan serves no purpose if it is not implemented in letter and spirit. An implementation and monitoring programme has therefore been prepared.

The major attributes of environment are not confined to the mining site alone. Implementation of proposed control measures and monitoring programme has an implication on the surrounding area as well as for the region. Therefore, mine management should strengthen the existing control measures as elaborated earlier in this report and monitor the efficacy of the control measures implemented within the mining area relating to the following specific areas:

- a) Collection of air and water samples at strategic locations with frequency suggested and by analyzing thereof. If the parameters exceed the permissible tolerance limits, corrective regulation measure will be taken.
- b) Collection of soil samples at strategic locations once every two years and analysis thereof with regard to deleterious constituents, if any.

- c) Measurement of water level fluctuations in the nearby ponds, dug wells and bore wells and to assess if mining has got any impact on it or not.
- d) Regular visual examination will be carried out to look for erosion of river banks. Any abnormal condition, if observed, will be taken care of.
- e) Measurement of noise levels at mine site, stationary and mobile sources, and adjacent villages will be done twice a year for first two years and thereafter once a year.
- d) Plantation / Afforestation will be done as per program i.e. along the road sides and near civic amenities, which will be allotted by Government bodies. Post plantation, the area will be regularly monitored in every season for evaluation of success rate. For selection of plant species local people will also be involved.

Mine management will be in regular touch with local surrounding villages to update the various developmental schemes made by them. They will also consider any immediate requirement, which could be taken care of in near future.

An Environmental Management Cell (EMC) is envisaged which will be responsible for monitoring EMP and its implementation. EMC members should meet periodically to assess the progress and analyze the data collected during the month. The EMC will function as per Fig. 5.1(Chapter V).

9.3 PROPOSED SET UP

Keeping the utility of monitoring results in the implementation of the environmental management program in view, an organizational chart has been proposed, headed by General Manager as shown in Fig. 5.1(Chapter - V).

The said team will be responsible for:

- (i) Collecting water, air and soil samples, noise measurements and collection of data about flora, fauna, and other parameters as per the programme schedule from surrounding area and work zone monitoring for pollutants.
- (ii) Analyzing the water, air and soil samples.
- (iii) Implementing the control and protective measures.
- (iv) Co-coordinating the environment related activities within the project as well as with outside agencies.
- (v) Collecting statistics of health of workers and population of surrounding villages.
- (vi) Monitoring the progress of implementation of environmental management program.
- (vii) Reporting the status report to the statutory authorities.

The laboratory will be suitably equipped for sampling/testing for various environmental pollutants.

9.4 BUDGET ALLOCATION FOR EMP IMPLEMENTATION

Annual budget for EMC is very essential for successful implementation of EMP. Costs will be annual operating costs as given below. The fund allocated will not be diverted for any other purposes and the top management will be responsible for this. The budget will take into consideration the following capital and operating expenses:

1. Field cost for monitoring of parameters.
2. Cost of any defined outsourcing
3. Cost of chemicals, consumables and transport for data generation
4. Manpower cost for environmental cell
5. Any other cost as per EC condition.

Table 9.1 COST OF EMP

The project will commence once Environmental Clearance and other necessary certificates are obtained from the respective departments.

| S. No | Description | Measures | Capital Cost (Lac Rs.) | Recurring Cost (In Lac Rs.) | Time Frame |
|-------|---|--|------------------------|-----------------------------|---|
| 1 | Air pollution control | Sprinkling of Water on Haulage Road to control Dust. | | 0.5 Lac | Twice a time in a day |
| 2 | Plantation | Plantation will be developed along the road side | -- | 0.20Lac | 40 plants will be planted every year for 5 year |
| 3 | Occupational Health measures and other miscs activities for Employees) Shelter, Health Facilities, Safe drinking water, will be provided to labour. | | 0.20Lac | 0.65Lac | Two times in a year report will be submitted to regional office MoEF & CC & H.P SEIAA |
| 4 | Retaining Structure Construction & Maintenance | | | | |

| | | | | | |
|--|---------------------------------------|--|------|------|---------------------|
| 5 | Environment Monitoring and Management | | | 0.50 | Two times in a year |
| Total | | | 0.20 | 1.85 | |
| Total budget for EMP for 5 years = Capital Cost (Rs. 0.20 Lacs) + Recurring Cost (1.85Lacs*5) = 9.25 lacs. | | | | | |
| Total budget for Project – Rs. 9.45 Lacs | | | | | |

CHAPTER X- SUMMARY & CONCLUSION

10.0 INTRODUCTION OF PROJECT & PROPONENT

As per vide letter Nos. Udyog-Bhu (Khani-4) Laghu-833/2020-7484 dated 17-12-2020, a letter of Intent has been granted to Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udyog Stone Crusher R/O- Village- Mauza/Mohal- Bain Attarian, P.O Shivpur, Tehsil-Indora and District- Kangra (H.P) for one year. The area comprises of Khasra No 177/1 (Private Land/ riverbed) 02-94-00 ha falling in Mohal and Mauza Bain Attarian, tehsil Indora and District Kangra(H.P).

The proposed Sand and Bajri mining project is located near MAUZAMOHAL- Bain Attarian, Tehsil INDORA, District- Kangra(H.P)., and Himachal Pradesh. The proposed project is for Sand Stone and Bajri mining having lease area of 02-94-00 ha. The entire stretch of applied mining lease area is Private which is a part of bed of Chhaunch Khadd.

The proposed project is manual extraction and collection of Stone Boulder, Sand and Bajri from bed of Chhaunch Khadd up to one meter bgl or above.

It has been proposed to extract around 26,365 tonnes per annum of Sand Stone and Bajri, the extracted materials will get replenished during every monsoon season.

10.1 LOCATION

Mining will be confined to the allotted lease area lies in the bed of Chhaunch Khadd. The mining lease area is 02-94-00 hectare Situated in MAUZAMOHAL- Bain Attarian Tehsil Indora and District- Kangra, H.P

The lease area is connected to the nearest metalled road through unmetalled road at a distance of about 1.2km.

The co-ordinates of the mine lease area are:

Latitude: $32^{\circ} 10' 25.75'' N - 32^{\circ} 10' 19.21'' N$

Longitude: $75^{\circ} 40' 38.44'' E - 75^{\circ} 40' 32.94'' E$

10.2 MINING

10.2.1 METHOD OF MINING

1. The mining shall be taken manually with the use of hand tools.
2. No blasting is required.
3. The area being part of the River which receives annual rainfall, the mining area will get replenished during every rainy (monsoons) season. As abundant precaution, keeping in view the variation in rainfall particularly highest rainfall, which generally causes floods, the factor of eight cm annual replenishment is taken into consideration in general.
4. Keeping in view of the replenishment factor, no rotational mining has been proposed. The complete mineable area shall be explored every year.
5. Though the major mining activities will be under taken during the dry seasons.
6. Thus effective mining will be only for 300 days in a year.
7. Mining activity will be done in day time only.

SIZE OR MAGNITUDE OF OPERATION

The area of the proposed mine is 02-94-00 ha, and the proposed capacity of Sand Stone and Bajri will be 26,365 TPA. The Applicant intends to mine Stone Sand and Bajri from the allotted lease

The Mineral production target for the Next five years is given below:

Table 10.1 Showing Year wise Production Programme

| Year | Bench level in meter | Opening reserves of usable Stone/Sand/Bajri Of the bench (in M.T.) | Annual Prduction of usable Stone/Sand/Bajri Of the bench (in M.T.) | Closin reserve of the bench(M.T) |
|----------------------|----------------------|--|--|----------------------------------|
| 1 st Year | 300 | 89850 | 26365 | 63485 |
| 2 nd Year | 300 | 63485 | 26365 | 37120 |
| 3 rd Year | 300 | 37120 | 26365 | 10755 |
| 4 th Year | 300 | 101715 | 26365 | 76100 |
| 5 th Year | 298 | 76100 | 26365 | 49735 |

Source: - Approved mine Plan.

WORKING DEPTH (BELOW GROUND LEVEL)

The deposits occur in the middle/bottom of the river. During the entire lease period the deposit will be worked from the top surface to 3 ft below ground level. The ultimate depth of the open cast pits will not exceed 3 ft below river bed level or above ground water table, whichever comes first. Under no circumstances it will interfere with the ground water table

10.3 WATER SUPPLY

Table No. 10.2 WATER SUPPLY

| Activity | Water Requirement (KLD) |
|------------------|-------------------------|
| Dust Suppression | 4.8 |
| Plantation | 0.8 |
| Domestic purpose | 0.7 |
| Total | 6.3 |

Water Requirement for the mining process will be met from existing Borewell Present at own land at Village Bain Attarian, teh.- Indora, H.P

This section contains the description of baseline studies of the 10 km radius of the area surrounding “ **MAUZA/MOHAL- Bain Attarian Sand Stone & Bajri Mine, and Himachal Pradesh**”. The data collected has been used to understand the existing environment scenario around the proposed mining project against which the potential impacts of the project have been assessed.

Environmental data has been collected in relation to proposed mining for:-

- (a) Air
- (b) Noise
- (c) Water
- (d) Soil
- (e) Ecology and Biodiversity
- (f) Socio-economy

Table 10.3 BASELINE ENVIRONMENTAL STATUS

| Attribute | | Baseline status |
|-----------------|-----|---|
| Ambient Quality | Air | Ambient Air Quality Monitoring reveals that the minimum & maximum concentrations of PM ₁₀ amongst all the 8 AQ monitoring stations were found to be 32.0 µg/m ³ at AQ2 and 45.6 µg/m ³ at AQ6, respectively. This dust concentration will get considerably reduced the moment measures are taken for dust control at the crusher itself, like the wet crushing, or extraction of |

| | |
|---------------------------------|---|
| | <p>dust laden air and cleaning of dust thereof.</p> <p>As far as the gaseous pollutants SO₂ and NO₂ are concerned, the prescribed CPCB limit of 80µg/m³ for residential and rural areas has never been surpassed at any station.</p> |
| Noise Levels | <p>Noise monitoring was carried out at six locations. The results of the monitoring program indicated that both the daytime and night time levels of noise were well within the prescribed limits of NAAQS, at all the five locations monitored.</p> |
| Water Quality | <p>8 Groundwater samples and 2 surface water samples were analyzed and concluded that:</p> <p>The ground water from all sources remains suitable for drinking purposes as all the constituents are within the limits prescribed by drinking water standards promulgated by IS: 10500.</p> |
| Soil Quality | <p>Samples collected from identified locations indicate the soil is loamy type and the pH value ranging from 7.88 to 8.11, which shows that the soil is Moderat alkaline in nature.</p> |
| Ecology and Biodiversity | <p>There is no wild life sanctuary present within 10km radius of the study area.</p> |
| Socio-economy | <p>The implementation of Mauza/Mohal Bain Attarian Sand Stone & <i>Bajri</i> Mining Project on Chhaunch Khadd bed in district Kangra will throw opportunities to local people for both direct and indirect employment.</p> <p>The study area is still lacking in education, health, housing, water, electricity etc. It is expected that same</p> |

| | |
|--|--|
| | will improve to a great extent due to proposed mining project and associated industrial and business activities. |
|--|--|

10.4 BIOLOGICAL ENVIRONMENT

Biological diversity comprises the variability of species, genus and ecosystems and is very crucial for maintaining the basic processes on which the life depends. Broadly it can be divided into two types i.e. the floral diversity and faunal diversity. Conservation of the biodiversity is essential for the sustainable development as it not only provides the food, fodder and medicine but also contributes to the improvement of essential environmental attributes like air, water, soil, etc.

Before starting any Environmental Impact Assessment study, it is necessary to identify the baseline of relevant environmental parameters which are likely to be affected as a result of operation of the proposed project. A similar approach has been adopted for conducting the study on Biological Environment for this Project. Both terrestrial and aquatic ecosystems have been studied to understand the biological environment.

0.5 WATER ENVIRONMENT

10.5.1 IMPACTS ON WATER ENVIRONMENT

Mining of Sand Stone Stone & *Bajri* from river bed has no permanent and direct impact on the physico-chemical characteristics. These characteristics include stream roughness elements, depth, velocity, turbidity, sediment transport and stream discharge. Altering these characteristics can have

negative impacts on both in-stream biota and associated riparian habitat. The mining will confine to central part of river bed, away from banks.

Thus mining would channelize the river flow.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

- i. Alteration of flow patterns resulting from modification of the river bed.
- ii. An excess of suspended sediment.
- iii. Damage to riparian vegetation and in-stream habitat.

10.6.2 MITIGATION MEASURES

The major source of surface water pollution due to mining is negligible, however, the following measures shall be undertaken to prevent water pollution.

A: SURFACE WATER

- Drains and their Catchments will be constructed just beside the access roads so that the storm water gets settled before flowing to the river.
- The washing of trucks and tipper truck in the river will be avoided and disposal of domestic waste in the water body will be prevented.

B: GROUND WATER

There would not be any adverse effect on the ground water quality. The mineral formation does not contain any harmful element, which could percolate into the ground and pollute the ground water. Mining will be done

up to the depth of 1 meter bgl or below groundwater table whichever comes first. It ensured that the project will not intercept the groundwater table.

10.7 IMPACTS ON AIR ENVIRONMENT

Emission of fugitive dust is envisaged due to:

I. Mining Activities includes extraction of minerals. No blasting material is to be used. Therefore the dust generated is likely to be insignificant as compared to other mining processes.

II. Transportation of minerals will be done by road using trucks. Fugitive dust emission is expected from the transportation of trucks on the haul roads. The mining will be undertaken during dry seasons.

The major source of dust generation is the transport of material by trucks and tractor/trolleys. Adequate control measures shall be taken during mining operations as well as transportation of minerals.

The following steps shall be adopted to prevent air pollution due to airborne dust.

The only air pollution sources are the road transport network of the trucks. The dust suppression measures like water sprinkling will be done on the unmetaled part of the haul road.

Utmost care will be taken to prevent spillage of Sand & Bajri from the trucks and materials will be covered with tarpaulin sheet.

Overloading will be prevented.

Plantation activities in consultation with local competent authority along the roads will also reduce the impact of dust in the nearby villages.

10.8 IMPACTS ON NOISE ENVIRONMENT

The proposed mining activity is semi mechanized in nature. No drilling & blasting is proposed for this mining activity. Hence the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals. About 23 truck trips are required for transporting mined material per working day from mining area to crusher.

10.8.1 MITIGATION MEASURES

The following control measures shall be taken to keep the ambient noise levels well within limits:

- Minimum use of horns and speed limit is 10 kms in the village area.
- Only PUC certified vehicles will be used for transportation purpose.
- The dedicated tipper truck would be properly and regularly undergo maintenance so as to create minimum noise.
- Special care would be taken to properly maintain the silencers of the vehicles.
- A thick belt of broad leaf trees, bushes and shrubs would be planted near the banks of river to screen the noise and stabilize the banks.

10.9 IMPACTS ON BIOLOGICAL ENVIRONMENT

The mining activity will have insignificant effect on the existing flora and fauna. The purpose of the project itself is to save the flora around the project area from river widening, excessive erosion and floods. It was found that the mining activity will not have any significant impact on the biological environment of the region.

10.10 IMPACTS OF SOLID WASTE GENERATION

No solid waste generation is expected from the mining operation. However, only silt/clay will be generated as waste which will be further use for maintenance of haul road and plantation purpose.

10.11 ENVIRONMENTAL MANAGEMENT PLAN (EMP)

Proper environmental management plan are proposed for “Sand Stone & *Bajri*” mining project to mitigate the impact during the mining operation.

- No labour camps will be established on river bed.
- No cooking, or burning of woods will be allowed in the nearby area.
- Prior to commencement of mining, a short awareness program will be conducted for labours to make them aware of way of working and various precautions to be taken while at work. Such program will be repeated occasionally.
- In the event of any some causality or injury to any animal occurs, proper treatment will be given.
- No tree cutting, chopping, lumbering, uprooting of shrubs and herbs will be allowed.
- Corridor movement of wild animals, if exists mining operations will be avoided in the area.
- It will be ensured that noise produced due to vehicles movement while carrying sand is within the permissible noise level.
- No piling of River Bed Material will be done in adjoining area.

10.12 ENVIRONMENTAL MANAGEMENT PLAN IMPLEMENTATION

Environmental Management Plan serves no purpose if it is not implemented in letter and spirit. An implementation and monitoring programme has therefore been prepared.

The major attributes of environment are not confined to the mining site alone. Implementation of proposed control measures and monitoring programme has an implication on the surrounding area as well as for the region. Therefore, mine management should strengthen the existing control measures as elaborated earlier in this report and monitor the efficacy of the control measures implemented within the mining area relating to the following specific areas:

- f) Collection of air and water samples at strategic locations with frequency suggested and by analyzing thereof. If the parameters exceed the permissible tolerance limits, corrective regulation measure will be taken.
- g) Collection of soil samples at strategic locations once every two years and analysis thereof with regard to deleterious constituents, if any.
- h) Measurement of water level fluctuations in the nearby ponds, dug wells and bore wells and to assess if mining has got any impact on it or not.
- i) Regular visual examination will be carried out to look for erosion of river banks. Any abnormal condition, if observed, will be taken care of.
- j) Measurement of noise levels at mine site, stationary and mobile sources, and adjacent villages will be done twice a year for first two years and thereafter once a year.

- e) Plantation/afforestation will be done as per program i.e. along the road sides and near civic amenities, which will be allotted by Government bodies. Post plantation, the area will be regularly monitored in every season for evaluation of success rate. For selection of plant species local people will also be involved.

Mine management will be in regular touch with local surrounding villages to update the various developmental schemes made by them. They will also consider any immediate requirement, which could be taken care of in near future.

An Environmental Management Cell (EMC) is envisaged which will be responsible for monitoring EMP and its implementation. EMC members should meet periodically to assess the progress and analyze the data collected during the month.

BUDGET ALLOCATION FOR EMP IMPLEMENTATION

Table 10.4 COST OF EMP

| S. No | Description | Measures | Capital Cost (Lac Rs.) | Recurring Cost (In Lac Rs.) | Time Frame |
|--------------|-----------------------|--|-----------------------------------|--|---------------------------------|
| 1 | Air pollution control | Sprinkling of Water on Haulage Road to control Dust. | | 0.5 Lac | Twice a time in a day |
| 2 | Plantation | Plantation will be developed along the road side | - | 0.20Lac | 40 plants will be planted every |

Draft EIA/EMP Report of Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, Located Near Village- Mauza/Mohal - Bain Attarian, Tehsil – Indora & Dist.- Kangra (H.P.)

| | | | | | year for 5 year |
|---|---|---|----------|---------|---|
| 3 | Occupational Health measures and other miscs activities for Employees) Shelter, Health Facilities, Safe drinking water, will be provided to labour. | | 0.20 Lac | 0.65Lac | Two times in a year report will be submitted to regional office MoEF & CC & H.P SEIAA |
| 4 | Retaining structure construction and maintenance | Construction & maintenance will be done of 5 no retaining structure of 10 m length & 1.5 m height | -- | -- | |
| 5 | Environment Monitoring and Management | | | 0.50 | |
| Total | | | 0.20 | 1.85 | |
| Total budget for EMP for 5 years = Capital Cost (Rs. 0.20 Lacs) + Recurring Cost (1.85Lacs*5=9.25 lacs.) = 9.45 lacs. | | | | | |
| Total budget for Project – Rs. 9.45 Lacs | | | | | |

10.13 BENEFIT OF MINING

Mining will result in following benefits:-

- i. Controlling river channel
- ii. Protecting banks
- iii. Prevent Siltation
- iv. Reducing submergence of adjoining agricultural lands due to flooding.
- v. Reducing aggradation of river level.
- vi. Protection of crops being cultivated along the river bank
- vii. Generating useful economic resource for construction.
- viii. Improvement in the general health status of the local people.
- ix. Generating employment
- x. Improvement of socio economic conditions of nearby habitats.
- xi. A check on illegal mining activity.

CHEPER- XI DISCLOSURE OF CONSULTANTS

DISCLOSURE OF CONSULTANT

M/s N.S. Enviro-Tech Laboratories & Consultant is expertise in Mining and Environment Management provides comprehensive professional services for Mining, Cement Plants, Isolated Storage & handling of hazardous chemicals, Ports, harbours, break waters and dredging, Building & Large Construction and Metallurgical industries (ferrous & non-ferrous) sectors.

M/s N.S. Enviro-Tech Laboratories & Consultant was established in the year 2015. It is an ISO 9001:2008 certified organization. It is NABET accredited Organization for preparation of EIA/EMP for Mining, and Cement Plants, Isolated Storage & handling of hazardous chemicals, Ports, harbours, break waters and dredging, Building & Large Construction and Metallurgical industries (ferrous & non-ferrous) sectors projects by NABET.

LIST OF EXPERTS TEAM OF NSETLC

| S. No | Name | Qualification /Work Experience |
|-------|--|---|
| 1 | Mr.N.S. Naruka (CEO) | M. Phill in Environment Management & M. Sc- Environment Science, Certified lead auditor in Environment Management System. Approved A cat. By NABET, EIA Co-coordinator- Mining A cat. & Functional Area Expert- AP, WP & SHW and more than 15 Years work experience in the field of Environment Clearance and preparation of EIA/EMP Report. |
| 2 | Mr. S.P Goyal Ex. Controller of Mines, IBM, India | B.E (Mining). Approved A cat. By NABET, EIA Co-coordinator- Mining (Underground & Opencast) & Functional Area Expert- AP, NV, RH & SHW & more than 6 years experience in the field of Consultancy on Mining and Environment. |
| 3 | Mr. S.C. Sharma (Ex. Chief Mining Engineer, Coal India Limited) | B.E (Mining Engineering). Approved A cat. By NABET, EIA Co-coordinator- Mining (Underground & Opencast) & Functional Area Expert- NV, RH & more than 10 years experience in the field of Consultancy on Mining and Environment. |

Draft EIA/EMP REPORT OF Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog
Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, LOCATED
NEAR VILLAGE- Mauza/Mohal Bain Attarian, TEHSIL – INDORA & DIST- Kangra (h.p)

| | | |
|----|---|--|
| 4 | Dr. A. K Pandey | Ph. D & Post Doct. in Environment Science B.J (M.C) in Journalism Diploma in Disaster Management & M. Sc Ecology & Env. Science & more than 25 years experience in the field of Consultancy on Mining and Environment. Approved A cat. By NABET, EIA Co-coordinator- Mining & -1, Highway-34, and Common municipal solid waste-37, Functional Area Expert- EB, & SHW. |
| 5 | Mr. Rakesh Yamuna Goswami(Ex. Sr. Geologist, DMG, Jodhpur.) | M.SC. TECH. in applied Geology. Functional Area Expert- HG & GEO & more than 6 years experience in the field of Consultancy on Mining and Environment. |
| 6 | Mr.Rohit Pandey | M. Sc- Environment Science. Team Member- WP,EB & more than 12 Years work experience in field of Environment Consultancy. |
| 7 | Ms. Anju | M.A- Sociology. Functional Area Expert- SE & more than 10 Years work experience in Social Development & NGO. |
| 8 | Mr. Rajveer Singh | M.Sc- Remote Sensing and GIS. EIA Co-coordinator- Rope way & Functional Area Expert- LU and more than 10 Years work experience in the field of Environment Clearance and preparation of EIA/EMP Report. |
| 9 | Mr. Kailash Meena | Post-Graduation (M.A. in Geography) & P.G. Diploma in Remote Sensing & GIS Functional Area Expert- LU. More than 5 Year work Experience as Empanelled Expert Land Use. |
| 10 | Mr. Vikash Jangir | M. Sc- Environment Science. Functional Area Associated- AP & WP & AQ More three years work experience in the field of Environment Clearance and preparation of EIA/EMP Report. |
| 11 | Ms. Sweta Sarkar | M. Sc- Environment Science. Functional Area Associated- AP & WP & SHW More three years work experience in the field of Environment Clearance and preparation of EIA/EMP Report. |

Draft EIA/EMP REPORT OF Shri Karan Singh Pathania, M/s Jai Shree Hari Gram Udhog
Stone Crusher, SAND STONE & BAJRI Mininig Project, AREA IS- 02-94-00 HA, LOCATED
NEAR VILLAGE- Mauza/Mohal Bain Attarian, TEHSIL – INDORA & DIST- Kangra (h.p)

| | | |
|----|----------------------------|--|
| 12 | Ms. Mansi Patel | M. Sc- Environment Science. Functional Area Associated – EB, SHW & SC one year work experience in the field of Environment Clearance and preparation of EIA/EMP Report |
| 12 | Dr. Ravi Kumar Ranjan | Ph. D- Environmental Science and Engineering. M. Tech Environmental Science and Engineering. Functional Area Expert- AQ . More than 7 Year work Experience in the field of Environment Consultancy. |
| 13 | Ms. Ambika Bhatt | M. Sc. Microbiology. TM- WP. More than 7 Year work Experience in the field of Environment Consultancy. |
| 14 | Mr. Mahipal Singh Chouhan | M. Sc- Geology. TM- HG & GEO. 3 Year work experience in Hindustan Zinc Limited. 2 Year work experience in Environment Consultancy. |
| 15 | Mr. Gajendra Singh Chouhan | B-TECH- Civil Engineer. TM- HG & NV. 4 Year work experience in Environment Consultancy. |
| 16 | Mr. Subash Gurjar | M.A -Political Science FAA-SE. More than 6 Year work experience in Environment Consultancy. |
| 17 | Mr. Hariom Chejara | AutoCAD Expert |
| 18 | Ms. Monika Sharma | M. Sc- Environment Science. FAA - EB & WP More than 2.5yr. experience in Environment Consultancy. |
| 19 | Mr. Yatendra Singh Rathore | M. Sc- Environment Science.(FAA) |

\

CONTACT PERSON

: NARENDRA SINGH NARUKA

**CORPO. OFFICE: - P. NO. 51, SHIV VIHAR, GANETA HOUSE,
NEAR PATARKAR ROAD, MANSAROVAR,
JAIPUR (Rajasthan) - 302020 INDIA,**

MOBILE - +919829930877, 9414542177,

Email: nsevirotech@gmail.com,

Visit Us: www.nsevirotech.com
