

| Name of Regional Office: Chamba | | | | | | | | |
|---------------------------------|----------|---------------------|----------------------|--------------------------------|-------------------------------------|--|-------------------------------------|--|
| Area/Zone | | | | Silence | Residential | Commercial | Industrial | |
| Limit in dB(A) | | Day Time | Limit in dB(A) | 50 | 55 | 65 | 75 | |
| | | Night Time | Limit in dB(A) | 40 | 45 | 55 | 70 | |
| Month and Year: | | January-2018 | | | | | | |
| Date | Location | Details of Sampling | | Silence (District Hospital) | Residential (Mohalla Hardaspura) | Commercial (Near Market Chowgan Chamba) | Industrial (Ind. Area Sultanpur) | |
| 05-01-2018 | Chamba | Day Time | Noise Level in dB(A) | 43.6 | 44.2 | 55.9 | 42.8 | |
| | | Night Time | Noise Level in dB(A) | 33.1 | 35.4 | 39.5 | 40.4 | |
| 15-01-2018 | Chamba | Day Time | Noise Level in dB(A) | 42.7 | 44.5 | 56.3 | 42.6 | |
| | | Night Time | Noise Level in dB(A) | 33.4 | 35.1 | 39.8 | 39.6 | |
| 24-01-2018 | Chamba | Day Time | Noise Level in dB(A) | 41.6 | 43.5 | 55.8 | 42.9 | |
| | | Night Time | Noise Level in dB(A) | 32.6 | 35.4 | 39.8 | 41.2 | |
| 30-01-2018 | Chamba | Day Time | Noise Level in dB(A) | 42.1 | 45.3 | 56.2 | 42.8 | |
| | | Night Time | Noise Level in dB(A) | 32.4 | 36.3 | 41.2 | 41.6 | |
| Month & Year : | | Febraury-2018 | | | | | | |
| 06-02-2018 | Chamba | Day Time | Noise Level in dB(A) | 43.4 | 44.3 | 55.6 | 41.9 | |
| | | Night Time | Noise Level in dB(A) | 33.5 | 34.6 | 39.4 | 39.3 | |
| 12-02-2018 | Chamba | Day Time | Noise Level in dB(A) | 42.8 | 44.1 | 55.8 | 41.7 | |
| | | Night Time | Noise Level in dB(A) | 33.1 | 34.5 | 39.6 | 39.5 | |
| 23-02-2018 | Chamba | Day Time | Noise Level in dB(A) | 42.6 | 43.1 | 54.9 | 41.3 | |
| | | Night Time | Noise Level in dB(A) | 32.5 | 34.1 | 39.5 | 40.1 | |
| 27-02-2018 | Chamba | Day Time | Noise Level in dB(A) | 41.8 | 44.6 | 55.1 | 41.7 | |
| | | Night Time | Noise Level in dB(A) | 32.5 | 34.3 | 39.6 | 39.8 | |
| Month & Year : | | March, 2018 | | | | | | |
| 07-03-2018 | Chamba | Day Time | Noise Level in dB(A) | 43.1 | 44.5 | 55.3 | 41.5 | |
| | | Night Time | Noise Level in dB(A) | 33.6 | 34.3 | 39.8 | 39.6 | |
| 14-03-2018 | Chamba | Day Time | Noise Level in dB(A) | 42.6 | 44.4 | 55.5 | 41.2 | |
| | | Night Time | Noise Level in dB(A) | 33.4 | 34.8 | 38.9 | 39.2 | |
| 22-03-2018 | Chamba | Day Time | Noise Level in dB(A) | 41.8 | 44.6 | 55.1 | 41.7 | |
| | | Night Time | Noise Level in dB(A) | 32.5 | 34.3 | 39.6 | 39.8 | |
| 31-03-2018 | Chamba | Day Time | Noise Level in dB(A) | 41.4 | 44.1 | 54.8 | 41.5 | |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|---|----------|-----------------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| | | Night Time | Noise Level in dB(A) | 32.4 | 34.1 | 39.1 | 38.4 |
| Month & Year : April, 2018 | | Noise Monitoer out of order | | | | | |
| Month & Year : May, 2018 | | Noise Monitoer out of order | | | | | |
| Month & Year : June, 2018 | | Noise Monitoer out of order | | | | | |
| Month & Year : July, 2018 | | Noise Monitoer out of order | | | | | |
| Month & Year : August, 2018 | | Noise Monitoer out of order | | | | | |
| Month & Year : September, 2018 | | Noise Monitoer out of order | | | | | |
| Month & Year : October, 2018 | | Noise Monitoer out of order | | | | | |

Month & Year :

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|--|---------------|---------------------|-----------------------|---------------------|-------------|------------------------------|-----------------------|
| | | | | (District Hospital) | Rajpura | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 05-11-2018 | Chamba | Day Time | Noise Level in dB(A) | 44.4 | 46.6 | 42.3 | 56.4 |
| | Chamba | Night Time | Noise Lev.el in dB(A) | 35.2 | 36.1 | 37.5 | 43.3 |
| 12-11-2018 | Chamba | Day Time | Noise Level in dB(A) | 46.2 | 45.9 | 49.5 | 57.2 |
| | Chamba | Night Time | Noise Level in dB(A) | 35.7 | 34.5 | 42.5 | 46.8 |
| 20-11-2018 | Chamba | Day Time | Noise Level in dB(A) | 44.5 | 46.9 | 47.2 | 57.2 |
| | Chamba | Night Time | Noise Level in dB(A) | 37.3 | 36.2 | 36.4 | 46.4 |
| 28-11-2018 | Chamba | Day Time | Noise Level in dB(A) | 43.6 | 45.8 | 42.2 | 55.6 |
| | Chamba | Night Time | Noise Level in dB(A) | 36.6 | 35.9 | 41.2 | 44.2 |
| Month & Year : December, 2018 | | | | | | | |
| 03-12-2018 | Chamba | Day Time | Noise Level in dB(A) | 45.2 | 44.6 | 55.6 | 56.2 |
| | Chamba | Night Time | Noise Lev.el in dB(A) | 36.3 | 38.2 | 45.4 | 43.2 |
| 10-12-2018 | Chamba | Day Time | Noise Level in dB(A) | 47.4 | 48.2 | 56.4 | 50.2 |
| | Chamba | Night Time | Noise Level in dB(A) | 34.2 | 41.2 | 44.6 | 43.2 |
| 19-12-2018 | Chamba | Day Time | Noise Level in dB(A) | 45.2 | 48.3 | 55.4 | 58.2 |
| | Chamba | Night Time | Noise Level in dB(A) | 38.2 | 37.2 | 44.8 | 46.4 |
| 22-12-2018 | Chamba | Day Time | Noise Level in dB(A) | 45.2 | 43.6 | 50.6 | 59.2 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------|---------------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| | Chamba | Night Time | Noise Level in dB(A) | 35.8 | 39.3 | 47.9 | 45.7 |

Name of Regional Office: Chamba

| | Area/Zone | | | Silence | Residential | Commercial | Industrial |
|------------------------|-----------------|----------------------------|-----------------------|----------------------------|-----------------------------|-------------------------------------|------------------------------|
| Limit in dB(A) | | Day Time | Limit in dB(A) | 50 | 55 | 65 | 75 |
| | | Night Time | Limit in dB(A) | 40 | 45 | 55 | 70 |
| Month and Year: | | | January-2017 | | | | |
| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 1st week | Chamba | Day Time | Noise Level in dB(A) | 44.8 | 45.4 | 52.3 | 59.4 |
| | | Night Time | Noise Level in dB(A) | 36.4 | 41.8 | 48.6 | 48.1 |
| 16-01-2017 | Chamba | Day Time | Noise Level in dB(A) | 45.1 | 46.1 | 51.6 | 57.6 |
| | | Night Time | Noise Level in dB(A) | 36.9 | 41.2 | 47.2 | 49.7 |
| 24-01-2017 | Chamba | Day Time | Noise Level in dB(A) | 44.5 | 46.3 | 52.5 | 58.1 |
| | | Night Time | Noise Level in dB(A) | 35.9 | 43.3 | 47.9 | 49.4 |
| 30-01-2017 | Chamba | Day Time | Noise Level in dB(A) | 45.2 | 45.8 | 53.1 | 58.3 |
| | | Night Time | Noise Level in dB(A) | 35.7 | 42.9 | 48.1 | 49.9 |

Month & Year : February 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 03-02-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.2 | 51.3 | 61.3 | 51.2 |
| | | Night Time | Noise Level in dB(A) | 36.4 | 41.6 | 45.9 | 44.3 |
| 08-02-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.5 | 50.1 | 59.8 | 50.3 |
| | | Night Time | Noise Level in dB(A) | 37.1 | 40.8 | 42.3 | 40.3 |
| 17-02-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.4 | 49.1 | 61.3 | 50.6 |
| | | Night Time | Noise Level in dB(A) | 38.6 | 42.6 | 45.1 | 46.2 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------------|----------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 25-02-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.8 | 48.9 | 59.7 | 51.3 |
| | | Night Time | Noise Level in dB(A) | 38.9 | 41.8 | 45.9 | 40.6 |

Month & Year : March, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 09-03-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.7 | 52.1 | 62.5 | 50.9 |
| | | Night Time | Noise Level in dB(A) | 37.1 | 40.7 | 43.8 | 44.1 |
| 16-03-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.1 | 51.8 | 60.3 | 49.9 |
| | | Night Time | Noise Level in dB(A) | 38.3 | 41.1 | 43.6 | 40.7 |
| 21-03-2017 | Chamba | Day Time | Noise Level in dB(A) | 49.3 | 52.7 | 62.7 | 51.3 |
| | | Night Time | Noise Level in dB(A) | 39.1 | 41.7 | 43.7 | 45.6 |
| 30-03-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.7 | 50 | 61.4 | 50.1 |
| | | Night Time | Noise Level in dB(A) | 38.6 | 40.6 | 44.3 | 46.1 |

Month & Year : April, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 06-04-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.2 | 51.6 | 62.4 | 49.8 |
| | | Night Time | Noise Level in dB(A) | 36.4 | 41.1 | 42.6 | 43.9 |
| 13-04-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.4 | 51.4 | 59.6 | 48.3 |
| | | Night Time | Noise Level in dB(A) | 37.4 | 40.5 | 42.8 | 40.1 |
| 19-04-2017 | Chamba | Day Time | Noise Level in dB(A) | 49.6 | 51.6 | 61.4 | 52.1 |
| | | Night Time | Noise Level in dB(A) | 39.6 | 41.2 | 42.4 | 45.1 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------------|----------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 27-04-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.1 | 50.4 | 61.3 | 50.8 |
| | | Night Time | Noise Level in dB(A) | 37.1 | 38.9 | 43.1 | 45.7 |

Month & Year : May, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 03-05-2017 | Chamba | Day Time | Noise Level in dB(A) | 46.8 | 51.3 | 63.1 | 48.8 |
| | | Night Time | Noise Level in dB(A) | 37.6 | 42.3 | 41.4 | 42.9 |
| 11-05-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.6 | 51.7 | 58.7 | 48.1 |
| | | Night Time | Noise Level in dB(A) | 36.4 | 40.6 | 42.1 | 39.9 |
| 19-05-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.5 | 51.3 | 61.6 | 49.5 |
| | | Night Time | Noise Level in dB(A) | 38.6 | 41.4 | 42.6 | 45.3 |
| 24-05-2017 | Chamba | Day Time | Noise Level in dB(A) | 48.2 | 50.6 | 61.2 | 49.2 |
| | | Night Time | Noise Level in dB(A) | 36.4 | 38.2 | 42.5 | 44.9 |

Month & Year : June, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 08-06-2017 | Chamba | Day Time | Noise Level in dB(A) | 46.2 | 50.9 | 62.6 | 48.4 |
| | | Night Time | Noise Level in dB(A) | 35.5 | 41.9 | 41.5 | 42.6 |
| 17-06-2017 | Chamba | Day Time | Noise Level in dB(A) | 45.4 | 50.4 | 57.1 | 46.1 |
| | | Night Time | Noise Level in dB(A) | 36.1 | 40.8 | 41.4 | 39.6 |
| 24-06-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.1 | 51.6 | 60.2 | 49.2 |
| | | Night Time | Noise Level in dB(A) | 39.4 | 40.8 | 41.4 | 39.8 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------------|----------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 29-06-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.6 | 50.1 | 60.7 | 48.9 |
| | | Night Time | Noise Level in dB(A) | 36.2 | 37.4 | 41.3 | 40.3 |

Month & Year : July, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 06-07-2017 | Chamba | Day Time | Noise Level in dB(A) | 45.8 | 49.7 | 60.1 | 46.2 |
| | | Night Time | Noise Level in dB(A) | 34.1 | 40.5 | 41.6 | 40.3 |
| 13-07-2017 | Chamba | Day Time | Noise Level in dB(A) | 44.9 | 48.5 | 58.6 | 45.4 |
| | | Night Time | Noise Level in dB(A) | 35.4 | 39.6 | 41.2 | 39.8 |
| 21-07-2017 | Chamba | Day Time | Noise Level in dB(A) | 44.2 | 48.8 | 58.9 | 46.1 |
| | | Night Time | Noise Level in dB(A) | 35.8 | 38.7 | 40.3 | 38.5 |
| 27-07-2017 | Chamba | Day Time | Noise Level in dB(A) | 47.2 | 50.2 | 62.4 | 48.5 |
| | | Night Time | Noise Level in dB(A) | 37.5 | 42.6 | 40.8 | 38.7 |

Month & Year : August, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 02-08-2017 | Chamba | Day Time | Noise Level in dB(A) | 44.6 | 48.8 | 59.7 | 45.4 |
| | | Night Time | Noise Level in dB(A) | 34.3 | 39.2 | 41.5 | 40.6 |
| 08-08-2017 | Chamba | Day Time | Noise Level in dB(A) | 44.3 | 47.9 | 59.3 | 45.8 |
| | | Night Time | Noise Level in dB(A) | 35.1 | 39.8 | 40.9 | 40.5 |
| 18-08-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.8 | 48.5 | 58.1 | 45.6 |
| | | Night Time | Noise Level in dB(A) | 34.7 | 38.3 | 40.7 | 37.6 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------------|----------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 26-08-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.8 | 48.2 | 58.6 | 44.9 |
| | | Night Time | Noise Level in dB(A) | 34.5 | 39.2 | 40.6 | 38.2 |

Month & Year : September, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 04-09-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.5 | 47.3 | 58.6 | 44.2 |
| | | Night Time | Noise Level in dB(A) | 33.9 | 38.6 | 40.8 | 41.3 |
| 12-09-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.9 | 47.5 | 58.2 | 44.6 |
| | | Night Time | Noise Level in dB(A) | 34.6 | 39.2 | 40.3 | 41.4 |
| 18-09-2017 | Chamba | Day Time | Noise Level in dB(A) | 43 | 47.9 | 58.5 | 45.1 |
| | | Night Time | Noise Level in dB(A) | 33.8 | 38.1 | 40.7 | 40.6 |
| 25-09-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.7 | 48 | 58.2 | 44.7 |
| | | Night Time | Noise Level in dB(A) | 34.1 | 38.6 | 40.2 | 38.3 |

Month & Year : October, 2017.

| | | | | | | | |
|------------|--------|------------|----------------------|------|------|------|------|
| 03-10-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.2 | 46.4 | 57.3 | 43.5 |
| | | Night Time | Noise Level in dB(A) | 32.6 | 37.4 | 40.3 | 42.1 |
| 10-10-2017 | Chamba | Day Time | Noise Level in dB(A) | 42.4 | 46.5 | 57.4 | 43.2 |
| | | Night Time | Noise Level in dB(A) | 34.7 | 38.6 | 40.7 | 41.6 |
| 17-10-2017 | Chamba | Day Time | Noise Level in dB(A) | 45.5 | 46.4 | 58.9 | 46.3 |
| | | Night Time | Noise Level in dB(A) | 35.6 | 39.7 | 42.4 | 40.3 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------------|----------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 24-10-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.2 | 47.5 | 57.9 | 44.3 |
| | | Night Time | Noise Level in dB(A) | 34.3 | 37.5 | 41.2 | 37.6 |

Month & Year : November, 2017.

| | | | | | | | |
|------------|--------|------------|-----------------------|------|------|------|------|
| 02-11-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.7 | 45.9 | 57.2 | 43.8 |
| | Chamba | Night Time | Noise Lev.el in dB(A) | 32.4 | 36.7 | 40.6 | 41.7 |
| 15-11-2017 | Chamba | Day Time | Noise Level in dB(A) | 42.6 | 45.2 | 56.5 | 41.7 |
| | Chamba | Night Time | Noise Level in dB(A) | 34.2 | 37.9 | 41.2 | 41.3 |
| 22-11-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.4 | 45.7 | 57.8 | 44.1 |
| | Chamba | Night Time | Noise Level in dB(A) | 34.8 | 38.7 | 41.6 | 40.6 |
| 28-11-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.6 | 47.1 | 57.1 | 43.9 |
| | Chamba | Night Time | Noise Level in dB(A) | 34.1 | 38.1 | 41.4 | 40.5 |

Month & Year : December, 2017.

| | | | | | | | |
|------------|--------|------------|-----------------------|------|------|------|------|
| 05-12-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.1 | 44.6 | 56.4 | 43.5 |
| | Chamba | Night Time | Noise Lev.el in dB(A) | 32.6 | 36.1 | 40.3 | 41.5 |
| 13-12-2017 | Chamba | Day Time | Noise Level in dB(A) | 43.3 | 44.8 | 56.1 | 42.5 |
| | Chamba | Night Time | Noise Level in dB(A) | 32.9 | 36.3 | 41.4 | 41.8 |

| Date | Location | Details of Sampling | | Silence | Residential | Commercial | Industrial |
|------------|----------|---------------------|----------------------|---------------------|----------------------|------------------------------|-----------------------|
| | | | | (District Hospital) | (Mohalla Hardaspura) | (Near Market Chowgan Chamba) | (Ind. Area Sultanpur) |
| 17-12-2017 | Chamba | Day Time | Noise Level in dB(A) | 42.7 | 44.1 | 56.9 | 43.2 |
| | Chamba | Night Time | Noise Level in dB(A) | 33.4 | 37.6 | 40.3 | 41.2 |
| 26-12-2017 | Chamba | Day Time | Noise Level in dB(A) | 42.1 | 46.8 | 56.1 | 42.9 |
| | Chamba | Night Time | Noise Level in dB(A) | 33.6 | 37.4 | 41.3 | 41.2 |

[HOME](#)