

Name of Regional Office: Kullu

Area/Zone		Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	50	55	65	75
	Night Time	40	45	55	70

Month and Year: January-2018

Date	Location	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
04-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.9	52.6	65.7	59.4
		Night Time	Noise Level in dB(A)	39.4	40.8	54.2	50.2
10-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.6	52.7	65.1	59.8
		Night Time	Noise Level in dB(A)	38.9	40.4	55.2	50.3
18-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	54.2	66.0	58.6
		Night Time	Noise Level in dB(A)	38.6	41.2	53.9	53.9
29-01-2018	Kullu	Day Time	Noise Level in dB(A)	51.5	52.4	66.2	60.1
		Night Time	Noise Level in dB(A)	39.4	41.1	55.6	54.8

Month and Year: Febaury-2018

03-02-2018	Kullu	Day Time	Noise Level in dB(A)	51.2	52.5	66.1	58.2
		Night Time	Noise Level in dB(A)	38.5	41.5	55.8	49.1
09-02-2018	Kullu	Day Time	Noise Level in dB(A)	51.3	52.3	66.4	60.5
		Night Time	Noise Level in dB(A)	38.9	40.9	54.5	50.9
13-02-2018	Kullu	Day Time	Noise Level in dB(A)	52.4	53.3	65.4	59.5
		Night Time	Noise Level in dB(A)	39.5	41.8	54.2	52.3
24-02-2018	Kullu	Day Time	Noise Level in dB(A)	52.6	52.8	65.8	59.7
		Night Time	Noise Level in dB(A)	39.2	41.5	56.4	55.9

Month and Year: March-2018

08-03-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	51.5	66.5	59.1
		Night Time	Noise Level in dB(A)	37.8	41.2	55.1	49.3
17-03-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	52.4	66.6	61.2
		Night Time	Noise Level in dB(A)	38.5	40.7	56.1	50.7
23-03-2018	Kullu	Day Time	Noise Level in dB(A)	52.3	53.8	65.2	59.9
		Night Time	Noise Level in dB(A)	39.1	42.2	56.2	52.5
28-03-2018	Kullu	Day Time	Noise Level in dB(A)	52.3	52.6	66.1	59.9
		Night Time	Noise Level in dB(A)	39.5	41.6	54.7	56.2

Date	Location	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: **April-2018**

05-04-2018	Kullu	Day Time	Noise Level in dB(A)	51.2	51.8	66.1	59.8
		Night Time	Noise Level in dB(A)	37.5	40.2	55.1	49.6
11-04-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	52.2	66.3	62.2
		Night Time	Noise Level in dB(A)	38.9	40.1	56.3	50.5
21-04-2018	Kullu	Day Time	Noise Level in dB(A)	52.0	53.2	65.1	59.4
		Night Time	Noise Level in dB(A)	39.0	41.2	56.7	52.3
28-04-2018	Kullu	Day Time	Noise Level in dB(A)	51.3	53.6	66.5	59.0
		Night Time	Noise Level in dB(A)	38.5	41.4	54.2	56.5

Month and Year: **May-2018**

05-05-2018	Kullu	Day Time	Noise Level in dB(A)	51.4	51.5	66.5	59.9
		Night Time	Noise Level in dB(A)	37.3	40.5	55.8	48.6
11-05-2018	Kullu	Day Time	Noise Level in dB(A)	51.5	52.3	66.1	63.2
		Night Time	Noise Level in dB(A)	38.4	40.6	55.3	50.1
17-05-2018	Kullu	Day Time	Noise Level in dB(A)	52.7	53.2	65.9	58.2
		Night Time	Noise Level in dB(A)	39.3	41.4	56.2	52.7
26-05-2018	Kullu	Day Time	Noise Level in dB(A)	51.6	53.2	66.1	59.4
		Night Time	Noise Level in dB(A)	38.9	41.1	54.8	56.9

Month and Year: **June-2018**

06-06-2018	Kullu	Day Time	Noise Level in dB(A)	50.4	51.2	65.5	60.3
		Night Time	Noise Level in dB(A)	38.3	40.2	55.5	48.4
15-06-2018	Kullu	Day Time	Noise Level in dB(A)	51.1	52.6	66.8	63.5
		Night Time	Noise Level in dB(A)	38.8	41.2	55.5	50.8
22-06-2018	Kullu	Day Time	Noise Level in dB(A)	52.4	53.0	65.2	58.8
		Night Time	Noise Level in dB(A)	39.6	41.8	56.8	52.9
29-06-2018	Kullu	Day Time	Noise Level in dB(A)	51.2	53.8	66.4	59.9
		Night Time	Noise Level in dB(A)	38.4	41.4	54.4	56.5

Month and Year: **July -2018**

Monitoring not done							
---------------------	--	--	--	--	--	--	--

Month and Year: **August -2018**

Monitoring not done							
---------------------	--	--	--	--	--	--	--

Month and Year: **Sep-2018**

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
05-09-2018	Kullu	Day Time	Noise Level in dB(A)	52.4	54.1	57.4	58.5
		Night Time	Noise Level in dB(A)	38.8	40.1	41.5	41.9
13-09-2018	Kullu	Day Time	Noise Level in dB(A)	52.7	54.7	58.1	59.2
		Night Time	Noise Level in dB(A)	39.5	41.2	41.9	42.6
17-09-18	Kullu	Day Time	Noise Level in dB(A)	52.0	53.9	58.4	59.7
		Night Time	Noise Level in dB(A)	39.1	40.6	41.4	42.3
26-09-18	Kullu	Day Time	Noise Level in dB(A)	51.2	52.5	57.1	57.6
		Night Time	Noise Level in dB(A)	38.2	38.7	39.4	40.3

Month and Year: Oct-2018

05.10.18	Kullu	Day Time	Noise Level in dB(A)	51.5	52.2	65.9	61.2
		Night Time	Noise Level in dB(A)	39.1	40.5	55.8	48.2
11.10.18	Kullu	Day Time	Noise Level in dB(A)	51.5	52.4	66.1	62.5
		Night Time	Noise Level in dB(A)	39.5	41.0	55.6	50.2
16.10.18	Kullu	Day Time	Noise Level in dB(A)	52.1	53.5	65.4	59.8
		Night Time	Noise Level in dB(A)	39.8	42.8	57.5	52.4
26.10.18	Kullu	Day Time	Noise Level in dB(A)	52.5	53.9	66.8	62.2
		Night Time	Noise Level in dB(A)	39.6	43.5	54.8	56.9

Month and Year: Nov-2018

05-11-18	Kullu	Day Time	Noise Level in dB(A)	50.8	51.5	65.5	60.2
		Night Time	Noise Level in dB(A)	39.5	40.4	55.5	48.3
14-11-18	Kullu	Day Time	Noise Level in dB(A)	51.6	52.5	66.0	52.1
		Night Time	Noise Level in dB(A)	39.3	41.2	55.3	52.2
22-11-18	Kullu	Day Time	Noise Level in dB(A)	52.0	53.1	65.2	59.4
		Night Time	Noise Level in dB(A)	39.5	42.2	57.3	52.8
28-11-18	Kullu	Day Time	Noise Level in dB(A)	52.2	53.5	66.4	62.9
		Night Time	Noise Level in dB(A)	39.2	43.2	54.5	56.7

Month and Year: Dec 2018

05.12.18	Kullu	Day Time	Noise Level in dB(A)	50.5	51.2	65.7	61.2
		Night Time	Noise Level in dB(A)	39.1	40.5	55.7	48.6
13.12.18	Kullu	Day Time	Noise Level in dB(A)	50.9	51.1	66.0	62.3
		Night Time	Noise Level in dB(A)	39.7	41.5	55.8	49.6
19.12.18	Kullu	Day Time	Noise Level in dB(A)	52.1	53.3	65.8	58.8

Date	Location	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	39.8	42.0	56.3	51.7
27.12.18	Kullu	Day Time	Noise Level in dB(A)	52.5	53.9	66.9	63.2
		Night Time	Noise Level in dB(A)	39.9	43.5	54.7	56.8

Name of Regional Office: Kullu

	Area/Zone			Silence	Residential	Commercial	Industrial
	Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70
Month and Year: January-2017							
Date	Locatin	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
04-01-2017	Kullu	Day Time	Noise Level in dB(A)	52.0	53.4	68.5	66.4
		Night Time	Noise Level in dB(A)	43.8	41.3	57.6	48.2
11-01-2017	Kullu	Day Time	Noise Level in dB(A)	53.7	52.3	66.8	65.1
		Night Time	Noise Level in dB(A)	44.1	42.9	56.5	52.4
18-01-2017	Kullu	Day Time	Noise Level in dB(A)	54.6	53.7	68.2	67.3
		Night Time	Noise Level in dB(A)	42.5	43.8	57.1	53.9
30-01-2017	Kullu	Day Time	Noise Level in dB(A)	55.6	49.5	69.4	60.9
		Night Time	Noise Level in dB(A)	41.2	44.1	56.7	56.4

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: Febaury-2017

02-02-2017	Kullu	Day Time	Noise Level in dB(A)	51.0	52.5	66.7	68.2
		Night Tim	Noise Level in dB(A)	42.1	43.2	56.9	49.3
09-02-2017	Kullu	Day Time	Noise Level in dB(A)	52.2	51.5	67.3	66.4
		Night Tim	Noise Level in dB(A)	42.5	43.1	57.3	55.6
14-02-2017	Kullu	Day Time	Noise Level in dB(A)	52.8	53.1	67.9	68.4
		Night Tim	Noise Level in dB(A)	41.8	42.1	57.6	54.7
25-02-2017	Kullu	Day Time	Noise Level in dB(A)	53.2	48.6	68.6	59.7
		Night Tim	Noise Level in dB(A)	41.5	43.6	57.4	58.7

Month and Year: March-2017

04-03-2017	Kullu	Day Time	Noise Level in dB(A)	51.0	52.5	66.7	68.2
		Night Tim	Noise Level in dB(A)	42.1	43.2	56.9	49.3

Date	Locatin	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
09-03-2017	Kullu	Day Time	Noise Level in dB(A)	52.2	51.5	67.3	66.4
		Night Tim	Noise Level in dB(A)	42.5	43.1	57.3	55.6
18-03-2017	Kullu	Day Time	Noise Level in dB(A)	52.8	53.1	67.9	68.4
		Night Tim	Noise Level in dB(A)	41.8	42.1	57.6	54.7
22-03-2017	Kullu	Day Time	Noise Level in dB(A)	53.2	48.6	68.6	59.7
		Night Tim	Noise Level in dB(A)	41.5	43.6	57.4	58.7
28-03-2017	Kullu	Day Time	Noise Level in dB(A)	55.1	49.3	70.0	59.4
		Night Tim	Noise Level in dB(A)	42.8	43.5	56.7	60.8

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year:			April-2017				
05-04-2017	Kullu	Day Time	Noise Level in dB(A)	55.7	53.4	70.0	69.7
		Night Tim	Noise Level in dB(A)	43.1	43.5	58.5	50.6
12-04-2017	Kullu	Day Time	Noise Level in dB(A)	55.4	53.1	69.5	68.9
		Night Tim	Noise Level in dB(A)	42.9	43.2	57.6	53.5
19-04-2017	Kullu	Day Time	Noise Level in dB(A)	54.8	52.9	66.8	67.4
		Night Tim	Noise Level in dB(A)	42.5	43.6	56.2	53.6
24-04-2017	Kullu	Day Time	Noise Level in dB(A)	53.7	51.5	67.2	59.2
		Night Tim	Noise Level in dB(A)	41.6	42.8	56.4	59.7

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year: May-2017							
04-05-2017	Kullu	Day Time	Noise Level in dB(A)	53.2	54.1	68.0	65.8
		Night Tim	Noise Level in dB(A)	42.1	42.7	55.7	48.6
09-05-2017	Kullu	Day Time	Noise Level in dB(A)	52.4	51.6	69.1	66.5
		Night Tim	Noise Level in dB(A)	41.2	43.5	57.2	54.3
19-05-2017	Kullu	Day Time	Noise Level in dB(A)	52.5	53.1	66.7	63.6
		Night Tim	Noise Level in dB(A)	41.5	44.3	56.2	54.6
			Limit in dB(A)	40.0	45.0	55.0	70.0
27-05-2017	Kullu	Day Time	Noise Level in dB(A)	51.8	52.8	66.9	60.0
		Night Tim	Noise Level in dB(A)	42.4	43.2	56.8	58.6

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: **June-2017**

06-06-2017	Kullu	Day Time	Noise Level in dB(A)	53.3	54.5	68.2	64.9
		Night Tim	Noise Level in dB(A)	41.7	42.4	55.1	49.1
15-06-2017	Kullu	Day Time	Noise Level in dB(A)	52.9	52.3	69.2	66.2
		Night Tim	Noise Level in dB(A)	42.2	43.6	56.2	55.0
23-06-2017	Kullu	Day Time	Noise Level in dB(A)	53.4	54.1	66.5	62.8
		Night Tim	Noise Level in dB(A)	42.4	43.2	56.5	54.2
28-06-2017	Kullu	Day Time	Noise Level in dB(A)	51.7	53.1	65.9	60.5
		Night Tim	Noise Level in dB(A)	41.2	42.8	57.1	59.3

Month and Year: **July -2017**

Monitoring not done

Month and Year: **August -2017**

Monitoring not done

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu

Month and Year: Sep-2017

04-09-17	Kullu	Day Time	Noise Level in dB(A)	51.2	48.3	66.1	60.1
		Night Tim	Noise Level in dB(A)	41.2	39.2	51.8	49.2
16-09-17	Kullu	Day Time	Noise Level in dB(A)	51.3	46.7	67.5	62.3
		Night Tim	Noise Level in dB(A)	41.5	42.0	51.9	50.1
20-09-17	Kullu	Day Time	Noise Level in dB(A)	52.0	43.9	65.5	62.5
		Night Tim	Noise Level in dB(A)	41.4	42.6	56.4	53.5
27-09-17	Kullu	Day Time	Noise Level in dB(A)	50.7	47.5	66.7	58.5
		Night Tim	Noise Level in dB(A)	41.2	42.8	56.2	56.8

Month and Year: Oct-2017

06.10.17	Kullu	Day Time	Noise Level in dB(A)	50.5	46.0	65.2	61.6
----------	-------	----------	----------------------	------	------	------	------

Date	Locatin	Detail of sampling		Silence	Residential	Commercial	Industrial
				Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu
		Night Time	Noise Level in dB(A)	40.7	41.0	52.5	48.0
13.10.17	Kullu	Day Time	Noise Level in dB(A)	54.5	45.6	69.1	65.3
		Night Time	Noise Level in dB(A)	46.5	42.1	54.9	55.0
16.10.17	Kullu	Day Time	Noise Level in dB(A)	53.4	43.2	66.5	62.8
		Night Time	Noise Level in dB(A)	42.4	41.2	56.5	54.2
28.10.17	Kullu	Day Time	Noise Level in dB(A)	51.7	49.5	65.9	60.5
		Night Time	Noise Level in dB(A)	41.2	42.8	57.0	59.2

Month and Year: Nov-2017

17-11-17	Kullu	Day Time	Noise Level in dB(A)	52.3	54.1	66.2	61.9
		Night Time	Noise Level in dB(A)	40.7	41.4	55.5	48.0
28-11-17	Kullu	Day Time	Noise Level in dB(A)	52.9	52.3	68.2	66.2
		Night Time	Noise Level in dB(A)	42.2	43.6	57.2	54.0

Date	Locatin	Detail of sampling	Silence	Residential	Commercial	Industrial	
			Distt. Hospital, Kullu	Circuit House, Dhalpur	Bus Stand, Kullu	I.A. Shamshi, Kullu	
Month and Year:			Dec 2017				
06.12.17	Kullu	Day Time	Noise Level in dB(A)	51.4	49.7	66.5	60.8
		Night Time	Noise Level in dB(A)	41.2	39.6	55.8	49.5
11.12.17	Kullu	Day Time	Noise Level in dB(A)	51.6	47.7	67.1	63.3
		Night Time	Noise Level in dB(A)	41.5	42.0	60.2	50.1
20.12.17	Kullu	Day Time	Noise Level in dB(A)	52.0	44.9	67.5	62.2
		Night Time	Noise Level in dB(A)	40.7	42.2	57.4	52.5
28.12.17	Kullu	Day Time	Noise Level in dB(A)	50.9	45.5	66.4	59.2
		Night Time	Noise Level in dB(A)	41.4	44.8	56.3	48.6

[HOME](#)