

Name of Regional Office: Kullu

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: January-2018

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
02-01-2018	Manali	Day Time	Noise Level in dB(A)	51.3	52.8	57.2	59.3
		Night Time	Noise Level in dB(A)	39.2	41.3	42.1	42.7
11-01-2018	Manali	Day Time	Noise Level in dB(A)	50.7	52.1	57.5	59.6
		Night Time	Noise Level in dB(A)	39.3	40.5	41.5	41.9
19-01-2018	Manali	Day Time	Noise Level in dB(A)	51.5	52.6	57.2	58.6
		Night Time	Noise Level in dB(A)	38.4	40.8	41.4	42.3
23-01-2018	Manali	Day Time	Noise Level in dB(A)	52.0	53.4	57.1	59.0
		Night Time	Noise Level in dB(A)	38.1	40.4	42.3	42.9

Month and Year: Febraury-2018

02-02-2018	Manali	Day Time	Noise Level in dB(A)	51.7	52.6	56.7	58.3
		Night Time	Noise Level in dB(A)	38.4	41.0	41.8	42.6
06-02-2018	Manali	Day Time	Noise Level in dB(A)	50.9	52.2	57.0	58.4
		Night Time	Noise Level in dB(A)	39.2	40.7	41.6	42.3
16-02-2018	Manali	Day Time	Noise Level in dB(A)	51.3	52.9	57.6	57.9
		Night Time	Noise Level in dB(A)	38.5	41.1	42.3	42.9
23-02-2018	Manali	Day Time	Noise Level in dB(A)	53.2	53.9	58.2	59.7
		Night Time	Noise Level in dB(A)	39.7	41.8	42.6	43.8

Month and Year: March-2018

03-03-2018	Manali	Day Time	Noise Level in dB(A)	53.2	53.8	57.8	60.1
		Night Time	Noise Level in dB(A)	38.8	41.4	41.9	42.4
09-03-2018	Manali	Day Time	Noise Level in dB(A)	53.8	54.2	58.6	60.3
		Night Time	Noise Level in dB(A)	39.4	41.9	42.7	43.0
15-03-2018	Manali	Day Time	Noise Level in dB(A)	53.2	54.4	58.5	59.7
		Night Time	Noise Level in dB(A)	39.1	41.6	42.2	43.1
21-03-2018	Manali	Day Time	Noise Level in dB(A)	54.0	54.6	59.2	60.5
		Night Time	Noise Level in dB(A)	39.7	41.7	42.8	43.4
31-03-2018	Manali	Day Time	Noise Level in dB(A)	53.8	54.9	59.7	61.4

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
		Night Time	Noise Level in dB(A)	40.4	41.9	42.6	43.7

Month and Year: **April-2018**

03-04-2018	Manali	Day Time	Noise Level in dB(A)	53.7	54.6	58.0	60.6
		Night Time	Noise Level in dB(A)	38.6	41.1	42.3	42.7
12-04-2018	Manali	Day Time	Noise Level in dB(A)	54.1	55.3	58.7	61.0
		Night Time	Noise Level in dB(A)	39.2	41.4	42.8	43.2
19-04-2018	Manali	Day Time	Noise Level in dB(A)	54.0	54.8	59.3	60.7
		Night Time	Noise Level in dB(A)	39.8	41.9	42.6	43.0
26-04-2018	Manali	Day Time	Noise Level in dB(A)	54.4	55.8	60.2	62.5
		Night Time	Noise Level in dB(A)	40.6	42.5	43.1	43.6

Month and Year: **May-2018**

02-05-2018	Manali	Day Time	Noise Level in dB(A)	54.1	56.3	60.4	61.5
		Night Time	Noise Level in dB(A)	39.2	43.7	48.2	49.4
09-05-2018	Manali	Day Time	Noise Level in dB(A)	55.2	56.7	60.9	61.7
		Night Time	Noise Level in dB(A)	41.5	44.3	51.2	53.5
15-05-2018	Manali	Day Time	Noise Level in dB(A)	55.0	56.3	60.7	62.4
		Night Time	Noise Level in dB(A)	41.1	44.1	50.4	52.4
22-05-2018	Manali	Day Time	Noise Level in dB(A)	54.7	57.1	61.3	62.9
		Night Time	Noise Level in dB(A)	40.9	43.5	48.6	51.2
30-05-2018	Manali	Day Time	Noise Level in dB(A)	53.9	56.7	61.7	62.6
		Night Time	Noise Level in dB(A)	41.6	44.4	49.8	51.9

Month and Year: **June-2018**

08-06-2018	Manali	Day Time	Noise Level in dB(A)	53.2	56.3	59.7	61.5
		Night Time	Noise Level in dB(A)	41.3	43.2	50.5	52.1
15-06-2018	Manali	Day Time	Noise Level in dB(A)	53.7	55.6	60.9	62.5
		Night Time	Noise Level in dB(A)	40.7	42.7	48.6	50.2
21-06-2018	Manali	Day Time	Noise Level in dB(A)	52.6	54.7	58.7	61.3
		Night Time	Noise Level in dB(A)	40.2	41.5	46.8	48.0
30-06-2018	Manali	Day Time	Noise Level in dB(A)	53.1	55.3	59.4	60.7
		Night Time	Noise Level in dB(A)	40.7	42.2	46.6	47.5

Month and Year: **July-2018**

03-07-2018	Manali	Day Time	Noise Level in dB(A)	54.1	56.1	59.3	61.5
------------	--------	----------	----------------------	-------------	-------------	------	------

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
		Night Time	Noise Level in dB(A)	40.2	42.4	46.2	46.5
11-07-2018	Manali	Day Time	Noise Level in dB(A)	53.3	55.8	59.6	61.1
		Night Time	Noise Level in dB(A)	39.3	40.5	42.6	42.9
18-07-2018	Manali	Day Time	Noise Level in dB(A)	53.7	55.2	59.5	60.4
		Night Time	Noise Level in dB(A)	39.5	40.8	43.0	43.3
23-07-2018	Manali	Day Time	Noise Level in dB(A)	52.3	54.7	58.3	59.8
		Night Time	Noise Level in dB(A)	38.7	41.0	42.4	42.7

Month and Year: August-2018

02-08-2018	Manali	Day Time	Noise Level in dB(A)	51.2	53.6	58.7	59.3
		Night Time	Noise Level in dB(A)	38.6	40.6	41.3	41.7
08-08-2018	Manali	Day Time	Noise Level in dB(A)	51.4	54.0	58.6	59.8
		Night Time	Noise Level in dB(A)	39.1	40.3	41.1	41.5
14-08-2018	Manali	Day Time	Noise Level in dB(A)	53.6	55.3	60.4	61.5
		Night Time	Noise Level in dB(A)	40.5	41.8	43.2	43.8
21-08-2018	Manali	Day Time	Noise Level in dB(A)	51.9	53.8	58.0	58.7
		Night Time	Noise Level in dB(A)	38.9	41.2	42.4	43.1
29-08-2018	Manali	Day Time	Noise Level in dB(A)	52.4	53.0	58.6	59.0
		Night Time	Noise Level in dB(A)	39.4	41.4	42.3	42.9

Month and Year: September-2018

05-09-2018	Manali	Day Time	Noise Level in dB(A)	52.4	54.1	57.4	58.5
		Night Time	Noise Level in dB(A)	38.8	40.1	41.5	41.9
13-09-2018	Manali	Day Time	Noise Level in dB(A)	52.7	54.7	58.1	59.2
		Night Time	Noise Level in dB(A)	39.5	41.2	41.9	42.6
17-09-2018	Manali	Day Time	Noise Level in dB(A)	52.0	53.9	58.4	59.7
		Night Time	Noise Level in dB(A)	39.1	40.6	41.4	42.3
26-09-2018	Manali	Day Time	Noise Level in dB(A)	51.2	52.5	57.1	57.6
		Night Time	Noise Level in dB(A)	38.2	38.7	39.4	40.3

Month and Year: October-2018

03-10-2018	Manali	Day Time	Noise Level in dB(A)	51.9	54.1	56.7	58.0
		Night Time	Noise Level in dB(A)	38.3	39.4	40.7	41.8
10-10-2018	Manali	Day Time	Noise Level in dB(A)	52.5	54.6	57.3	58.6
		Night Time	Noise Level in dB(A)	38.5	39.2	41.1	42.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
18-10-2018	Manali	Day Time	Noise Level in dB(A)	53.8	56.4	58.9	60.2
		Night Time	Noise Level in dB(A)	39.4	41.0	41.9	43.2
26-10-2018	Manali	Day Time	Noise Level in dB(A)	53.1	55.7	58.2	59.1
		Night Time	Noise Level in dB(A)	38.9	39.6	40.2	40.9

Month and Year: November-2018

03-11-2018	Manali	Day Time	Noise Level in dB(A)	54.2	56.4	59.4	61.4
		Night Time	Noise Level in dB(A)	41.6	42.4	43.8	44.2
09-11-2018	Manali	Day Time	Noise Level in dB(A)	53.2	56.1	58.4	58.9
		Night Time	Noise Level in dB(A)	41.2	42.0	43.6	44.6
16-11-2018	Manali	Day Time	Noise Level in dB(A)	52.4	55.4	57.3	58.5
		Night Time	Noise Level in dB(A)	39.7	40.1	41.2	41.8
24-11-2018	Manali	Day Time	Noise Level in dB(A)	51.7	56.1	57.5	58.2
		Night Time	Noise Level in dB(A)	39.5	40.5	41.6	42.4
30-11-2018	Manali	Day Time	Noise Level in dB(A)	52.0	55.8	57.2	58.1
		Night Time	Noise Level in dB(A)	39.1	40.0	40.9	41.5

Month and Year: December-2018

07-12-2018	Manali	Day Time	Noise Level in dB(A)	52.4	54.5	58.1	59.7
		Night Time	Noise Level in dB(A)	38.1	38.9	39.5	40.0
13-12-2018	Manali	Day Time	Noise Level in dB(A)	53.2	54.7	58.5	59.4
		Night Time	Noise Level in dB(A)	38.5	39.0	39.9	40.8
18-12-2018	Manali	Day Time	Noise Level in dB(A)	53.7	55.8	58.3	59.2
		Night Time	Noise Level in dB(A)	39.3	39.7	40.7	41.1
28-12-2018	Manali	Day Time	Noise Level in dB(A)	54.9	56.4	59.6	60.2
		Night Time	Noise Level in dB(A)	39.8	40.1	41.3	41.9

Name of Regional Office: Kullu

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: January-2017

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
02-01-17	Manali	Day Time	Noise Level in dB(A)	53.7	54.8	58.1	60.7
		Night Time	Noise Level in dB(A)	41.7	43.6	47.2	52.9
11-01-17	Manali	Day Time	Noise Level in dB(A)	52.1	52.9	55.7	57.2
		Night Time	Noise Level in dB(A)	40.8	41.7	47.6	48.2
19-01-17	Manali	Day Time	Noise Level in dB(A)	50.7	51.7	54.7	56.1
		Night Time	Noise Level in dB(A)	39.1	41.5	46.8	47.5
23-01-17	Manali	Day Time	Noise Level in dB(A)	52.7	53.9	55.7	57.3
		Night Time	Noise Level in dB(A)	41.5	43.4	46.9	49.2

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX

Month and Year: February-2017

03-02-17	Manali	Day Time	Noise Level in dB(A)	52.9	54.2	56.7	57.9
		Night Time	Noise Level in dB(A)	38.5	41.8	46.6	47.5
08-02-17	Manali	Day Time	Noise Level in dB(A)	52.3	53.7	57.8	59
		Night Time	Noise Level in dB(A)	41.1	41.6	46.9	47.3
17-02-17	Manali	Day Time	Noise Level in dB(A)	53.8	54.1	56.1	57.6
		Night Time	Noise Level in dB(A)	41.7	42.6	47.2	48.2
23-02-17	Manali	Day Time	Noise Level in dB(A)	52.7	53.7	57.9	59.4
		Night Time	Noise Level in dB(A)	42.1	44.4	48.9	49.3

Month and Year: March-2017

03-03-17	Manali	Day Time	Noise Level in dB(A)	54.2	57.3	59.6	62.5
		Night Time	Noise Level in dB(A)	39.2	43.7	49.8	51.4

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
07-03-17	Manali	Day Time	Noise Level in dB(A)	53.7	56.4	59.4	61.8
		Night Time	Noise Level in dB(A)	39.7	43.9	47.7	49.8
15-03-17	Manali	Day Time	Noise Level in dB(A)	51.1	52.9	55.8	58.2
		Night Time	Noise Level in dB(A)	37.6	40.9	42.6	47.3
24-03-17	Manali	Day Time	Noise Level in dB(A)	56.8	57.2	60.8	62.9
		Night Time	Noise Level in dB(A)	40.7	44.4	48.3	49.8
30-03-17	Manali	Day Time	Noise Level in dB(A)	57.8	58.7	61.4	63.4
		Night Time	Noise Level in dB(A)	41.4	43.8	47.3	49.1

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX

Month and Year: April-2017

06-04-17	Manali	Day Time	Noise Level in dB(A)	56.4	56.1	59.8	60.7
		Night Time	Noise Level in dB(A)	37.5	41.5	47.9	48.1
13-04-17	Manali	Day Time	Noise Level in dB(A)	57.8	55.3	60.4	62.3
		Night Time	Noise Level in dB(A)	38.4	43.2	47.3	49.2
21-04-17	Manali	Day Time	Noise Level in dB(A)	57.6	55.8	61.4	62.8
		Night Time	Noise Level in dB(A)	39.1	41.3	48.6	48.8
27-04-17	Manali	Day Time	Noise Level in dB(A)	56.4	56.3	60.8	62.5
		Night Time	Noise Level in dB(A)	39.7	40.3	49.2	49.7

Month and Year: May-2017

02-05-17	Manali	Day Time	Noise Level in dB(A)	58.1	57.6	61.8	62.2
		Night Time	Noise Level in dB(A)	42.1	42.7	53.4	53.7

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
11-05-17	Manali	Day Time	Noise Level in dB(A)	58.4	56.9	61.7	62.8
		Night Time	Noise Level in dB(A)	42.7	41.7	54.1	54.3
17-05-17	Manali	Day Time	Noise Level in dB(A)	57.3	56.9	62.8	63.4
		Night Time	Noise Level in dB(A)	43.0	41.6	51.3	51.7
25-05-17	Manali	Day Time	Noise Level in dB(A)	58.1	57.4	62.1	62.9
		Night Time	Noise Level in dB(A)	42.2	41.5	52.4	53.7
Month and Year:		June-2017					
02-06-17	Manali	Day Time	Noise Level in dB(A)	57.9	56.8	61.7	62.4
		Night Time	Noise Level in dB(A)	42.5	41.7	47.8	48.9
07-06-17	Manali	Day Time	Noise Level in dB(A)	58.3	57.4	62.5	63.7
		Night Time	Noise Level in dB(A)	43.6	44.9	48.6	49.1

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
17-06-17	Manali	Day Time	Noise Level in dB(A)	57.6	57.3	62.3	63.1
		Night Time	Noise Level in dB(A)	43.5	44.6	47.1	47.8
21-06-17	Manali	Day Time	Noise Level in dB(A)	56.3	56.7	61.2	61.8
		Night Time	Noise Level in dB(A)	41.3	43.5	46.7	47.5
29-06-17	Manali	Day Time	Noise Level in dB(A)	56.4	57.0	60.7	61.3
		Night Time	Noise Level in dB(A)	41.5	42.8	46.9	47.9

Month and Year: July-2017

06-07-17	Manali	Day Time	Noise Level in dB(A)	53.4	54.7	57.6	58.9
		Night Time	Noise Level in dB(A)	40.3	40.8	42.7	44.3
12-07-17	Manali	Day Time	Noise Level in dB(A)	54.2	55.6	58.4	59.4
		Night Time	Noise Level in dB(A)	39.1	41.7	42.5	43.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
20-07-17	Manali	Day Time	Noise Level in dB(A)	52.4	54.1	57.1	58.5
		Night Time	Noise Level in dB(A)	41.5	42.7	43.4	43.9
28-07-17	Manali	Day Time	Noise Level in dB(A)	53.4	54.2	56.8	58.2
		Night Time	Noise Level in dB(A)	39.6	41.3	42.7	43.5

Month and Year: August-2017

02-08-17	Manali	Day Time	Noise Level in dB(A)	51.6	53.7	57.2	58.4
		Night Time	Noise Level in dB(A)	38.7	40.2	42.1	43.9
11-08-17	Manali	Day Time	Noise Level in dB(A)	52.3	53.9	57.8	58.7
		Night Time	Noise Level in dB(A)	39.4	41.5	42.8	44.1
17-08-17	Manali	Day Time	Noise Level in dB(A)	51.8	52.9	56.6	59.4
		Night Time	Noise Level in dB(A)	39.0	41.7	43.4	44.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
24-08-17	Manali	Day Time	Noise Level in dB(A)	52.7	54.8	58.7	59
		Night Time	Noise Level in dB(A)	38.4	41.5	44.9	45.2
30-08-17	Manali	Day Time	Noise Level in dB(A)	51.4	54.0	56.4	58.1
		Night Time	Noise Level in dB(A)	39.5	42.3	43.5	44.6

Month and Year: September-2017

07-09-17	Manali	Day Time	Noise Level in dB(A)	50.7	54.2	59.7	65.8
		Night Time	Noise Level in dB(A)	39.6	41.5	45.6	47.5
15-09-17	Manali	Day Time	Noise Level in dB(A)	51.4	52.8	57.3	66.7
		Night Time	Noise Level in dB(A)	38.2	40.6	42.5	46.3
23-09-17	Manali	Day Time	Noise Level in dB(A)	51.6	54.7	58.4	65.3
		Night Time	Noise Level in dB(A)	38.6	41.1	43.8	46.5

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
29-09-17	Manali	Day Time	Noise Level in dB(A)	54.3	55.8	60.2	67.9
		Night Time	Noise Level in dB(A)	41.2	43.7	45.1	48.0

Month and Year: October-2017

03-10-17	Manali	Day Time	Noise Level in dB(A)	51.7	54.8	58.8	61.7
		Night Time	Noise Level in dB(A)	41.5	42.6	44.1	45.9
11-10-17	Manali	Day Time	Noise Level in dB(A)	50.7	53.5	57.4	61.2
		Night Time	Noise Level in dB(A)	40.3	41.6	43.8	45.6
17-10-17	Manali	Day Time	Noise Level in dB(A)	52.8	55.4	58.3	63.1
		Night Time	Noise Level in dB(A)	41.6	42.8	44.0	46.3
26-10-17	Manali	Day Time	Noise Level in dB(A)	50.9	54.7	56.8	58.4
		Night Time	Noise Level in dB(A)	41	43.1	44.3	46.1

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial
			Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX

Month and Year: November-2017

04-11-17	Manali	Day Time	Noise Level in dB(A)	52.4	54.1	57.3	60.7
		Night Time	Noise Level in dB(A)	40.6	42.1	43.7	45.3
10-11-17	Manali	Day Time	Noise Level in dB(A)	51.7	53.8	57.9	59.7
		Night Time	Noise Level in dB(A)	39.6	41.3	42.4	44.8
18-11-17	Manali	Day Time	Noise Level in dB(A)	51.4	54.0	56.8	58.9
		Night Time	Noise Level in dB(A)	39.0	41.1	42.2	44.6
24-11-17	Manali	Day Time	Noise Level in dB(A)	50.7	53.4	55.6	57.7
		Night Time	Noise Level in dB(A)	38.6	41.4	42.7	43.6

Month and Year: December-2017

01-12-17	Manali	Day Time	Noise Level in dB(A)	52.0	53.7	57.5	59.6
		Night Time	Noise Level in dB(A)	39.5	41.6	42.5	43.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Lady Wellington Hospital	PCB, Office Building	The Mall, Manali	Near Hotel IBEX
8-12-17	Manali	Day Time	Noise Level in dB(A)	52.5	53.9	58.2	60.1
		Night Time	Noise Level in dB(A)	39.8	42.5	43.8	44.5
16-12-17	Manali	Day Time	Noise Level in dB(A)	51.7	53.0	56.5	58.4
		Night Time	Noise Level in dB(A)	38.7	41.4	41.7	43.6
23-12-17	Manali	Day Time	Noise Level in dB(A)	50.9	52.6	55.9	58.4
		Night Time	Noise Level in dB(A)	38.5	40.8	41.9	43.2
30-12-17	Manali	Day Time	Noise Level in dB(A)	52.3	54.6	57.9	61.0
		Night Time	Noise Level in dB(A)	40.7	42.6	44.4	44.9

[HOME](#)