

Name of Regional Office: Paonta Sahib

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70

Month and Year: **January-2018**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
02-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	56.7	47.2	72.2	71.5
		Night Time	Noise Level in dB(A)	37.2	44.2	51.8	62.1
12-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	57.8	42.8	71.5	75.4
		Night Time	Noise Level in dB(A)	35.2	34.9	53.8	65.7
20-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.1	56.3	72.9	69.1
		Night Time	Noise Level in dB(A)	34.7	38.2	52.9	65.3
30-01-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	63.7	53.5	68.1	70.3
		Night Time	Noise Level in dB(A)	37.2	37.2	49.8	65.1

Month and Year: **Febraury-2018**

06-02-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	59.7	47.2	74.3	73.1
		Night Time	Noise Level in dB(A)	33.9	42.8	47.3	60.8
15-02-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	54.1	45.1	73.1	71.3

		Night Time	Noise Level in dB(A)	36.4	35.7	48.3	67.2
23-02-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	62.5	55.7	72.6	70.4
		Night Time	Noise Level in dB(A)	34.6	31.2	50.9	67.1

Month and Year:

March-2018

06-03-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	65.2	45.3	74.1	74.1
		Night Time	Noise Level in dB(A)	31.2	39.3	45.3	58.3
15-03-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	56.1	47.5	69.2	73.1
		Night Time	Noise Level in dB(A)	38.1	39.3	47.3	65.3
22-03-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	63.2	57.2	71.4	69.1
		Night Time	Noise Level in dB(A)	37.4	39.2	54.1	65.3

Month and Year:

April-2018

05-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	62.7	45.0	74.5	74.3
		Night Time	Noise Level in dB(A)	37.3	36.1	43.1	65.4
09-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	52.1	50.2	67.3	74.8
		Night Time	Noise Level in dB(A)	34.3	41.6	52.7	65.0
20-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.4	56.3	72.7	67.1
		Night Time	Noise Level in dB(A)	35.2	38.0	53.2	68.3
26-04-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	56.3	54.1	67.5	76.1

		Night Time	Noise Level in dB(A)	39.4	40.2	50.8	63.5
--	--	------------	----------------------	------	------	------	------

Month and Year: May-2018

04-05-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	65.4	56.2	75.7	76.5
		Night Time	Noise Level in dB(A)	36.7	38.1	43.2	57.2
10-05-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	51.2	49.9	73.3	74.2
		Night Time	Noise Level in dB(A)	37.1	38.0	49.0	67.4
19-05-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	60.9	57.1	75.8	64.4
		Night Time	Noise Level in dB(A)	37.2	39.2	51.9	56.1
24-05-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	53.2	56.3	70.6	73.1
		Night Time	Noise Level in dB(A)	35.4	39.4	49.4	58.4

Month and Year: June-2018

07-06-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	63.2	56.7	73.5	76.4
		Night Time	Noise Level in dB(A)	34.2	35.1	38.4	60.7
15-06-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	56.1	54.1	74.3	71.8
		Night Time	Noise Level in dB(A)	38.5	39.2	47.2	67.1
23-06-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	62.7	53.8	75.2	69.1
		Night Time	Noise Level in dB(A)	34.1	38.1	53.4	59.2

Month and Year: July-2018

06-07-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	62.7	57.2	73.5	76.1
-------------------	---------------------	----------	----------------------	-------------	-------------	-------------	-------------

		Night Time	Noise Level in dB(A)	32.8	38.3	52.7	65.7
12-07-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.1	54.7	73.4	78.2
		Night Time	Noise Level in dB(A)	39.2	40.6	49.2	66.1
19-07-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	59.7	56.3	73.1	69.4
		Night Time	Noise Level in dB(A)	35.1	40.2	54.2	59.2
15-07-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	52.1	43.1	71.1	72.3
		Night Time	Noise Level in dB(A)	31.4	35.8	49.3	67.0

Month and Year:

Aug-2018

07-08-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	61.4	58.2	75.1	77.1
		Night Time	Noise Level in dB(A)	37	39.2	40.3	63.7
16-08-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.3	51.3	73.5	73.8
		Night Time	Noise Level in dB(A)	35.7	32.8	48.1	65.3
29-08-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	64.3	58.1	74.5	67.1
		Night Time	Noise Level in dB(A)	33.2	37.2	51.4	59.5

Month and Year:

Sept-2018

06-09-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	59.2	56.3	75.1	74.1
		Night Time	Noise Level in dB(A)	31.8	33.8	57.6	63.7
12-09-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.1	57.3	74.1	72.7

		Night Time	Noise Level in dB(A)	37.2	46.2	43.9	61.4
22-09-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	57.9	53.4	71.2	67.2
		Night Time	Noise Level in dB(A)	33.5	42.7	52.1	54.3
28-09-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	53.1	41.7	71.1	72.5
		Night Time	Noise Level in dB(A)	32.4	36.1	49.3	64.0

Month and Year:

oct-2018

Date	Location	Detail of Sampling	Silence	Residential	Commercial	Industrial	Silence	
			Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur	Mini Secretaria t Paonta Sahib	
04-10-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	65.1	52.7	75.2	77.4	67.4
		Night Time	Noise Level in dB(A)	34.3	34.3	56.2	62.7	42.7
11-10-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	63.7	54.7	72.1	75.1	65.2
		Night Time	Noise Level in dB(A)	33.8	36.2	58.3	65.4	41.3
26-10-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	62.7	57.9	73.2	74.3	58.1
		Night Time	Noise Level in dB(A)	38.3	33.8	52.7	67.3	44.3

Month and Year:

Nov-2018

01-11-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	58.1	52.5	75.3	73.8	65.2
		Night Time	Noise Level in dB(A)	32.3	39.1	52.1	65.7	39.1

08-11-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	57.6	45.8	70.5	73.4	62.7
		Night Time	Noise Level in dB(A)	34.7	37.8	51.9	67.5	32.3
17-11-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	54.7	54.8	68.2	74.3	64.1
		Night Time	Noise Level in dB(A)	37.3	39.7	53.8	63.2	36.2
29-11-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	53.3	50.2	69.4	76.1	59.1
		Night Time	Noise Level in dB(A)	32.1	38.1	52.6	60.4	39.4

Month and Year:

Dec-2018

04-12-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	53.2	49.6	71.5	72.1	60.7
		Night Time	Noise Level in dB(A)	35.1	34.7	53.1	63.7	37.2
14-12-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	55.2	48.2	72.4	72.1	59.7
		Night Time	Noise Level in dB(A)	37.1	36.5	50.3	65.3	35.1
21-12-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	53.2	52.5	62.5	73.2	52.3
		Night Time	Noise Level in dB(A)	35.1	35.1	52.4	62.9	32.1
29-12-2018	Paonta Sahib	Day Time	Noise Level in dB(A)	54.9	52.7	64.3	71.5	59.1
		Night Time	Noise Level in dB(A)	34.1	34.5	51.2	64.2	39.4

Name of Regional Office: Paonta Sahib/ Kala Amb

	Area/Zone			Silence	Residential	Commercial	Industrial
	Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70

Month and Year: January-2017

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
03/01/2017	Paonta Sahib	Day Time	Noise Level in dB(A)	59.2	48.2	70.2	72.8
		Night Time	Noise Level in dB(A)	35.1	43.2	51.3	61.2
10-01-17	Paonta Sahib	Day Time	Noise Level in dB(A)	58.7	48.2	73.1	74.5
		Night Time	Noise Level in dB(A)	32.5	35.1	49.6	63.1
18-01-17	Paonta Sahib	Day Time	Noise Level in dB(A)	54.7	57.6	70.8	71.8
		Night Time	Noise Level in dB(A)	35.4	35.7	53.9	59.7
23-01-17	Paonta Sahib	Day Time	Noise Level in dB(A)	60.3	55.3	68.9	72.8
		Night Time	Noise Level in dB(A)	32.7	36.7	48.9	57.9

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur

Month and Year: Febraury-2017

03-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)		50.2		60.7
	Trilokpur	Night Time	Noise Level in dB(A)		42.6		55.0
16-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.3		62.3	
	DC, Office Nahan	Night Time	Noise Level in dB(A)	38.5		50.4	
16-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)	46.3			
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	38.4			
16-02-17	Paonta Sahib	Day Time	Noise Level in dB(A)		46.8		
	Residential area Nahan	Night Time	Noise Level in dB(A)		40.0		

Month and Year: March-2017

02-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	60.7	45.8	74.3	70.9
		Night Time	Noise Level in dB(A)	34.1	40.1	45.1	56.3

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
08-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	57.1	42.9	74.8	73.1
		Night Time	Noise Level in dB(A)	34.2	32.5	46.8	64.7
17-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.5	55.7	72.6	70.4
		Night Time	Noise Level in dB(A)	34.6	31.2	50.9	67.1
30-03-17	Paonta Sahib	Day Time	Noise Level in dB(A)	61.2	57.9	67.5	74.3
		Night Time	Noise Level in dB(A)	35.7	34.1	45.2	58.9
Month and Year: April-2017							
07-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)		51.2		62.3
		Night Time	Noise Level in dB(A)		43.2		58.1
21-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)	48.9			
	DC, Office Nahan	Night Time	Noise Level in dB(A)	36.3			

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
21-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.4		63.4	
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	36.8		49.3	
27-04-17	Paonta Sahib	Day Time	Noise Level in dB(A)		48.3		
		Night Time	Noise Level in dB(A)		41.1		

Month and Year: May-2017

05-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	63.2	46.1	75.2	72.4
		Night Time	Noise Level in dB(A)	31.7	39.2	42.7	57.5
12-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	54.7	47.1	68.7	70.3
		Night Time	Noise Level in dB(A)	35.7	34.2	48.1	61.2
20-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	60.7	57.9	73.1	69.7
		Night Time	Noise Level in dB(A)	31.5	30.4	51.4	66.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
27-05-17	Paonta Sahib	Day Time	Noise Level in dB(A)	55.7	57.3	68.2	73.5
		Night Time	Noise Level in dB(A)	34.9	33.2	43.8	56.7

Month and Year: June-2017

12-06-17	Paonta Sahib	Day Time	Noise Level in dB(A)		53.4		65.8
		Night Time	Noise Level in dB(A)		40.2		62.1
29-06-17	Paonta Sahib	Day Time	Noise Level in dB(A)	49.5			
	DC, Office Nahan	Night Time	Noise Level in dB(A)	35			
29-06-17	Paonta Sahib	Day Time	Noise Level in dB(A)	48.3	53.2	64.1	
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	38.4	43.2	46.2	

Month and Year: July-2017

06-07-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.5	47.5	72.9	71.9
		Night Time	Noise Level in dB(A)	32.2	38.1	40.1	56.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
19-07-17	Paonta Sahib	Day Time	Noise Level in dB(A)	51.7	46.7	68.7	70.3
		Night Time	Noise Level in dB(A)	37.8	32.1	48.1	61.2
28-07-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.3	58.1	74.8	68.9
		Night Time	Noise Level in dB(A)	30.8	32.5	52.7	64.1

Month and Year: August-2017

09-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)		49.5		68.2
		Night Time	Noise Level in dB(A)		42.3		60.4
22-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.5			
	DC, Office Nahan	Night Time	Noise Level in dB(A)	34.3			
22-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)	47.4		62.1	
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	36.1		45.0	

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
22-08-17	Paonta Sahib	Day Time	Noise Level in dB(A)		50.3		
	Residential area Nahan	Night Time	Noise Level in dB(A)		40.1		

Month and Year: September-2017

08-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	64.1	50.6	76.1	76.8
		Night Time	Noise Level in dB(A)	32.6	32.8	40.3	55.7
16-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	56.1	49.9	70.3	73.9
		Night Time	Noise Level in dB(A)	32.5	32.5	41.9	61.7
21-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	62.9	58.7	72.8	67.4
		Night Time	Noise Level in dB(A)	32.7	33.9	52.9	56.9
27-09-17	Paonta Sahib	Day Time	Noise Level in dB(A)	54.8	57.1	70.1	74.5
		Night Time	Noise Level in dB(A)	32.9	32.8	41.9	55.8

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur

Month and Year: October-2017

04-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)		51.8		61.8
		Night Time	Noise Level in dB(A)		38.6		55.3
18-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)	44.5		64.1	
	DC, Office Nahan	Night Time	Noise Level in dB(A)	38.6		48.2	
18-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)	45.1			
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	38.3			
18-10-17	Paonta Sahib	Day Time	Noise Level in dB(A)		51.5		
		Night Time	Noise Level in dB(A)		37.8		

Month and Year: November-2017

13-11-17	Paonta Sahib	Day Time	Noise Level in dB(A)	64.8	56.7	71.3	78.2
		Night Time	Noise Level in dB(A)	31.9	31.9	39.5	54.7

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
23-11-17	Paonta Sahib	Day Time	Noise Level in dB(A)	55.9	50.8	71.8	72.8
		Night Time	Noise Level in dB(A)	30.8	31.9	42.7	60.7
29-11-17	Paonta Sahib	Day Time	Noise Level in dB(A)	63.7	57.2	74.5	68.9
		Night Time	Noise Level in dB(A)	31.8	32.8	51.8	54.8

Month and Year: December-2017

06-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)		53.5		66.4
		Night Time	Noise Level in dB(A)		44.0		60.7
28-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)	42.3		63.8	
	DC, Office Nahan	Night Time	Noise Level in dB(A)	35.4		45.2	
28-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)	48.4			
	Civil Hospital Nahan	Night Time	Noise Level in dB(A)	37.2			

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
				Civil hospital Paonta Sahib	Shiva Colony, Taruwala	Badripur Area Near HPSEBL Office	Industrial Area, Gondpur
28-12-17	Paonta Sahib	Day Time	Noise Level in dB(A)		52.4		
		Night Time	Noise Level in dB(A)		40.5		

HOME