

**Name of Regional Office: Rampur**

Area/Zone			Silence	Residential	Commercial	Industrial
Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
	Night Time	Limit in dB(A)	40	45	55	70
<b>Month and Year:</b>			<b>January-2018</b>			
Date	Detail of Sampling		Silence	Residential	Commercial	Industrial
			M.G.M.G Hospital Khaneri Rampur/ Court Complex Rampur	PWD Colony, Patbangla Rampur	Main Bazaar Rampur	
01-01-18	Day Time	Noise Level in dB(A)	36.9/ 38.6	41.6	71.9	--
09.01.2018	Day Time	Noise Level in dB(A)	41.1/45.7	54.7	88	--
Date	Detail of Sampling		Hospital Rampur/ Court Complex	Residential	Bus Stand Rampur	--
16.01.2018	Day Time	Noise Level in dB(A)	48.2	--	81.6	--
	Day Time	Noise Level in dB(A)	69.4	--	72.4	--
Date	Detail of Sampling		M.G.M.G Hospital Khaneri Rampur	Residency Pity Colony/ Court complex Rampur	New Bus Stand Rampur	--
<b>Month and Year:</b>			<b>February-2018</b>			
Date	Detail of Sampling		Silence	Residential	Commercial	Industrial
			M.G.M.G Hospital Khaneri Rampur/Boys SchoolRampur near court complex	PWD Colony, Patbangla Rampur	Main Bazaar Rampur	
01-02-18	Day Time	Noise Level in dB(A)	38.6/42.8	48.6	72.3	--
Date	Detail of Sampling		Court Complex Rampur/M.G.M.G Hospital Khaneri Rampur	Forest Colony	New Bus Stand Rampur	Industrial

<b>09-02-2018</b>	Day Time	Noise Level in dB(A)	46.1/42.1	51.7	<b>79.3</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		Court Complex Rampur/ Hospital Rampur	Residential Colony, Khopri	Bus Stand Rampur	Industrial
<b>16-02-2018</b>	Day Time	Noise Level in dB(A)	44.7/41.6	54.3	<b>78</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex rampur	Residential	New Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>24-02-2018</b>	Day Time	Noise Level in dB(A)	40.2/ 40.6	--	<b>80.9/ 76.5</b>	--
<b>Month and Year:</b>		<b>March-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	Forest Colony near pipty village	Bus Stand Rampur	Industrial
<b>01-03-2018</b>	Day Time	Noise Level in dB(A)	40.1/ 45.8	49.3	<b>82.9</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	P.W.D.Colony	Old Bus Stand Rampur	Industrial
<b>08-03-2018</b>	Day Time	Noise Level in dB(A)	42.0/ 44.3	54.1	<b>81.2</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	Residential	Old Bus Stand Rampur/ Main market Rampur	Industrial
<b>16-03-2018</b>	Day Time	Noise Level in dB(A)	48.3/ <b>80.2</b>	--	<b>85.1/72.4</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	Residential	New Bus Stand Rampur/ Main market Rampur	Industrial

<b>25-03-2018</b>	Day Time	Noise Level in dB(A)	40.2/ 42.6	--	<b>78.9/72.5</b>	--
<b>Month and Year:</b>		<b>April-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area pipty colony	New Bus Stand Rampur/ Main market Rampur	Industrial
<b>02-04-2018</b>	Day Time	Noise Level in dB(A)	43.5	48.2	<b>74.2/69.5</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	Residential area pipty colony	New Bus Stand Rampur	Industrial
<b>10-04-2018</b>	Day Time	Noise Level in dB(A)	41.7/44.3	48.7	<b>80.3</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	Residential colony, Forest Rampur	Old Bus Stand Rampur	Industrial
<b>19-04-2018</b>	Day Time	Noise Level in dB(A)	46.2/ <b>76.1</b>	48.3	<b>79.1</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Boys School Court complex rampur	Residential colony, Forest Rampur	Old Bus Stand Rampur	Industrial
<b>27-04-2018</b>	Day Time	Noise Level in dB(A)	47.3/43.3	49.2	<b>75.1</b>	--
<b>Month and Year:</b>		<b>May-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential colony, PWD	New Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>01-05-2018</b>	Day Time	Noise Level in dB(A)	42.7	49.3	<b>71.7/ 75.1</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex Rampur	Residential area, Forest colony pipty rampur	New Bus Stand Rampur	Industrial

<b>08-05-2018</b>	Day Time	Noise Level in dB(A)	40.4/ 43.2	49.7	<b>78.7</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		Court complex Rampur	Residential area, Forest colony pipty	Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>16-05-2018</b>	Day Time	Noise Level in dB(A)	<b>81.7</b>	<b>58.2</b>	<b>83.2/ 73.4</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, Pat bangla Rampur	Old Bus Stand Rampur/ New Bus Stand Rampur	Industrial
<b>24-05-2018</b>	Day Time	Noise Level in dB(A)	41.3	51.3	<b>81.3/ 79.7</b>	--
<b>Month and Year:</b>		<b>June-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, PWD Pat bangla Rampur	New Bus Stand Rampur/ Main Bazar Rampur	Industrial
<b>01-06-2018</b>	Day Time	Noise Level in dB(A)	41.3	50.1	<b>79.7/76.3</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, PWD Pat bangla Rampur	New Bus Stand Rampur/ Main Bazar Rampur	Industrial
<b>10-06-2018</b>	Day Time	Noise Level in dB(A)	41.3	49.7	<b>81.7/73.2</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential Colony	Bus Stand Rampur/ Main market Rampur	Industrial
<b>18-06-2018</b>	Day Time	Noise Level in dB(A)	<b>56.3</b>	53.1	<b>78.4/81.4</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, PWD Pat bangla Rampur	New Bus Stand Rampur/ Main market Rampur	Industrial
<b>26-06-2018</b>	Day Time	Noise Level in dB(A)	44.8	50.4	<b>72.6/76.1</b>	--
<b>Month and Year:</b>		<b>July-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, Pipety colony forest	New Bus Stand Rampur/ Old bus stand Rampur	Industrial

<b>03-07-2018</b>	Day Time	Noise Level in dB(A)	42.1	53.4	<b>79.7/82.3</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, PWD Pat bangla Rampur	New Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>10-07-2018</b>	Day Time	Noise Level in dB(A)	40.6	45.8	<b>91.6/89.6</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		Court complex Rampur	Residential area,Pipety colony forest	Old Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>18-07-2018</b>	Day Time	Noise Level in dB(A)	<b>72.4</b>	<b>64.7</b>	<b>79.5/75.1</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		Court complex Rampur	Residential area, Khapri	Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>26-07-2018</b>	Day Time	Noise Level in dB(A)	<b>78.1</b>	<b>69.2</b>	<b>75.4/74.6</b>	--
<b>Month and Year:</b>		<b>Aug-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area,Pipety colony forest	New Bus Stand Rampur/ Main Bazaar Rampur	Industrial
<b>02-08-2018</b>	Day Time	Noise Level in dB(A)	41.3	52.4	<b>83.4/81.3</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex near boys school	Residential area,Pipety colony forest	Bus Stand near Bazaar etc	Industrial
<b>09-08-2018</b>	Day Time	Noise Level in dB(A)	43.6/ 49.1	42.8	<b>89.8</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area,Pipety colony forest	Old Bus Stand Rampur/ Maim Bazaar Rampur/ New bus stand Rampur	Industrial
<b>17-08-2018</b>	Day Time	Noise Level in dB(A)	43.6/ 49.1	--	<b>80.3/68.5/84.7</b>	--

<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex Rampur	Residential area,Health Khaneri	Bus Stand Rampur	Industrial
<b>24-08-2018</b>	Day Time	Noise Level in dB(A)	<b>59.4/71.5</b>	<b>64.1</b>	<b>76.3</b>	--
<b>Month and Year:</b>		<b>Sept-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area,Pipety colony forest	Old Bus Stand Rampur/New Bus Stand Rampur	Industrial
<b>01-09-2018</b>	Day Time	Noise Level in dB(A)	43.6	54.6	<b>81.3/83.7</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex Rampur	Residential area, kalyanpur, near jucidial	Maim Bazzar Rampur	Industrial
<b>01-09-2018</b>	Day Time	Noise Level in dB(A)	42.1/48.6	43.3	<b>82.9</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex Rampur	Residential complex, Sheesmahal	Bus stand, Rampur	Industrial
<b>18-09-2018</b>	Day Time	Noise Level in dB(A)	<b>64.1/76.3</b>	<b>63.6</b>	<b>79.4</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area, PWD Pat bangla Rampur	Main Bazaar Rampur	Industrial
<b>26-09-2018</b>	Day Time	Noise Level in dB(A)	44.7	48.3	<b>74.1/76.1</b>	--
<b>Month and Year:</b>		<b>Oct-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential area,Pipety colony forest	Old Bus Stand Rampur/New Bus Stand Rampur	Industrial
<b>03-10-2018</b>	Day Time	Noise Level in dB(A)	41.7	<b>55.7</b>	<b>83.7/86.7</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex Rampur	Residential complex khaneri, court complex rampur	Maim Bazzar Rampur	Industrial

<b>11-10-2018</b>	Day Time	Noise Level in dB(A)	<b>66.1/73.2</b>	<b>62.6</b>	<b>78.1</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential complex, pipty colony/ court complex	Bus stand, Rampur	Industrial
<b>19-10-2018</b>	Day Time	Noise Level in dB(A)	47.6	47.3/51.6	<b>86.6</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ boys school	Residential colony Pat bangla Rampur	New, Bus stand, Rampur	Industrial
<b>27-10-2018</b>	Day Time	Noise Level in dB(A)	42.3/45.6	38.8	<b>76.9</b>	--
<b>Month and Year:</b>		<b>Nov-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		Court complex Rampur/ M.G.M.C hospital	Fores Colony pipty Rampur	Main Bazaar Rampur	Industrial
<b>01-11-2018</b>	Day Time	Noise Level in dB(A)	44.7/42.3	53.7	<b>84.3</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex Rampur	Residential	New Bus Stand/Maim Bazaar Rampur	Industrial
<b>09-11-2018</b>	Day Time	Noise Level in dB(A)	41.2/41.6	--	<b>80.9/77.5</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ court complex	Residential complex, pipty colony	Main Bazaar, Rampur	Industrial
<b>17-11-2018</b>	Day Time	Noise Level in dB(A)	40.7/39.8	41.8	<b>72.9</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex	MGMC Residential	Bus stand, Rampur	Industrial
<b>26-11-2018</b>	Day Time	Noise Level in dB(A)	<b>58.1/76.5</b>	<b>60.4</b>	<b>78.4</b>	--
<b>Month and Year:</b>		<b>Dec-2018</b>				
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential colony Pat bangla Rampur	Old bus stand Rampur/Main Bazar Rampur	Industrial

<b>04-12-2018</b>	Day Time	Noise Level in dB(A)	48.7	<b>56.3</b>	<b>88.7/78.9</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		Court complex	Residential complex Khaneri	Main Bazar Rampur/ Bus Stand Rampur	Industrial
<b>12-12-2018</b>	Day Time	Noise Level in dB(A)	<b>77.5</b>	<b>81.2</b>	<b>70.2/85.1</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur	Residential colony Pat bangla Rampur	Main Bazaar, Rampur/ old bus stand rampur	Industrial
<b>19-12-2018</b>	Day Time	Noise Level in dB(A)	43.4	46.5	<b>76.8/81.1</b>	--
<b>Date</b>	<b>Detail of Sampling</b>		M.G.M.G Hospital Khaneri Rampur/ Court complex	Residential pipty colony/ court complex rampur	New Bus stand, Rampur	Industrial
<b>28-12-2018</b>	Day Time	Noise Level in dB(A)	48.6	48.3/49	<b>87.6</b>	--



**Name of Regional Office: Rampur**

	Area/Zone			Silence	Residential	Commercial	Industrial
	Limit in dB(A)	Day Time	Limit in dB(A)	50	55	65	75
		Night Time	Limit in dB(A)	40	45	55	70

**Month and Year:**

**January-2017**

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
24-01-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	46.4			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand</b>	Day Time	Noise Level in dB(A)			87.6	
		Night Time	Noise Level in dB(A)				
	<b>Residential area Pipty Forest Colony</b>	Day Time	Noise Level in dB(A)		46.3		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)		50.6		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
<b>Month and Year:</b>		<b>April-2017</b>					
03-04-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.9			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand</b>	Day Time	Noise Level in dB(A)			90.3	
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pity Rampur</b>	Day Time	Noise Level in dB(A)		48.7		
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			79.9	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.7			
		Night Time	Noise Level in dB(A)				

<b>Date</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>
12-04-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	42.7			
		Night Time	Noise Level in dB(A)				
	<b>Colony Rampur</b>	Day Time	Noise Level in dB(A)		65.5		
		Night Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73.7	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			81.3	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	42.1			
		Night Time	Noise Level in dB(A)				
17-04-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	81.6			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			75.8	
		Night Time	Noise Level in dB(A)				
	<b>Residential Colony Kdyen....</b>	Day Time	Noise Level in dB(A)		59.3		
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			97.2	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	53.3			
		Night Time	Noise Level in dB(A)				
27-04-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	88.6			
		Night Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			71.3	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			86.8	
		Night Time	Noise Level in dB(A)				
	<b>Colony Pity Rampur</b>	Day Time	Noise Level in dB(A)		61.2		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	56.3			
		Night Time	Noise Level in dB(A)				
<b>Month and Year: May-2017</b>							
08-05-17	<b>Colony Khapri</b>	Day Time	Noise Level in dB(A)		49.3		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.7			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			90.7	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			88.3	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	41.1			
		Night Time	Noise Level in dB(A)				
15-05-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	89.4			
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			96.5	
		Night Time	Noise Level in dB(A)				
	<b>Main Market Rampur</b>	Day Time	Noise Level in dB(A)			78.1	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Residential Colony Khareri</b>	Day Time	Noise Level in dB(A)		75.3		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	58.2			
		Night Time	Noise Level in dB(A)				
26-05-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	98.1			
		Night Time	Noise Level in dB(A)				
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			81.3	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			86.3	
		Night Time	Noise Level in dB(A)				
	<b>Colony Khareri</b>	Day Time	Noise Level in dB(A)		60.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	55.2			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>		<b>June-2017</b>					
02-06-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	46.1			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			91.6	
		Night Time	Noise Level in dB(A)				
	<b>Residential area Pipty Colony</b>	Day Time	Noise Level in dB(A)		42.1		
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			81.3	
		Night Time	Noise Level in dB(A)				



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
07-06-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	46.9			
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	45.2			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)		49.8		
		Night Time	Noise Level in dB(A)				
	<b>Residential are Pipty Colony</b>	Day Time	Noise Level in dB(A)			78.7	
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			80.1	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.4			
		Night Time	Noise Level in dB(A)				

<b>Date</b>	<b>Location</b>	<b>Detail of Sampling</b>		<b>Silence</b>	<b>Residential</b>	<b>Commercial</b>	<b>Industrial</b>	
12-06-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	91.4				
		Night Time	Noise Level in dB(A)					
	<b>Main Market Rampur</b>	Day Time	Noise Level in dB(A)			81.4		
		Night Time	Noise Level in dB(A)					
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)				93.3	
		Night Time	Noise Level in dB(A)					
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	56.1				
		Night Time	Noise Level in dB(A)					
	<b>Colony main market</b>	Day Time	Noise Level in dB(A)			54.2		
		Night Time	Noise Level in dB(A)					
	23-06-17	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	80.6			
			Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Day Time	Noise Level in dB(A)					
	<b>Bazar Rampur</b>	Day Time	Noise Level in dB(A)			74.2		
		Night Time	Noise Level in dB(A)					
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			88.2		
		Night Time	Noise Level in dB(A)					
	<b>Colony Khareri Rampur</b>	Day Time	Noise Level in dB(A)		54.4			
		Night Time	Noise Level in dB(A)					
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	53.6				
		Night Time	Noise Level in dB(A)					
<b>Month and Year:</b>		<b>July-2017</b>						
01-07-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	46.4				
		Night Time	Noise Level in dB(A)					
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			92.8		

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Night Time	Noise Level in dB(A)					
	<b>Residential area Pipty Forest Colony</b>	Day Time	Noise Level in dB(A)		40.1			
		Night Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			81.2		
		Night Time	Noise Level in dB(A)					
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	48.8				
		Night Time	Noise Level in dB(A)					
	09-07-17	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			91.3	
			Night Time	Noise Level in dB(A)				
<b>Main Bazar Rampur</b>		Day Time	Noise Level in dB(A)			78.1		
		Night Time	Noise Level in dB(A)					

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	49.3			
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	43.0			
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pipty Rampur</b>	Day Time	Noise Level in dB(A)		53.7		
		Night Time	Noise Level in dB(A)				
28-07-17	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)	87.6			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			76.3	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)			83.4	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)		56.4		
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pity Rampur</b>	Day Time	Noise Level in dB(A)	59.2			
		Night Time	Noise Level in dB(A)				

**Month and Year:**

**August-2017**

01-08-17	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.9			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			90.6	
		Night Time	Noise Level in dB(A)				
	<b>Residential area Pity Forest Colony</b>	Day Time	Noise Level in dB(A)		40.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Day Time	Noise Level in dB(A)					
	Main Bazar Rampur	Day Time	Noise Level in dB(A)			76.5		
		Night Time	Noise Level in dB(A)					
	Court Complex Rampur	Day Time	Noise Level in dB(A)	49.6				
		Night Time	Noise Level in dB(A)					
	11-08-2017	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	42.8			
			Night Time	Noise Level in dB(A)				
		New Bus Stand Rampur	Day Time	Noise Level in dB(A)			88.1	
			Night Time	Noise Level in dB(A)				
	Residential area Pity Forest Colony	Day Time	Noise Level in dB(A)		42.3			
		Night Time	Noise Level in dB(A)					
	Main Bazar Rampur	Day Time	Noise Level in dB(A)	44.7				
		Night Time	Noise Level in dB(A)					

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
18-08-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	49.4			
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	70.1			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73.3	
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			89.2	
		Night Time	Noise Level in dB(A)				
25-08-2017	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	43.3			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			71.6	
		Night Time	Noise Level in dB(A)				



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	New Bus Stand Rampur	Night Time	Noise Level in dB(A)			78.7	
		Day Time	Noise Level in dB(A)				
	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	41.1			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>				<b>September-2017</b>			
04-09-2017	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	36.6			
		Night Time	Noise Level in dB(A)				
	New Bus Stand Rampur	Day Time	Noise Level in dB(A)			82.9	
		Night Time	Noise Level in dB(A)				
	Pat Bangla PWD Colony Rampur	Day Time	Noise Level in dB(A)		42.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	Main Bazar Rampur	Day Time	Noise Level in dB(A)			71.1	
		Night Time	Noise Level in dB(A)				
11-09-2017	Court Complex Rampur	Day Time	Noise Level in dB(A)	46.3			
		Night Time	Noise Level in dB(A)				
	Main Bazar Rampur	Day Time	Noise Level in dB(A)			78	
		Night Time	Noise Level in dB(A)				
	Forest colony Pipy Rampur	Day Time	Noise Level in dB(A)		55.3		
		Night Time	Noise Level in dB(A)				
	M.G.M.G Hospital Khaneri Rampur	Day Time	Noise Level in dB(A)	43.1			
		Night Time	Noise Level in dB(A)				
18-09-2017	Court Complex Rampur	Day Time	Noise Level in dB(A)	70.4			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
25-09-2017	<b>Residential Colony Khapri</b>	Day Time	Noise Level in dB(A)		48.4		
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			83.2	
		Night Time	Noise Level in dB(A)				
	<b>Hospital Khareri Rampur</b>	Day Time	Noise Level in dB(A)	48.1			
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	44.7			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			81.6	
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	46.3			
		Night Time	Noise Level in dB(A)				
<b>Month and Year:</b>		<b>October-2017</b>					
03-10-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	35.8			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			85.5	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	36.7			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			69.9	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
09-10-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	42.0			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			89.3	
		Night Time	Noise Level in dB(A)				
	<b>PWD Colony Near Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)		53.8		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.7			
		Night Time	Noise Level in dB(A)				
16-10-2017	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			86.7	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	69.2			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
		Day Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			78.4		
		Night Time	Noise Level in dB(A)					
	<b>PWD Colony Rampur</b>	Day Time	Noise Level in dB(A)		50.1			
		Night Time	Noise Level in dB(A)					
	23-10-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	44.6			
			Night Time	Noise Level in dB(A)				
		<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)		53.2		
			Night Time	Noise Level in dB(A)				
<b>Court Complex Rampur</b>		Day Time	Noise Level in dB(A)			76.1		
		Night Time	Noise Level in dB(A)					
<b>Main Bazar Rampur</b>		Day Time	Noise Level in dB(A)	43.8				
		Night Time	Noise Level in dB(A)					

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
<b>Month and Year:</b>			<b>November-2017</b>				
06-11-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	35.4			
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pipty Rampur</b>	Day Time	Noise Level in dB(A)		49.8		
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	37.6			
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			76.8	
		Night Time	Noise Level in dB(A)				
13-11-2017	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			83.7	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.6			
		Night Time	Noise Level in dB(A)				
	<b>Forest colony Pity Rampur</b>	Day Time	Noise Level in dB(A)		52.1		
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.6			
		Night Time	Noise Level in dB(A)				
20-11-2017	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			82.5	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	65.5			
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			88.2	
		Night Time	Noise Level in dB(A)				



Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	49.3		
	Night Time		Noise Level in dB(A)				
<b>Month and Year:</b>		<b>December-2017</b>					
04-12-2017	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	37.9			
		Night Time	Noise Level in dB(A)				
	<b>Indira market Rampur</b>	Day Time	Noise Level in dB(A)			62.1	
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			73.5	
		Night Time	Noise Level in dB(A)				
	<b>Khapri Village Rampur</b>	Day Time	Noise Level in dB(A)		40.1		
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
13-12-2017	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			83	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.7			
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			79.1	
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.1			
		Night Time	Noise Level in dB(A)				
20-11-2017	<b>Residential Colony Forest Khapri</b>	Day Time	Noise Level in dB(A)		48.1		
		Night Time	Noise Level in dB(A)				
	<b>Bustand Rampur</b>	Day Time	Noise Level in dB(A)			78.3	
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	64.6			
		Night Time	Noise Level in dB(A)				
	<b>Main Market Rampur</b>	Day Time	Noise Level in dB(A)			72.2	
		Night Time	Noise Level in dB(A)				
27-12-2017	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	44.6			
		Night Time	Noise Level in dB(A)				
	<b>Residential Colony PWD Pat Bangla</b>	Day Time	Noise Level in dB(A)		55.1		
		Night Time	Noise Level in dB(A)				
	<b>New Bus Stand Rampur</b>	Day Time	Noise Level in dB(A)			79.6	
		Night Time	Noise Level in dB(A)				
	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	41.9			
		Night Time	Noise Level in dB(A)				

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial	
<b>Month and Year:</b>		<b>January-2018</b>						
01-01-2018	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	36.9				
		Night Time	Noise Level in dB(A)					
	<b>PWD Colony Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)		41.6			
		Night Time	Noise Level in dB(A)					
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			71.9		
		Night Time	Noise Level in dB(A)					
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	38.6				
		Night Time	Noise Level in dB(A)	41.1				
	09-01-2018	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)				
			Night Time	Noise Level in dB(A)		54.7		

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
		Day Time	Noise Level in dB(A)				
	<b>PWD Colony Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)				
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			38	
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	45.7			
		Night Time	Noise Level in dB(A)				
16-01-2018	<b>Bus stand Rampur</b>	Day Time	Noise Level in dB(A)		81.6		
		Night Time	Noise Level in dB(A)				
	<b>Hospital Rampur</b>	Day Time	Noise Level in dB(A)	48.2			
		Night Time	Noise Level in dB(A)				
	<b>Court Complex Rampur</b>	Day Time	Noise Level in dB(A)	69.4			
		Night Time	Noise Level in dB(A)			72.4	

Date	Location	Detail of Sampling		Silence	Residential	Commercial	Industrial
	Market Rampur	Day Time	Noise Level in dB(A)				
		Night Time	Noise Level in dB(A)				

**Month and Year:**

**February-2018**

01-02-2018	<b>M.G.M.G Hospital Khaneri Rampur</b>	Day Time	Noise Level in dB(A)	38.6			
		Night Time	Noise Level in dB(A)				
	<b>PWD Colony Pat Bangla Rampur</b>	Day Time	Noise Level in dB(A)		48.6		
		Night Time	Noise Level in dB(A)				
	<b>Main Bazar Rampur</b>	Day Time	Noise Level in dB(A)			72.3	
		Night Time	Noise Level in dB(A)				
	<b>Boys School Rampur near Court Complex</b>	Day Time	Noise Level in dB(A)	42.8			
		Night Time	Noise Level in dB(A)				

**HOME**